



Digitized by the Internet Archive
in 2015

<https://archive.org/details/b21303022>

KING'S *College* LONDON

Squire

Library

The pharmacopoeias of twenty-five...
1879


KCSHD RS141.3 SQU

200909873 1



KING'S COLLEGE LONDON

THE
PHARMACOPŒIAS
OF THE
LONDON HOSPITALS.



Presented by
M^{rs} Mallet
from the Library of her son
M^r J. C. Williams
Medical Student of
University of London, King's College.

November 1917.

THE PHARMACOPOEIA



OF TWENTY-FIVE OF THE

LONDON HOSPITALS.

ALL ARE ARRANGED IN GROUPS FOR COMPARISON EXCEPT
THE CHILDREN'S, GERMAN, EDINBURGH, AND DUBLIN,
WHICH ARE PLACED IN THE ADDENDA.

FOURTH EDITION.

BY

PETER SQUIRE, F.L.S.,

CHEMIST IN ORDINARY TO H.R.H. THE PRINCE OF WALES;
MEMBER OF THE BRITISH PHARMACOPOEIA COMMITTEE OF THE
MEDICAL COUNCIL;

LATE PRESIDENT OF THE PHARMACEUTICAL SOCIETY.

ASSISTED BY HIS SONS

PETER WYATT SQUIRE AND ALFRED HERBERT SQUIRE,
JOINTLY CHEMISTS IN ORDINARY ON THE ESTABLISHMENT
OF THE QUEEN.

LONDON:


J. & A. CHURCHILL,

NEW BURLINGTON STREET.

1879.

583050 KCSMD RS141.3 SQU

LONDON :
PRINTED BY VIRTUE AND CO., LIMITED,
CITY ROAD.




5715

The following is the list of the Hospitals, with the dates of publication:—

		Published in
CHARING CROSS . . .	West Strand . . .	1877
CHEST, DISEASES OF (ROYAL) . . .	City Road . . .	1876
CHEST, DISEASES OF (CITY OF LONDON) . . .	Victoria Park . . .	1878
CONSUMPTION . . .	Brompton . . .	1876
FEVER . . .	Liverpool Road . . .	1864
GREAT NORTHERN . . .	Caledonian Road . . .	1865
GUY'S . . .	Borough . . .	1864
KING'S COLLEGE . . .	Portugal Street . . .	1869
LONDON . . .	Mile End . . .	1868
LONDON OPHTHALMIC (ROYAL) . . .	Liverpool Street . . .	1879
MIDDLESEX . . .	Berners Street . . .	1877
ROYAL FREE . . .	Gray's Inn Road . . .	1869
SAMARITAN . . .	Seymour Street . . .	1879
ST. BARTHOLOMEW'S . . .	Smithfield . . .	1877
ST. GEORGE'S . . .	Hyde Park . . .	1865
ST. MARY'S . . .	Paddington . . .	1878
ST. THOMAS'S . . .	Westminster Bdge. . .	1867
SKIN, BRITISH . . .	Marlborough Street . . .	1879
THROAT . . .	Golden Square . . .	1876
UNIVERSITY COLLEGE . . .	Gower Street . . .	1879
WESTMINSTER . . .	Broad Sanctuary . . .	1876
WESTMINSTER OPHTHALMIC (ROYAL) . . .	King William St. . .	1874
WOMEN'S . . .	Soho Square . . .	1870

ADDENDA.

LONDON:—		Page
CHILDREN, HOSPITAL FOR . . .	Gt. Ormond Street . . .	1875 244
GERMAN HOSPITAL . . .	Dalston . . .	298
EDINBURGH has no Hospital Pharmacopœias.		
DUBLIN:—		
MEATH . . .		306
ADELAIDE . . .		309



PREFACE

TO THE SECOND EDITION.

The familiar English name Grey Powder is used in this work for Hydrargyrum e. Cretâ.

THE Author, whilst engaged on the preparation of the British Pharmacopœia in 1863, collected the several Hospital Pharmacopœias of London, and made an alphabetieal classification of all the preparations in them for the use of his Committee; these were afterwards published, and have been out of print a long time.

Since the publication of the British Pharmacopœia, all the London Hospitals have published new Pharmacopœias, except two (Westminster and Skin). It has been thought a fitting opportunity to publish a Second Edition of "The Pharmacopœias of the London Hospitals," which now number seventeen (instead

of thirteen on the former occasion); and as these have been revised with great care by the Physicians and Surgeons of each Hospital, all the formulæ have an importance, each one applicable for its special purpose. Such a collection cannot fail to be useful to the profession generally, affording examples of prescribing every remedy in the most appropriate form, and, at the same time, presenting to the practitioner the different views taken by the seventeen Hospitals here included, as to the doses and menstruum employed for administration.

277, OXFORD STREET,
March, 1869.

PREFACE

TO THE THIRD EDITION.

A SECOND Edition is now out of print, and in collecting material for the Third Edition the Author has found the formulæ of the several Hospitals materially changed; many old formulæ have been struck out, and many new ones introduced; indeed, the very recent ones are as yet only to be found in manuscript. All the Hospitals have liberally supplied the latter, and he may congratulate the profession in having placed before them all the approved formulas that are in use in the several Hospitals up to the end of 1873.

277, OXFORD STREET,
March 2nd, 1874.

PREFACE

TO THE FOURTH EDITION.

SINCE the Third Edition (published March, 1874) there have been no less than sixteen new editions of the several Pharmacopœias of the London Hospitals, which have delayed the publishing of this work, for some of them are as recent as April, 1879.

It was intended to add the Edinburgh and Dublin Hospital Pharmacopœias, but I am informed by Dr. MacLagan that in the Edinburgh Hospitals the students are taught to prescribe by the "British Pharmacopœia;" they have no special formulæ. The principal Hospitals of Dublin are the Meath and Adelaide. The Pharmacopœias of these and the German Hospital, kindly sent to me by Dr. Hermann Weber, as well as that for the Hospital for Sick Children, are placed at the end, with the Diet Tables. The work is enlarged by these additions, but the price is not increased.

THE AUTHOR.

May, 1879.

CONTENTS.

	Page
ACIDA	1
ÆTHER CHLORICUS	1
AMYLI IODIDUM	1
AQUÆ	1
BALNEA	2
CAPSULÆ	4
CATAPLASMATA	4
CAUSTICA	5
CERATUM	7
CHARTA	7
COLLODIA	7
COLLUNARIA	8
COLLYRIA	8
CONFECTIONES VEL ELECTUARIA	10
DECOCTA	13
ELECTUARIA. <i>Vide CONFECTIONES.</i>	
EMPLASTRA	15
EMULSIO	16
ENEMATA	17

	Page
FOMENTUM. <i>See</i> FOTUS.	
FOTUS	20
FUMIGATIO	20
GARGARISMATA	20
GLYCERINA	29
GUTTÆ	30
HAUSTUS	33
INFUSA	63
INHALATIONES. <i>Vide</i> VAPORES.	
INJECTIONES	64
INJECTIONES HYPODERMICÆ	67
LINCTI	68
LINIMENTA	71
LIQUORES	77
LOHOCH. <i>Vide</i> LINCTI.	
LOTIONES	78
MISTURÆ	95
NITRE-PAPER	154
OLEUM CARBOLATUM	155
PASTA	155
PESSI	156
PIGMENTA	158
PILULÆ	162
POTASSA CUM CALCE	196
POTUS	196
PULVERES	197
SAPO DURUS CUM GLYCERINO	210
SOLUTIONES	211
SPIRITUS	212

	Page
SUPPOSITORIA	213
SYRUPÍ	214
TINCTURÆ	215
TROCHISCI	216
UNGUENTA	219
VAPORES—INHALATIONES	231
VINA	242
PHARMACOPŒIA OF THE HOSPITAL FOR SICK CHILDREN	244
DIET TABLES	264
PHARMACOPŒIA OF THE GERMAN HOSPITAL	298
PHARMACOPŒIA OF THE MEATH HOSPITAL AND COUNTY DUBLIN INFIRMARY	306
PHARMACOPŒIA OF THE ADELAIDE HOSPITAL, DUBLIN	309

THE
PHARMACOPŒIAS
OF THE
LONDON HOSPITALS.

ACIDA.

Acidum Carbolicum Liquefactum.

Carbolic Acid Crystals 16 drms.; Rectified Spirit
1 drm.; dissolve by heat. *Royal Chest.*

Carbolic Acid, 95° F., 8 drms.; water 1 drm.; mix.
Women.

ÆTHER CHLORICUS.

Chloroform 1 drm.; Rectified Spirit to 10 drms.
Dose 5 to 20 mins. *Consumption.*

AMYLI IODIDUM.

Iodino 12 grs.; Iodide of Potassium 24 grs.; Starch
480 grs.; mix. Collect the Iodide of Starch
on a filter, wash with distilled water, and dry
by exposure to a warm atmosphere. *Middlesex.*

AQUÆ.

Aqua Cassiæ.

Oil of Cassia 5 mins.; Rectified Spirit 30 mins.;
water to 10 oz. *St. George's.*

Aqua Medicatæ Omnes.

Essential Oil 6 mins.; Rectified Spirit 24 mins.;
water 12 oz. *London.*

Essential Oil $1\frac{1}{2}$ min.; Rectified Spirit 21 mins.;
water 20 oz. *St. Bartholomew's.*

Essential Oil 6 mins.; Distilled Water 16 oz.
Shake well at short intervals for one day, and
filter. *British Skin.*

BALNEA.

Balneum Acidi Nitro-Hydrochlorici.

Nitric Acid 11 fl. oz.; Hydrochloric Acid 20 fl. oz.;
warm water 30 gals. *Guy's.*

Nitric Acid 15 fl. oz.; Hydrochloric Acid 30 fl. oz.;
water 30 gals. *London.*

Balneum Acidum.

Diluted Nitro-hydrochloric Acid 12 oz.; water, 95° to
105° F., 30 gals. *University. St. Mary's.*

Nitric Acid $1\frac{1}{2}$ fl. oz.; Hydrochloric Acid 1 fl. oz.;
water 30 gals. *British Skin. St. Bartholomew's.*
Royal Free.

Balneum Alkalinum.

Crystal. Carb. Soda 4 oz.; hot water 30 gals.
British Skin. Guy's.

Crystal. Carb. Soda 6 oz.; water 30 gals. *London.*

Bicarbonate of Soda 4 oz.; water, 95° to 105° F., 30
gals. *University. St. Mary's.*

Carbonate of Soda Crystals 8 oz.; water 30 gals.
St. Bartholomew's. Royal Free.

Carbonate of Potash 2 oz.; warm water 25 gals.
Middlesex.

Balneum Calidæ Aquæ.

St. Bartholomew's, 96°. London, Guy's, 98° to 110°

Balneum Calidi Aëris.

Guy's, 110° to 115° F.

Balneum Calidum.

Water at 96° F., 30 gals. *St. Bartholomew's*.
Royal Free.

Balneum Creasoti.

Creasote $\frac{1}{4}$ oz.; Glycerine 2 oz.; water 30 gals.
British Skin. St. Bartholomew's.

Balneum Frigidæ Aquæ.

London, Guy's, 56° to 64°.

Balneum Furfuris.

Wheaten Bran 4 lbs.; water 30 gals. Tie the bran in a muslin bag; macerate it with frequent agitation for 10 minutes in 10 gals. of water at 185° F.; then add more water to produce the requisite quantity at 95° to 105° F. *University*.

Balneum Glutinis.

Clarified Size 2 lbs.; water, 95° to 105° F., 30 gals.
Dissolve. *University*.
Size 8 lbs.; boiling water 1 gal.; water to 30 gals.
British Skin. St. Bartholomew's. Royal Free.

Balneum Marinum, vel Sodii Chloridi.

Bay Salt 8 lbs.; water 30 gals. *London. British Skin*.
Sea Salt 9 lbs.; water 30 gals. *St. Bartholomew's*.

Balneum Potassæ Sulphuratæ v. Sulphuratum.

Sulphurated Potash 4 oz.; water, 95° to 105° F., 30 gals. Dissolve. *London. Guy's. University. St. Mary's. British Skin*.

Sulphurated Potash 8 oz.; warm water 25 gals.
Middlesex.

Sulphurated Potash 8 oz.; water 30 gals. *St. Bartholomew's. Royal Free.*

Balneum Tepidæ Aquæ.

St. Bartholomew's, "Royal Free, 90°. London, Guy's, 85° to 92°.

CAPSULÆ.

Capsulæ Olei Phosphorati.

Each containing $\frac{1}{30}$ gr. of Phosphorus dissolved in Olive Oil. *British Skin.*

CATAPLASMATA.

Cataplasma Acidi Carbolici.

Make a Linseed poultice, but substitute the Carbolic Acid lotion for one half of the water. *Fever.*

Cataplasma Carbonis.

Wood Charcoal $\frac{1}{2}$ oz.; Linseed Meal 4 oz.; boiling water 10 oz. *Fever.*

Cataplasma Carotæ.

Carrots boiled until they are soft, and pulp them.
Guy's.

Cataplasma Fermenti.

Beer Yeast 6 fl. oz.; Flour 14 oz.; water at 100°, 6 fl. oz. *Fever.*

Cataplasma Iodi.

Linseed poultice sprinkled with 2 drs. of Tincture of Iodine. *Women. Fever.*

Cataplasma Lini.

Pour boiling water into a basin and sprinkle into it Linseed Meal whilst stirring until a mass of the proper consistence for a poultice be formed; spread the mass on linen or tow, smear a little Olive Oil on the surface, and apply it. *Guy's.*

Linseed Meal 4 oz.; boiling water 10 oz. *Fever. London.*

Cataplasma Panis.

Grated bread, boiling water, of each sufficient. *London. British Skin.*

Cataplasma Plumbi et Opii.

Linseed poultice, substituting Lead and Opium lotion for half of the water. *Fever. Women.*

Cataplasma Sinapis.

Mustard 2 oz.; Linseed Meal 2 oz.; tepid water 8 oz. *Fever.*

Cataplasma Sodæ Chlorinatæ.

Make a Linseed poultice, substituting Solution of Chlorinated Soda for one-half of the water. *Fever.*

Cataplasma Thymolis.

Linseed Cataplasma B. P. 7 oz.; Thymol. 10 grs. *British Skin.*

CAUSTICA.

Causticum Acidi Arseniosi.

Arsenious Acid 20 grs.; Vermilion 1 drn.; Lard 1 oz. *British Skin.*

Causticum Acidi Carbolic.

Carbolic Acid 1 oz.; water 30 mins. *British Skin.*

Causticum Acidi Chromici.

Chromic Acid 1 oz.; water 1 oz. *British Skin.*

Causticum Argenti Nitratis.

Nitrate of Silver 30 grs.; Rectified Spirit 1 oz.
British Skin.

Causticum Depilatorium.

Sulphuret of Calcium $1\frac{1}{2}$ drms.; Oxide of Zinc 6 drms.; Carmine 1 gr. Used as a paste with water. *British Skin.*

Causticum Iodi.

Iodine 3 drms.; Iodide of Potassium 1 drms.; Rectified Spirit 1 oz. *British Skin.*

Causticum Pasta Londinensis.

Caustic Soda, Unslaked Lime, equal parts reduced to a fine powder in a warm mortar and bottle it, to be made into a paste with water before use. *Throat.*

Causticum Potassæ c. Calce.

Fused Potassa 1 drms.; Quicklime 1 drms.; water
q. s. British Skin.

Causticum Sabinæ.

Savin in powder 7 drms.; Oxide of Zinc 1 drms.
British Skin.

Causticum Sodæ Æthylatis.

Ethylated Soda 4 drms.; Absolute Alcohol 6 drms.
British Skin.

Causticum Tela Zinci Chloridi.

No. 1. Chloride of Zinc in fine powder, Wheaten Flour, equal parts, rubbed together to form a mass; place it in drying closet till stiff enough to form cylinders. *Throat.*

No. 2 consists of Chloride of Zinc 2 pts.; Wheaten Flour 3 pts. *Throat.*

No. 3. Chloride of Zinc 1 pt.; Wheaten Flour 2 pts. *Throat.*

Causticum Zinci Chloridi.

Chlorido of Zinc, Oxide of Zinc, equal parts. *London Ophthalmic. British Skin.*

Chloride of Zinc 480 grs.; Wheat Flour 180 grs.; water 1 oz.; mix and apply the heat of a water bath for a few minutes only until a paste is formed. *Middlesex. London Ophthalmic.*

CERATUM.

Ceratum Simplex.

Yellow Wax $\frac{1}{4}$ oz.; Prepared Lard $\frac{3}{4}$ oz.; melt together. *St. Bartholomew's.*

CHARTA.

Charta Nitratis Potassæ.

Nitrate of Potash 1 oz.; Distilled Water 4 oz.; dissolve; imbue pieces of thin bibulous paper 8 inches square in this solution, and dry. One to be burnt for each inhalation. *Middlesex.*

COLLODIA.

Collodium c. Iodo.

Iodine 12 grs.; Iodide of Potassium 24 grs.; Collodion 1 oz. *Middlesex.*

COLLUNARIA.

(NASAL DOUCHES.)

Collunarium Acidi Tannici.

Tannic Acid 3 grs.; water 1 oz. *Throat.*

Collunarium Aluminis.

Alum 4 grs.; water 1 oz. *Throat.*

Collunarium Potassæ Permanganatis.

Solution of Permanganate of Potash 6 mins.; water
1 oz. *Throat.*

Collunarium Quiniæ.

Sulphate of Quinine $\frac{1}{2}$ gr.; water 1 oz. *Throat.*

Collunarium Zinci Carbolatis.

Carbodate of Zinc 2 grs.; water 1 oz. *Throat.*

COLLYRIA.

Collyrium Aluminis.

Alum 4 grs.; water 1 oz. *Middlesex. London. Gt.
Northern. Samaritan. Royal Free.*

Collyrium Aluminis c. Belladonna.

Extract of Belladonna $7\frac{1}{2}$ grs.; Alum 4 grs.; water
to 1 oz. *Middlesex.*

Collyrium Ammoniaë Hydrochloratis.

Hydrochlorate of Ammonia 5 grs.; Laurel Water
1 oz. *Gt. Northern.*

Collyrium Argenti Nitratis.

Nitrate of Silver 1 gr.; Distilled Water 1 oz. *Gt.
Northern. City Chest.*

Nitrate of Silver 2 grs.; Distilled Water 1 oz.
London. Middlesex.

Collyrium Argenti Nitratis Fortius.

Nitrate of Silver 4 grs.; Distilled Water 1 oz.
King's.

Nitrate of Silver 5 grs.; Distilled Water 1 oz.
London.

Collyrium Argenti Nitratis Mitius.

Nitrate of Silver 2 grs.; Distilled Water 1 oz.
King's.

Collyrium Atropiæ Sulphatis.

Sulphate of Atropia 2 grs.; water 1 oz. *King's.*
Gt. Northern. Royal Free.

Sulphate of Atropia $\frac{1}{8}$ gr.; water 1 oz. *British Skin.*

Collyrium Boracis.

Borax 10 grs.; water 1 oz. *Gt. Northern.*

Collyrium Cupri Sulphatis.

Sulphate of Copper 2 grs.; water 1 oz. *King's.*
British Skin.

Collyrium Hydrargyri Perchloridi.

Corrosive Sublimate $\frac{1}{8}$ gr.; water 1 oz. *British Skin.*

Collyrium Plumbi.

Acetate of Lead 5 grs.; water 1 oz. *Royal Free.*

Collyrium Plumbi Acetatis.

Acetate of Lead 2 grs.; diluted Acetic Acid 1 min.;
water 1 oz. *Middlesex.*

Solution of Subacetate of Lead 60 mins.; Elder-
flower Water 6 oz. *Samaritan.*

Collyrium Zinci Acetatis.

Acetate of Zinc 2 grs.; water 1 oz. *Samaritan.*

Collyrium Zinci Chloridi.

Chloride of Zine 1 gr.; water 1 oz. *London.*

Collyrium Zinci c. Opio.

Sulphate of Zine 2 grs.; Tinet. Opium 20 mins.;
water 1 oz. *King's. Royal Free.*

Collyrium Zinci Sulphatis.

Sulphate of Zine 1 gr.; water 1 oz. *Middlesex.*

Sulphate of Zine 2 grs.; water 1 oz. *St. George's.
City Chest. Royal Free. British Skin.*

Sulphate of Zine 3 grs.; water 1 oz. *London.*

CONFECTIONES vel ELECTUARIA.

Confectio Aluminis.

Alum 2 drms.; Treacle to 1 fl. oz. Dose 1 to 2
drms. *St. Bartholomew's.*

Confectio Aperiens.

Senna 2 oz.; Sulphur 2 oz. Acid Tartrate of Potash
4 oz.; Honey q. s. Dose 1 to 2 drms. *Charing
Cross.*

Confectio Boracis.

Borax 1 oz.; Treacle 2 oz. *London.*

Borax 64 grs.; Treacle to 1 fl. oz. *St. Bartholo-
mew's.*

Confectio Cinchonæ Flavæ.

Powdered Yellow Bark 80 grs.; Powdered Ginger
8 grs.; Treacle to 1 fl. oz. Dose 2 drms. *St.
Bartholomew's.*

Confectio Cubebæ Co.

Cubebs 4 drms.; Balsam of Copaiba 2 drms.; Treacle
2 drms. Dose 2 drms. *St. Mary's.*

Confectio Cubebæ et Copaibæ.

Cubebs 15 grs.; Copaiba 15 mins.; mix. *University.*

Confectio Ferri.

Peroxide of Iron 2 drms.; Treacle 2 drms.; hot water $\frac{1}{2}$ dram. Dose 1 to 4 drms. *Middlesex.*
Great Northern.

Confectio Ferri Tartarati.

Tartarated Iron 30 grs.; Acid Tartrate of Potash 3 drms.; Ginger 5 grs.; Treacle to 1 fl. oz. Dose 2 drms. *St. Bartholomew's.*

Confectio Guaiaci Co.

Powdered Guaiacum Resin 2 drms.; Rhubarb 1 dram.; Sulphur 2 drms.; Nitrate of Potash 2 drms.; Syrup of Poppies *q. s.* Dose $\frac{1}{2}$ to 1 dram. *Middlesex.*

Guaiacum 1 dram.; Carbonate of Magnesia 1 dram.; Sulphur $1\frac{1}{2}$ dram.; Ginger $\frac{1}{2}$ dram.; Treacle $2\frac{1}{2}$ drms. Dose 1 to 3 drms. *London.*

Confectio Jalapæ.

Powdered Jalap $\frac{1}{4}$ oz.; Powdered Senna 2 oz.; Ginger 60 grs.; Treacle 8 oz. Dose 60 to 120 grs. *St. George's.*

Comp. Powder of Jalap 120 grs.; Treacle to 1 fl. oz. Dose 2 to 4 drms. *St. Bartholomew's.*

Confectio Jalapæ et Sulphuris.

Confection of Jalap 5 oz.; Precipitated Sulphur 1 oz. Dose 60 to 120 grs. *St. George's.*

Confectio Potassæ Nitratis.

Nitrate of Potash 90 grs.; Confection of Roses 1 oz. Dose 50 to 100 grs. *Guy's.*

Confectio Potassæ Tartratis Acidæ.

Acid Tartrate of Potash 4 drms. ; Powdered Ginger 5 grs. ; Treacle to 1 fl. oz. Dose 1 to 2 drms. *St. Bartholomew's.*

Confectio Rutæ.

Rue $1\frac{1}{2}$, Caraway $1\frac{1}{2}$, Bay Berries $1\frac{1}{2}$, Black Pepper $\frac{1}{4}$, all in powder ; Prepared Sagapenum $\frac{1}{2}$; Honey 16 ; water *q. s.* ; liquefy the last three ingredients by heat, and add the powders. *St. George's.*

Used in ENEMA RUTÆ.

Confectio Scillæ Co.

Syrup of Squills 4 drms. ; Bitartrate of Potash 6 drms. Dose 60 grs. *Guy's.*

Confectio Sennæ.

Powdered Senna 2 drms. ; Jalap 40 grs. ; Ginger 10 grs. ; Treacle 1 fl. oz. Dose 1 to 2 drms. *St. Mary's.*

Powdered Senna 80 grs. ; Jalap 20 grs. ; Ginger 20 grs. ; Acid Tartrate of Potash 20 grs. ; Powdered Liquorice 20 grs. ; Coriander 20 grs. ; Treacle 1 oz. Dose 1 to 2 drms. *Middlesex.*

Confectio Sennæ Co.

Confection of Senna 1 oz. ; Sulphur $\frac{1}{4}$ oz. ; Sulphate of Potash $\frac{1}{4}$ oz. ; Syrup *q. s.* Dose 50 to 100 grs. *Guy's.*

Confection of Senna $\frac{1}{2}$ drm. ; Confection of Sulphur $\frac{1}{2}$ drm. *Samaritan.*

Confectio Sennæ c. Sulphure.

Confection of Senna 6 drms. ; Sulphur 1 drm. Dose 1 to 2 drms. *St. Mary's.*

Confection of Senna 75 grs. ; Sublimed Sulphur 15 grs. ; Acid Tartrate of Potash 15 grs. *University.*

Confectio Sulphuris.

Sulphur $\frac{1}{2}$ oz.; Bitartrate of Potash $\frac{1}{2}$ oz.; Confection of Senna 2 oz.; Treacle *q. s.* Dose 1 to 2 drms. *Middlesex.*

Sulphur 4 drms.; Acid Tartrate of Potash 1 drm.; Treacle 4 drms. Dose 1. to 2 teaspoonfuls. *London Ophthalmic.*

Sulphur $\frac{1}{2}$ oz.; Sulphate of Potash $\frac{1}{2}$ oz.; Treacle sufficient. Dose 1 to 3 drms. *Gt. Northern.*

Sulphur 2 drms.; Bitartrate of Potash 1 drm.; Treacle 6 drms. Dose 1 to 3 drms. *London.*

Sulphur 200 grs.; Acid Tartrate of Potash 50 grs.; Treacle to 1 fl. oz. Dose 1 to 2 drms. *St. Bartholomew's.*

Confectio Sulphuris Co.

Precipitated Sulphur 2 drms.; Bitartrate of Potash $\frac{1}{2}$ drm.; Treacle 6 drms. Dose 60 to 120 grs. *British Skin.*

Confectio Sulphuris Fortior.

Sublimed Sulphur 30 grs.; Jalap 4 grs.; Tincture of Senna 8 mins.; Oil of Peppermint $\frac{1}{4}$ min.; Treacle to 1 drm. *Royal Chest.*

DECOCTA.

Decoctum Aloës Co.

Cape Aloes 2 drms.; Myrrh $1\frac{1}{2}$ drm.; Carbonate of Potash 1 drm.; Commercial Extract of Liquorice 1 oz.; Tincture of Ginger $\frac{3}{4}$ oz.; Rectified Spirit 3 oz.; Distilled Water *q. s.*; boil the solids in 20 oz. of the water 5 minutes; when cool, add the Spirit and Tincture; then strain and make up with water to 30 oz. Dose $\frac{1}{2}$ to 2 oz. *St. Bartholomew's.*

Decoctum Avenæ.

Oatmeal 1 oz., mixed with 4 oz. of cold water; mix thoroughly, and add boiling water 3 pints; boil gently for an hour, frequently stirring, and strain while hot through a hair sieve. *Guy's.*

Decoctum Gallæ.

Galls bruised $2\frac{1}{2}$ oz.; water 40 oz.; boil to 20 oz. *St. George's.*

Decoctum Glycyrrh. Co.

Liquorice Root $1\frac{1}{2}$ oz.; Aniseeds $\frac{1}{2}$ oz.; water 20 oz.; boil 15 minutes and strain. Dose 1 to 3 fl. oz. *Consumption.*

Decoctum Hemidesmi Co.

Hemidesmus Root $2\frac{1}{2}$ oz.; Sassafras Chips $\frac{1}{4}$ oz.; Guaiacum Turnings $\frac{1}{4}$ oz.; Commercial Extract of Liquorice $\frac{1}{4}$ oz.; Mezereon Bark 1 drm.; boiling Distilled Water 30 oz.; digest and boil to 20 oz. Dose 1 oz. *St. Bartholomew's.*

Decoctum Hordei Gummosum.

Gum Acacia 1 oz.; Decoction of Barley 40 oz. *St. George's.*

Decoctum Hordei Tartarizatum.

Acid Tartrate of Potash 1 drm.; Decoction of Barley 30 oz.; boil till dissolved. *St. George's.*

Decoctum Papaveris vel Fetus.

Decoctum Quercus.

Oak Bark bruised 1 oz.; water 20 oz.; boil 15 minutes in a covered vessel and strain. *London Ophthalmic.*

Decoctum Scoparii Comp.

Broom, Taraxacum, Juniper, of each $\frac{1}{2}$ oz.; water
30 oz.; boil to 20 oz., and strain. Dose 1 to 3
oz. *Guy's.*

ELECTUARIA. *Vide* CONFECTIONES.**EMPLASTRA.**

Emplastrum Antimonii Tartarati.

Tartarated Antimony 40 grs.; Burgundy Pitch
Plaster $\frac{1}{2}$ oz. *Guy's.*

Emplastrum Belladonnæ.

Alcoholic Extract of Belladonna Root 1 drn.; Lead
Plaster 19 drms. *University.*

Emplastrum Galban. c. Canthar.

Galbanum Plaster 7 oz.; Cantharides Plaster 1 oz.
St. George's.

Emplastrum Hydrargyri Compositum.

Mereury 2 drms; Oil of Turpentine 20 mins.;
Yellow Wax 20 grs.; Resin 40 grs.; Prepared
Styrax 1 drn.; Lead Plaster 1 oz. *British
Skin.*

Emplastrum Iodi Co.

Iodine 2 drms.; Iodide of Potassium 3 drms.;
Lead Plaster 16 oz.; Opium Plaster 6 oz. *St.
George's. Women.*

Emplastrum Resin. c. Canthar.

Resin Plaster 6 oz.; Cantharides Plaster 1 oz.
Middlesex.

EMULSIO.

Emulsio Pancreatica.

The process for making purified Pancreatic Emulsion:—

1. Make Crude Emulsion.
2. Convert the Crude Emulsion into Pancreatized Fat.
3. Make the purified Emulsion out of Pancreatized Fat.

1. TO MAKE THE CRUDE EMULSION.

Take of fresh Pancreas of the pig, freed from fat and all extraneous matters, 25 lbs., Lard 20 lbs., water 30 lbs. Bruise the Pancreas in a marble mortar, then add the Lard; beat and mix them well together, adding the water little by little as it becomes absorbed, till all is added. Strain by squeezing through muslin.

2. TO MAKE PANCREATIZED FAT.

Treat the Crude Emulsion with Ether in the proportion of 3 parts Ether to 1 part Emulsion; mix well, and allow the mixture to stand till two strata are formed,—A, an Ethereal solution of Pancreatized fat at the top; B, a watery stratum at bottom. Decant the Ethereal solution and filter, put it into a proper Still, and recover the Ether by distillation. That which remains in the Still is Pancreatized Fat.

3. TO MAKE PURIFIED PANCREATIC EMULSION.

Take of Pancreatized Fat 2 parts; Rectified Spirit 1 part; Distilled Water 3 parts; Oil of Cloves sufficient to give a flavour. Put the Pancreatized Fat into a mortar, and add little by little the Spirit and water previously mixed, and, lastly, sufficient Oil of Cloves to flavour it.

Test.

The Pancreatic Fat, when made into Lead Plaster with Oxide of Lead, should yield Glycerine.

The water stratum, left after the Ethereal solution has been decanted, should yield no Glycerine.

The Purified Pancreatic Emulsion should be permanent and have an acid reaction. Dose 1 to 4 drms., mixed in Milk or water, from once to four times in twenty-four hours. *Royal Chest.*

ENEMATA.**Enema Assafoetidæ.**

Tincture of Assafoetida 4 drms.; Decoction of Barley (*London*, Mucilago of Starch) 20 oz. *Fever.*

Enema Calcis c. Ferro.

Tincture of Perchloride of Iron 20 mins.; Limon Water 1 oz. *British Skin.*

Enema Catharticum.

Sulphate of Magnesia 1 oz.; Olive Oil 2 oz.; Decoction of Barley 18 oz. *Fever.*

Enema Colocynth. Co.

Colocynth 1 drm.; water 12 oz.; boil 10 minutes, strain, and add Salt $\frac{1}{2}$ oz.; Syrup of Buckthorn $\frac{1}{2}$ oz. *Guy's.*

Enema Commune.

Chloride of Sodium 1 oz.; Decoction of Barley 20 oz. (*Guy's*, Decoction of Oats 12 oz.) *Westminster.*

Decoction of Barley 20 oz. *Middlesex.*

Chloride of Sodium 1 oz.; Decoction of Barley (tepid) 20 oz. *St. Thomas's.*

Enema Olei Olivæ.

Olive Oil 4 oz.; Decoction of Barley to 20 oz. *Middlesex.*

Enema Olei Ricini.

- Castor Oil 2 oz.; Decoction of Barley (tepid) 8 oz. *St. Thomas's.*
 Castor Oil 1 oz.; Yelk of 1 Egg; Decoction of Barley (tepid) to 10 oz.; mix. *Charing Cross.*
 Castor Oil 2 oz.; Soft Soap 1 oz.; warm water 20 oz. *Westminster.*
 Castor Oil 1 oz.; Honey 1 oz.; Decoction of Oats (hot) 10 oz. *Guy's.*
 Castor Oil 2 oz.; Mucilage of Starch 18 oz. *London. St. Bartholomew's.*
 Castor Oil 1 oz.; Decoction of Barley to 20 oz. *Middlesex.*

Enema Olei Ricini c. Assafoetidâ.

- Castor Oil 4 drms.; Tincture of Assafoetida 4 drms.; Mucilage of Starch to 12 oz. *Fever.*

Enema Oleosum.

- Olive Oil 4 oz.; Decoct. of Oats 12 oz. *St. George's.*
 Olive Oil 4 oz.; Decoct. of Barley 16 oz. *Middlesex.*
 Olive Oil 4 oz.; Mucilage of Starch 16 oz. *London.*

Enema Opii.

- Tincture of Opium 15 mins.; Mucilage of Starch 2 oz. *Fever.*

Enema Plumbi c. Opio.

- Tincture of Opium 20 mins.; Acetate of Lead 9 grs.; Dil. Acetic Acid 15 mins.; Distilled Water 3 oz. *Fever.*

Enema Rutæ.

- Confection of Rue 3 drms.; Infusion of Chamomile 16 oz. *St. George's.*
 Oil of Rue 20 mins.; Mucilage 2 drms.; Decoction of Barley to 6 oz. *Middlesex.*

Oil of Rue 20 mins.; Mucilage 2 drms.; Mucilage of Starch 6 oz. *Women.*

Oil of Rue 20 mins.; Mucilage of Starch 6 oz. *Westminster.*

Enema Saponis.

Soft Soap $\frac{3}{4}$ oz.; warm water 20 oz. *St. Bartholomew's. St. George's.*

Soft Soap 1 oz.; hot water to 20 oz. *Middlesex.*

Soft Soap 1 oz.; tepid water 20 oz. *London. Charing Cross.*

Soft Soap 1 oz.; hot water 16 oz.; to be used warm. *Guy's.*

Soft Soap *q. s.*; tepid water 40 oz. *Fever.*

Soft Soap 1 oz.; warm water 20 oz. *Westminster.*

Enema Sennæ Co.

Misturæ Nigræ 4 oz.; Decoction of Barley (tepid) 8 oz. *St. Thomas's.*

Enema Sodii Chloridi.

Chloride of Sodium 1 oz.; warm water 16 oz. *St. George's. (London, 20 oz.)*

Chloride of Sodium 1 oz.; Decoction of Barley 20 oz. *St. Bartholomew's. Westminster.*

Enema Spiritus Vini Gallici.

Brandy 1 oz.; Strong Beef Tea 3 oz. *Fever.*

Enema Terebinthinæ.

Oil of Turpentine 1 oz.; Mucilage of Starch 20 oz. *Fever.*

Oil of Turpentine $\frac{1}{2}$ oz.; Castor Oil 1 oz.; Yolk of 1 Egg; Infusion of Linseed to 20 oz.; mix. *Charing Cross.*

Enema Vulgare. *Vide Enema Commune.*

FOMENTUM. *See FOTUS.*

FOTUS.

Fotus Belladonnæ.

Extract of Belladonna 60 grs. ; Distilled Water 20 oz. *London Ophthalmic. St. Bartholomew's. Westminster. Westminster Ophthalmic.*

Extract of Belladonna 60 grs. ; water 8 oz. *Middlesex.*

Fotus Papaveris.

Capsules 1 oz. ; boiling water 20 oz. ; boil fifteen minutes and strain. *London Ophthalmic. Westminster. Westminster Ophthalmic.*

Capsules sliced, No. 3 ; water 2 pints ; boil for a quarter of an hour and strain. *Women. Fever.*

Bruised Poppy Capsules without seeds 3 oz. ; water 40 oz. ; boil ten minutes and strain. *St. Bartholomew's.*

Fotus Terebinthinæ.

Hot damp Flannel sprinkled with (2 drms. *Women*)
Oil of Turpentine. *Fever.*

FUMIGATIO.

Fumigatio Chlori.

Chloride of Sodium 1 oz. ; Black Oxide of Manganese $\frac{3}{4}$ oz. Chlorine is evolved on the addition of Sulphuric Acid. *Middlesex.*

GARGARISMATA.

Gargarisma.

Oxymel 1 oz. ; Decoction of Barley 5 oz. *St. George's.*

Gargarisma Aceticum.

Acetic Acid 15 mins.; Oxymel 30 mins.; Distilled Water to 1 fl. oz. *St. Bartholomew's. City Chest.*

Acetic Acid $2\frac{1}{2}$ drms.; Glycerine 3 drms.; water to 10 oz. *Throat.*

Stimulant and antiseptic.

Gargarisma Acidi Carbolic.

Saturated cold aqueous solution of Carbolic Acid (= 48 grs. Crystals) $1\frac{1}{2}$ oz.; water $8\frac{1}{2}$ oz. *Fever.*

Carbolic Acid 20 grs.; Glycerine $\frac{1}{2}$ oz.; water to 10 oz. *Throat.*

Glycerine of Carbolic Acid $2\frac{1}{2}$ drms.; Glycerine 3 drms.; water to 20 oz. *London Ophthalmic.*

Stimulant and antiseptic.

Gargarisma Acidi Hydrochlor.

Dil. Hydrochloric Acid 1 drm.; Decoction of Yellow Bark to 4 oz. *Royal Chest. Westminster. City Chest.*

Dil. Hydrochloric Acid 2 drms.; Decoction of Pale Bark 8 oz. *St. Bartholomew's.*

Dil. Hydrochloric Acid 1 drm.; Honey $\frac{1}{4}$ oz.; water to 3 oz. *Samaritan.*

Dil. Hydrochloric Acid 1 drm.; Tannic Acid 15 grs.; water 10 oz. *London Ophthalmic.*

Dil. Hydrochloric Acid 1 drm.; Glycerine 2 drms.; water 5 oz. *Throat.*

Hydrochloric Acid 1 drm.; water 15 oz. *Women.*

Hydrochloric Acid 1 drm.; water to 20 oz. *St. Thomas's.*

Stimulant.

Gargarisma Acidi Nitrici.

Dil. Nitric Acid 1 drm.; Glycerine 3 drms.; water to 10 oz. *Throat.*

Nitric Acid 1 fl. drm.; Syrup 1 oz.; water to 12 oz. *St. Mary's.*

Nitric Acid 1 fl. drn. ; water to 20 oz. *St. Thomas's.*
Stimulant in tertiary ulceration of the pharynx.

Gargarisma Acidi Sulphurici.

Dil. Sulphuric Acid 3 drms. ; Treacle 1 oz. ; water to 20 oz. *Great Northern. Royal Free.*

Gargarisma Acidi Tannici.

Tannic Acid 50 grs. ; Glycerine 2 drms. ; water to 5 oz. *Consumption.*

Tannic Acid 1 drn. ; Rectified Spirit $\frac{1}{2}$ drn ; Camphor Water to 5 oz. *London. Throat.*

Glycerine of Tannic Acid 4 drms. ; water to 4 oz. *Royal Chest.*

Tannic Acid 1 drn. ; Glycerine $3\frac{1}{2}$ drms. ; Compound Infusion of Roses to 3 oz. *Fever.*

Glycerine of Tannic Acid 30 mins. ; water to 1 oz. *University. City Chest.*

Glycerine of Tannic Acid 2 drms. ; water to 5 oz. *Middlesex.*

Glycerine of Tannic Acid 1 drn. ; water to 1 oz. *Westminster.*

Glycerine of Tannic Acid 2 drms. ; water to 1 oz. *British Skin.*

Astringent.

Gargarisma Acidi Tannici et Gallici.

Tannic Acid 360 grs. ; Gallic Acid 120 grs. ; water 1 fl. oz. ; mix. *Throat.*

This preparation is most useful for arresting hæmorrhage from the uvula or tonsils after excision ; the patient should be directed to slowly sip the mixture, or hold it passively in the mouth till the hæmorrhage is stopped.

Gargarisma Æruginis.

Liniment of Verdigris P. L. 1 oz. ; water to 4 oz. *St. Thomas's.*

Liniment of Verdigris 1 oz. ; Mucilage 2 oz. ; water to 12 oz. *Middlesex.*

Verdigris 15 grs.; Vinegar $1\frac{1}{2}$ drm.; Honey 3 drms.; Lime Water 20 oz. *St. George's.*

Gargarisma Aluminii Chloridi.

Solution of Chloride of Aluminium, s. g. 1250, 2 drms.; water 10 oz. *Throat.*
Astringent.

Gargarisma Aluminis.

Alum 1 drm.; water to 4 oz. *St. George's.*
Alum $1\frac{1}{2}$ drm.; Glycerine $\frac{1}{2}$ oz.; Distilled Water 10 oz. *London Ophthalmic.*
Alum 1 drm.; water to 6 oz. *Royal Chest.*
Alum 1 drm.; Acid Infusion of Roses 6 ozs. *City Chest.*
Alum 1 drm.; Treacle $\frac{1}{3}$ oz.; water $6\frac{1}{2}$ oz. *Great Northern.*
Alum 1 drm.; Glycerine $\frac{1}{2}$ oz.; water 20 oz. *Women.*
Alum 160 grs.; water 10 oz. *St. Bartholomew's.*
Alum 50 grs.; Oxymel 2 drms.; water to 5 oz. *Consumption.*
Alum 1 drm.; Honey 4 drms.; water to 4 oz. *University.*
Alum 3 drms.; Tincture of Myrrh $\frac{1}{2}$ oz.; Treacle 1 oz.; water 20 oz. *Royal Free.*
Alum $\frac{1}{2}$ oz.; Honey 1 oz.; water 20 oz. *Charing Cross.*
Alum 1 drm.; water 6 oz. *St. Mary's.*
Alum 1 drm.; Glycerine 2 drms.; water to 6 oz. *Middlesex.*
Alum 1 drm.; water $7\frac{1}{2}$ oz. *Throat.*
Alum 100 grs.; Diluted Sulphuric Acid 2 drms.; Treacle 6 drms.; water to 10 oz. *Fever.*
Alum 1 drm.; water 8 oz. *St. Thomas's.*
Alum 24 grs.; Treacle 4 drms.; water to 2 oz. *Westminster.*
Alum 1 drm.; Syrup of Roses $1\frac{1}{2}$ oz.; Decoction of Bark 16 oz. *Guy's.*

Alum 1 dr̄m.; Dilute Sulphuric Acid 3 dr̄ms.;
water to 20 oz. *King's*.
Mildly astringent.

Gargarisma Aluminis Co.

Alum 160 grs.; Tincture of Myrrh 150 mins.; Dis-
tilled Water to 10 fl. oz. *St. Bartholomew's*.

Gargarisma Aluminis c. Acido Tannico.

Alum 60 grs.; Tannic Acid 80 grs.; water 10 oz.
Throat.
Astringent.

Gargarisma Astringens.

Tannic Acid 1 dr̄m.; Glycerine 1 oz.; Alum 2
dr̄ms.; water 20 oz. *Samaritan*.

Gargarisma Benzoini.

Comp. Tincture of Benzoin 1 oz.; Tincture of Cap-
sicum 15 mins.; water to 6½ oz. *Gt. Northern*.

Gargarisma Boracis.

Borax 1 dr̄m.; Oxymel 2 dr̄ms.; boiling water to
2 oz. *St. George's*.

Borax ½ oz.; Oxymel 1 oz.; water to 12 oz. *Mid-
dlesex*.

Borax 50 grs.; Honey 2 dr̄ms.; water to 5 oz.
Consumption.

Borax 2 dr̄ms.; Honey 60 grs.; water 10 oz.
Samaritan.

Borax 3 dr̄ms.; Treacle 1 oz.; water 20 oz. *Royal
Free*.

Borax 4 dr̄ms.; Syrup of Roses 2 oz.; Decoction of
Barley 14 oz. *Guy's*.

Borax 1 dr̄m.; Treacle 10 dr̄ms.; water to 5 oz.
Westminster.

Borax 1 drn.; Treacle 4 fl. drms.; water to 6 oz.
St. Mary's.

Borax 2 drms.; Tinct. of Myrrh $\frac{1}{2}$ oz.; water to 5 oz. *London.*

Borax 50 grs.; Treacle $\frac{1}{2}$ oz.; water to 5 oz. *Fever.*

Borax 1 drn.; water 4 oz. *Royal Chest. (City Chest 6 oz.)*

Borax 1 drn.; Treacle $\frac{1}{3}$ oz.; water $6\frac{1}{2}$ oz. *Gt. Northern.*

Borax 1 drn.; Glycerine 1 drn.; Tinct. of Myrrh 1 drn.; water to $2\frac{1}{2}$ oz. *Throat.*

Mildly alkaline astringent.

Gargarisma Boracis c. Myrrhâ.

Glycerine of Borax 5 drms; Tinct. of Myrrh 100 mins.; water to 5 oz. *Consumption.*

Gargarisma Capsici.

Tincture of Capsicum 1 drn.; water 8 oz. *St. George's.*

Tincture of Capsicum 100 mins.; Dil. Sulphuric Acid 60 mins.; Decoction of Pale Bark 10 oz. *St. Bartholomew's.*

Tincture of Capsicum $1\frac{1}{2}$ drn.; water to 10 oz. *King's.*

Tincture of Capsicum 1 drn.; water to 10 oz. *Charing Cross.*

Tincture of Capsicum 1 drn.; water 10 oz. *St. Thomas's.*

Tincture of Capsicum 1 drn.; Dil. Acetic Acid 2 drms.; water to 6 oz. *Royal Chest.*

Tincture of Capsicum 1 drn.; Alum 1 drn.; Treacle $\frac{1}{3}$ oz.; water to $6\frac{1}{2}$ oz. *Gt. Northern.*

Gargarisma Capsici Acidum.

Tincture of Capsicum 3 drms.; Diluted Nitric Acid 3 drms.; Infusion of Red Gum to 12 oz. *London.*

Gargarisma Chlorig.

Solution of Chlorine 1 oz. ; water to 6 oz. *Middlesex.*

Gargarisma Commune.

Alum 1 drms. ; Diluted Sulph. Acid 2 drms. ; Tinct. Myrrh 4 drms. ; water to 13 oz. *London.*

Gargarisma Ferri Aluminis.

Iron Alum 1 drms. ; water $7\frac{1}{2}$ oz. *Throat.*
Astringent.

Gargarisma Ferri Perchloridi.

Solution of Perchloride of Iron $\frac{1}{2}$ oz. ; water to 12 oz. *St. Mary's.*

Solution of Perchloride of Iron 100 mins. ; Glycerine 2 drms. ; water to 5 oz. *Consumption.*

Gargarisma Hydrarg. Perchloridi.

Corros. Sublim. $2\frac{1}{2}$ grs. ; Glycerine $\frac{1}{2}$ oz. ; water to 10 oz. *Throat.*

Corros. Sublim. 4 grs. ; water 8 oz. *British Skin.*

Corros. Sublim. 3 grs. ; Glycerine 1 oz. ; Hydrochloric Acid 12 mins. ; water to 12 oz. *St. Mary's.*

Corros. Sublim. 2 grs. ; Dil. Hydrochloric Acid 2 drms. ; Glycerine 1 oz. ; water to 10 oz. *Middlesex.*

Corros. Sublim. 2 grs. ; Tinct. of Cochineal 2 drms. ; water to 20 oz. *London Ophthalmie.*

Corros. Sublim. 4 grs. ; Dil. Hydrochloric Acid 12 mins. ; Treacle $\frac{1}{2}$ oz. ; water 4 oz. *Gt. Northern.*

Stimulant used in ulcerous and cachectic affections of the throat and mouth.

Gargarisma Hydrochloricum. *See* Gargarisma Acidi Hydrochlorici.

Gargarisma Iodi.

Tincture of Iodine 2 drms.; water to 5 oz. *St. Thomas's.*

Tincture of Iodine $\frac{1}{2}$ dr. ; Tinct. of Bark $1\frac{1}{2}$ dr. ; water 4 oz. *St. Mary's.*

Gargarisma Krameriae.

Rhatany Root bruised $\frac{1}{2}$ oz. ; water, 100° F., 10 oz.

Infuso one hour. *Throat.*

Mildly astringent.

Gargarisma Myrrhæ.

Tinct. of Myrrh 1 dr. ; water to 3 oz. *Middlesex.*

Gargarisma Potassii Bromidi.

Bromide of Potassium 100 grs. ; water 10 oz. *Throat.*

Gargarisma Potassæ Chloratis.

Chlorate of Potash 1 dr. ; water 6 oz. *Women. City Chest. St. Mary's.*

Chlorate of Potash $\frac{1}{2}$ oz. ; Dil. Hydrochloric Acid 4 drms. ; water to 20 oz. *Charing Cross.*

Chlorate of Potash $\frac{1}{2}$ oz. ; Dil. Hydrochloric Acid 6 drms. ; water to 20 oz. *Royal Free.*

Chlorate of Potash 1 dr. ; water 2 oz. *British Skin.*

Chlorate of Potash 1 dr. ; Treacle 10 drms. ; water to 5 oz. *Westminster.*

Chlorate of Potash 1 dr. ; Dil. Hydrochloric Acid 40 mins. ; water to 4 oz. *Royal Chest.*

Chlorate of Potash 90 grs. ; Dil. Hydrochloric Acid 2 drms. ; Glycerine 1 oz. ; water 20 ozs. *London Ophthalmic.*

Chlorate of Potash 2 drms. ; water 10 oz. *Throat.*

Chlorate of Potash $\frac{1}{2}$ oz. ; water 12 oz. *Middlesex. University.*

Chlorate of Potash $\frac{1}{2}$ oz. ; water 6 oz. *London.*

Gargarisma Potassæ Chloratis Acida.

Chlorate of Potash 50 grs. ; Dil. Hydrochloric Acid
50 mins. ; Syrup of Red Poppy 2 drms. ; water
to 5 oz. *Consumption.*
Antiseptic.

Gargarisma Potassæ Permanganatis.

Solution of Permanganate of Potash 2 drms. ; water
20 oz. *Throat.*
Condy's Red Solution of Permanganate of Potash
4 drms. ; water 20 oz. *Fever.*
Solution of Permanganate of Potash $\frac{1}{2}$ oz. ; water
20 oz. *London. Middlesex.*
Solution of Permanganate of Potash $\frac{1}{2}$ oz. ; water to
24 oz. *St. Mary's.*
Solution of Permanganate of Potash 12 mins. ;
water to 1 oz. *University.*

Gargarisma Simplex.

Vinegar 10 drms. ; Honey 6 drms. ; Decoction of
Barley 10 oz. *Guy's.*

Gargarisma Sodæ Chloratæ.

Chlorinated Solution of Soda 4 drms. ; water to
8 oz. *British Skin.*
Chlorinated Solution of Soda 4 drms. ; water to 10
oz. *Charing Cross. Royal Free. Throat.*
Chlorinated Solution of Soda 4 drms. ; Treacle $\frac{1}{4}$
oz. ; water to 5 oz. *Gt. Northern.*
Chlorinated Solution of Soda 4 drms. ; water to 2
oz. *St. Thomas's.*
Chlorinated Solution of Soda 4 drms. ; water to 4
oz. *Guy's. University.*
Solution of Chlorinated Soda 4 drms. ; water to 5
oz. *Fever.*
Chlorinated Solution of Soda 5 drms. ; water to 10
oz. *St. Bartholomew's.*
Chlorinated Solution of Soda 4 drms. ; water to 10
oz. *Throat. London Ophthalmic.*

Chlorinated Solution of Soda 4 drms.; water to 12 oz. *St. George's. Middlesex.*

Solution of Chlorinated Soda 4 drms.; water to 20 oz. *King's.*

Disinfectant. Used in Mercurial ptyalism.

GLYCERINA.

Glycerinum Acidi Gallici.

Gallic Acid 40 grs.; Rectified Spirit 2 drms.; Glycerine to 1 fl. oz. *St. Bartholomew's.*

Glycerinum Acidi Tannici Compositum.

Tannic Acid 3 drms.; Glycerine 6 drms.; Rectified Spirits 6 drms.; water 6 drms. *London.*

Glycerinum Belladonnæ.

Extract of Belladonna 8 drms.; water 2 drms.; Glycerine to 2 oz. *University.*

Extract of Belladonna 1 oz.; Glycerine 4 oz. *London Ophthalmic.*

Glycerinum Guaiaci.

Tincture of Guaiacum 30 mins.; Glycerine to 2 drms. *British Skin.*

Glycerinum Plumbi Acetatis.

Acetate of Lead 5 oz.; Oxide of Lead in powder 3½ oz.; Glycerine 20 oz.; Distilled Water 12 oz.: mix and boil together 15 minutes, filter, and evaporate to 20 oz. *London Ophthalmic.*

Glycerinum Tragacanthæ.

Tragacanth in powder 1 drms.; Glycerine 1 oz.; mix. *University.*

GUTTÆ.

(FOR THE EYES.)

Guttæ Aluminis.

Alum 3 grs.; water 1 oz. *Guy's.*

Guttæ Argenti Nitratis.

Nitrate of Silver 2 grs.; Distilled Water 1 oz.
*St. Mary's.*Nitrate of Silver 1 gr.; Distilled Water to 1 oz.
London Ophthalmic. Guy's. Westminster. Westminster Ophthalmic.

Guttæ Argenti Nitratis Fortiores.

Nitrate of Silver 2 grs.; Distilled Water to 1 oz.
London Ophthalmic.

Guttæ Atropiæ.

Sulphate of Atropine $\frac{1}{4}$, 1, 2, or 4 grs. Distilled Water 1 oz. *Westminster.*Atropia 2 grs.; Rectified Spirit 20 mins.; water 1 oz. *Guy's.*Sulphate of Atropia 2 grs.; water 1 oz. *Middlesex.*

Guttæ Atropiæ c. Alumine.

Sulphate of Atropia 1 gr.; Alum 3 grs.; water 1 oz. *London Ophthalmic.*

Guttæ Atropiæ Sulphatis.

Sulphate of Atropia 1 gr.; water to 1 oz. *London Ophthalmic.*Sulphate of Atropia 3 grs.; Glycerine 10 mins.; water 1 oz. *St. Mary's.*No. 1. $\frac{1}{8}$ gr. Sulphate to the oz. No. 2. 1 gr. Sulphate to the oz. No. 3. 2 grs. Sulphate to the oz. No. 4. 4 grs. Sulphate to the oz. of water.
Westminster Ophthalmic.

Guttæ Atropiæ Sulphatis Fortiores.

Sulphate of Atropia 2 grs.; Distilled Water 1 oz.
London Ophthalmic.

Guttæ Atropiæ et Zinci Sulphatis.

Sulphate of Atropine 1 gr.; Sulphate of Zinc 1 gr.;
 Distilled Water 1 oz. *Westminster. London*
Ophthalmic.

Sulphate of Atropine $\frac{1}{2}$ gr.; Sulphate of Zinc 1 gr.;
 Distilled Water 1 oz. *Westminster Ophthalmic.*

Guttæ Cupri Sulphatis.

Sulphate of Copper 2 grs.; water 1 oz. *London*
Ophthalmic. Guy's. Westminster. Westminster
Ophthalmic.

Guttæ Daturinæ.*

Sulphate of Daturine 2 grs.; water 1 oz. *London*
Ophthalmic.

Guttæ Eserinæ.†

Sulphate of Eserine 2 grs.; water 1 oz. *London*
Ophthalmic.

Guttæ Hydrargyri Perchloridi.

Corrosive Sublimate $\frac{1}{8}$ gr.; water 1 oz. *Westminster*
Ophthalmic.

Guttæ Opii.

Wine of Opium 2 drms.; water to 1 oz. *London*
Ophthalmic. Westminster. Westminster Oph-
thalmic.

* From Stramonium.

† From Calabar Bean.

Guttæ Opii Comp.

Tincture of Opium 1 drn.; Solution of Acetate of Ammonia $\frac{1}{2}$ drn.; water to 4 drms. *Guy's.*

Guttæ Pilocarpinæ.*

Nitrate of Pilocarpine 2 grs.; water 1 oz. *London Ophthalmic.*

Guttæ Potassii Iodidi.

Iodide of Potassium 4 grs.; water 1 oz. *London Ophthalmic.*

Iodide of Potassium 3 grs.; water to 1 oz. *Westminster Ophthalmic.*

Guttæ Terebinthinæ.

Oil of Turpentine 1 drn.; Olive Oil to 1 oz. *London Ophthalmic.*

Guttæ Zinci Chloridi.

Chloride of Zinc 1 gr.; water to 1 oz. *London Ophthalmic. Westminster Ophthalmic.*

Guttæ Zinci Composita.

Sulphate of Zinc 3 grs.; Wine of Opium $\frac{1}{2}$ oz.; water $\frac{1}{2}$ oz. *Guy's.*

Guttæ Zinci Sulphatis.

Sulphate of Zinc 2 grs.; water to 1 oz. *London Ophthalmic. Guy's. Westminster. Westminster Ophthalmic.*

Guttæ Zinci Sulphatis et Aluminis.

Sulphate of Zinc 1 gr.; Alum 3 grs.; water 1 oz. *London Ophthalmic.*

* From Jaborandi.

HAUSTUS.

Hautus Acidi Gallici.

Glycerine of Gallic Acid 1 drm. ; water to 1 oz. *St. Bartholomew's.*

Glycerine of Gallic Acid 20 mins. ; Acid Infusion of Roses 1 oz. *City Chest.*

Gallic Acid 10 grs. ; Aromatic Sulphuric Acid 15 mins. ; Spirit of Chloroform 10 mins. ; water to 1 oz. *Middlesex.*

Gallic Acid 10 grs. ; Dil. Sulphuric Acid 5 mins. ; Acid Infusion of Roses 1 oz. *Women.*

Hautus Acidi Hydrobromici.

Hydrobromic Acid 20 mins. ; Syrup 20 mins. ; water 1 oz. *City Chest.*

Hautus Acidi Hydrocyanici.

Dil. Hydrocyanic Acid 4 mins. ; Bicarbonate of Soda 5 grs. ; water to 1 oz. *St. Bartholomew's.*

Dil. Hydrocyanic Acid 6 mins. ; Bicarbonate of Soda 20 grs. ; water $1\frac{1}{2}$ oz. *St. George's.*

Dil. Hydrocyanic Acid 4 mins. ; Bicarbonate of Soda 10 grs. ; Cinnamon Water to 1 oz. *Fever.*

Dil. Hydrocyanic Acid 3 mins. ; Bicarbonate of Soda 15 grs. ; Tinct. Calumbæ 20 mins. ; water 1 oz. *Women.*

Hautus Acidi Hydrocyan. Co.

Dil. Hydrocyanic Acid 4 mins. ; Bicarbonate of Soda 10 grs. ; water to 1 oz. *Middlesex.*

Hautus Acidi Hydrocyanici et Sodæ.

Bicarbonate of Soda 10 grs. ; Carbonate of Magnesia 10 grs. ; Dil. Hydrocyanic Acid 3 mins. ; Spirit of Chloroform 10 mins. ; Compound Tincture of Cardamoms 20 mins. ; water to 1 oz. *Westminster.*

Hautus Acidi Nitro-hydrochlorici.

Dil. Nitro-hydrochloric Acid 15 mins. ; Compound Infusion of Gentian 1 oz. *City Chest.*

- Dil. Nitro-hydrochloric Acid 10 mins.; Compound Tincture of Gentian 20 mins.; water to 1 oz. *Middlesex.*
- Dil. Hydrochloric Acid 15 mins.; Dil. Nitric Acid 15 mins.; Spirit of Nitrous Ether 30 mins.; Syrup 30 mins.; water to 1 oz. *Fever.*
- Dil. Nitro-hydrochloric Acid 10 mins.; Tincture of Orange Peel 20 mins.; Spirit of Chloroform 10 mins.; water to 1 oz. *St. Bartholomew's. Samaritan.*

Hausus Acidi et Opii.

- Diluted Sulphuric Acid 15 mins.; Tincture of Opium 5 mins.; Caraway Water 1 fl. oz. *Fever.*
- Dil. Sulphuric Acid 15 mins.; Tincture of Opium 10 mins.; Tincture of Ginger 20 mins.; Cinnamon Water to 1 oz. *Westminster.*

Hausus Acidi Phosphorici.

- Dil. Phosphoric Acid 20 mins.; water 1 oz. *Fever.*
- Dil. Phosphoric Acid 20 mins.; Tincture of Orange $\frac{1}{2}$ dr.; water to 1 oz. *Westminster.*

Hausus Acidi Phosphorici et Strychniæ.

- Dil. Phosphoric Acid 15 mins.; Solution of Strychnia 3 mins.; Spirit of Chloroform 15 mins.; Infusion of Quassia 1 oz. *City Chest.*

Hausus Acidus.

- Dil. Nitro-hydrochloric Acid 15 mins.; water 1 oz. *Women.*

Hausus Ætheris Ammoniatus.

- Spirit of Ether $\frac{1}{2}$ dr.; Aromatic Spirit of Ammonia $\frac{1}{2}$ dr.; water to 1 oz. *St. Bartholomew's.*
- Spirit of Ether $\frac{1}{2}$ dr.; Aromatic Spirit of Ammonia $\frac{1}{2}$ dr.; Camphor Water to 1 oz. *City Chest.*

Hautus Ætheris Comp.

Spirit of Ether $\frac{1}{2}$ drm.; Aromatic Spirit of Ammonia $\frac{1}{2}$ drm.; Syrup of Tolu 1 drm.; water to 1 oz. *Middlesex.*

Ether 20 mins.; Dil. Sulphuric Acid 15 mins.; Peppermint Water 1 oz.; add a sufficient quantity of Sol. of Sulphate of Indigo to impart a bluish tint. *Fever.*

Hautus Ætheris et Sodæ.

Spirit of Ether 20 mins.; Bicarbonate of Soda 10 grs.; Peppermint Water 1 oz. *City Chest.*

Hautus Albus.

Sulphate of Magnesia 1 drm.; Carbonate of Magnesia 10 grs.; Peppermint Water 1 oz. *Westminster.*

Hautus Aloës c. Camph.

Comp. Dec. of Aloes 4 drms.; Camphor Water to 1 oz. *St. Bartholomew's.*

Hautus Aluminis.

Alum 5 grs.; Dil. Sulphuric Acid 20 mins.; Infusion of Roses to 1 oz. *Westminster.*

Hautus Ammon. Acet.

Solution of Acetate of Ammonia 3 drms.; water to 1 oz. *Middlesex.*

Solution of Acetate of Ammonia 3 drms.; Spirit of Nitrous Ether 20 mins.; water to 1 oz. *Westminster.*

Solution of Acetate of Ammonia 3 drms.; water to $1\frac{1}{2}$ oz. *St. George's.*

Solution of Acetate of Ammonia 4 drms.; water to 1 oz. *St. Bartholomew's.*

Hautus Ammoniæ Acetatis Compositus.

Strong Solution of Acetate of Ammonia 40 mins.; Carbonate of Ammonia 4 grs.; Spirit of Nitrous Ether 20 mins.; water to 1 oz. *Fever.*

Hautus Ammon. Acet. c. Camphorâ.

Solution of Acetate of Ammonia 2 drms. ; Camphor
Water 6 drms. *St. Bartholomew's.*

Hautus Ammoniaë Acetatis c. Ferro.

Strong Solution of Acetate of Ammonia 30 mins. ;
Dil. Acetic Acid 15 mins. ; Tincture of Per-
chloride of Iron 10 mins. ; water to 1 oz.
Fever.

Solution of Acetate of Ammonia 2 drms. ; Diluted
Acetic Acid 15 mins. ; Solution of Perchloride
of Iron 20 mins. ; water 1 oz. *Women.*

Solution of Acetate of Ammonia $2\frac{1}{2}$ drms. ; Tincture
of Perchloride of Iron 10 mins. ; Dil. Acetic
Acid $\frac{1}{2}$ drm. ; water to 1 oz. *Middlesex.*

Hautus Ammon. Acet. c. Mag. Sulph.

Solution of Acetate of Ammonia 4 drms. ; Sulphate
of Magnesia 1 drm. ; water to 1 oz. *St. Bar-
tholomew's.*

Hautus Ammon. Acet. c. Scillâ.

Solution of Acetate of Ammonia 4 drms. ; Vinegar
of Squill 20 mins. ; water to 1 oz. *St. Bar-
tholomew's.*

Solution of Acetate of Ammonia $2\frac{1}{2}$ drms. ; Vinegar
of Squill $\frac{1}{2}$ drm. ; water 5 drms. *City Chest.*

Hautus Ammon. Carbonatis.

Carbonate of Ammonia 5 grs. ; water 1 oz. *Fever.*

Hautus Ammoniaë et Cinchonæ.

Carbonate of Ammonia 5 grs. ; Decoction of Yellow
Bark 1 oz. *Westminster.*

Hautus Ammon. Citratis.

Carbonate of Ammonia 16 grs. ; Citric Acid 20 grs. ;
water to $1\frac{1}{2}$ oz. *St. George's.*

Taken during effervescence.

Haustus Ammon. Co.

- Carbonate of Ammonia 5 grs.; Aromatic Powder of Chalk $\frac{1}{2}$ drms.; Pimento Water 6 drms.; water to $1\frac{1}{2}$ oz. *St. George's.*

Haustus Ammoniae Effervescens.

Carbonate of Ammonia 16 grs.; Citric Acid 20 grs.; water to 1 oz. *Middlesex.*

Carbonate of Ammonia 15 grs.; water 1 oz.; Tartaric Acid 18 grs.; water $\frac{1}{2}$ oz. *Fever.*

Haustus Ammoniaci Foetid.

Foetid Spirit of Ammonia 15 mins.; Mixture of Ammoniacum to 1 oz. *St. Bartholomew's.*

Haustus Ammon. Foetid.

Foetid Spirit of Ammonia 20 mins.; Camphor Water to 1 oz. *Middlesex.*

Haustus Ammoniae et Nucis Vomicae.

Spirit of Chloroform 15 mins.; Tincture of Nux Vomica 10 mins.; Carbonate of Ammonia 5 grs.; Infusion of Cascarella 1 oz. *City Chest.*

Haustus Ammoniae et Senegae.

Carbonate of Ammonia 5 grs.; Infusion of Senega 1 oz. *Westminster.*

Haustus Amygdalae.

Oil of Almonds 2 drms.; Mucilage 2 drms.; water to $1\frac{1}{2}$ oz. *St. Bartholomew's.*

Haustus Antimonialis.

Antimonial Wine 1 drms.; Strong Solution of Acetate of Ammonia 30 mins.; Nitrate of Potash 5 grs.; water to 1 oz. *Fever.*

Haustus Antimonii Compositus.

Tartarated Antimony $\frac{1}{6}$ gr.; Solution of Acetate of Ammonia 2 drms.; Spirit of Nitrous Ether 1 drms.; Camphor Water 1 oz. *Women.*

Hautus Antim. c. Magn. Sulph.

Tartarated Antimony $\frac{1}{8}$ gr.; Sulphate of Magnesia 1 drn.; water to 1 oz. *St. Bartholomew's.*

Hautus Antimonii c. Morphiâ.

Antimonial Wine 40 mins.; Solution of Hydrochlorate of Morphia 30 mins.; Camphor Water to 1 oz. *Fever.*

Hautus Aromat.

Aromatic Powder of Chalk 30 grs.; Mucilage 1 drn.; Caraway Water to 1 oz. *Middlesex.*

Aromatic Spirit of Ammonia 20 mins.; Aromatic Powder of Chalk 20 grs.; Cinnamon Water 1 oz. *City Chest.*

Hautus Aromaticus c. Rheo.

Oil of Cinnamon 1 min.; Oil of Peppermint 1 min.; Rhubarb in powder 10 grs.; Camphor Water 1 oz. *Women.*

Hautus Arsenici et Ferri.

Hydrochloric Solution of Arsenic 5 mins.; Tincture of Perchloride of Iron 10 mins.; Infusion of Quassia 1 oz. *City Chest.*

Hautus Assafoetidæ.

Tincture of Assafoetida 1 drn.; water 1 oz. *Fever.*
Assafoetida 10 grs.; Mucilage 1 drn.; Camphor Water to 1 oz. *Westminster.*

Hautus Belladonnæ.

Tincture of Belladonna 20 mins.; Camphor Water to 1 oz. *Fever.*

Hautus Bismuthi.

Ammonio-citrate of Bismuth 5 grs.; Cinnamon Water 1 oz. *Women.*

Subnitrate of Bismuth 10 grs.; Light Carbonate of Magnesia 15 grs.; Mucilage 2 drms.; water to 1 oz. *Middlesex.*

White Bismuth 10 grs.; Carbonate of Magnesia 15 grs.; Mucilage of Gum Arabic 2 drms.; Cinnamon Water to 1 oz. *Fever.*

Hautus Bismuthi Alkalinus.

[*City Chest*] Subnitrate of Bismuth 8 grs.; Bicarbonate of Soda 8 grs.; Infusion of Calumba 1 oz. *City Chest.*

Hautus Bismuthi et Acidi Hydrocyanici.

Subnitrate of Bismuth 10 grs.; Dil. Hydrocyanic Acid 3 mins.; Spirit of Chloroform 10 mins.; Compound Powder of Tragacanth 15 grs.; water to 1 oz. *Westminster.*

Hautus Bismuthi Compositus.

Subnitrate of Bismuth 10 grs.; Bicarbonate of Soda 15 grs.; Diluted Hydrocyanic Acid 3 mins.; Mucilage 1 dm.; Infusion of Calumba 1 oz. *Women.*

Hautus Bismuthi c. Ferro.

Ammon. Citrate of Iron 5 grs.; Bismuth draught 1 oz. *Women.*

Hautus Bismuthi et Gentianæ.

Subnitrate of Bismuth 10 grs.; Compound Powder of Tragacanth 15 grs.; Compound Infusion of Gentian 1 oz. *Westminster.*

Hautus Calcis Hypophosphitis.

Hypophosphite of Lime 3 grs.; Saccharated Solution of Lime 10 mins.; Glycerine 20 mins.; Camphor Water 1 oz. *City Chest.*

Hautus Calumb. Alk.

Bicarbonate of Soda 10 grs.; Tincture of Orange 30 mins.; Infusion of Calumba to 1 oz. *St. Bartholomew's.*

Hautus Calumbæ et Ammoniæ.

Carbonate of Ammonia 5 grs.; Infusion of Calumba
1 oz. *City Chest.*

Hautus Calumb. Co.

Tincture of Calumba $\frac{1}{2}$ drn.; Bicarbonate of Soda
10 grs.; Infusion of Orange Peel to 1 oz. *St. Bartholomew's.*

Hautus Calumbæ et Sodæ.

Bicarbonate of Soda 10 grs.; Infusion of Calumba
1 oz. *City Chest.*

Hautus Camphoræ Compositus.

Compound Tincture of Camphor $\frac{1}{2}$ drn.; Ipecacu-
anha Wine 10 mins.; Solution of Acetate of
Ammonia 3 drms.; water to 1 oz. *Women.*

Hautus Camphor. Foetid.

Foetid Spirit of Ammonia 15 mins.; Camphor
Water to 1 oz. *St. Bartholomew's. Samaritan.*

Hautus Cannabis Indicæ.

Extract of Indian Hemp 1 gr.; Ether 15 mins.;
Camphor Water 1 oz. *Fever.*

Hautus Carminativus.

Rhubarb 5 grs.; Ginger 5 grs.; Bicarbonate of
Soda 10 grs.; Aromatic Spirit of Ammonia 20
mins.; Cinnamon Water to 1 oz. *Westminster.*

Hautus Caryoph. Co.

Bicarbonate of Soda 10 grs.; Spirit of Chloroform
10 mins.; Aromatic Spirit of Ammonia 20 mins.;
Infusion of Cloves to 1 oz. *Middlesex.*

Hautus Cascarillæ.

Compound Tincture of Camphor 20 mins.; Spirit of
Chloroform 10 mins.; Oxy-mel of Squill $\frac{1}{2}$ drn.;
Infusion of Cascarilla to 1 oz. *Westminster.*

Hustus Cascarillæ Compositus.

Vinegar of Squill 20 mins.; Compound Tincture of Camphor 20 mins.; Infusion of Cascarilla to 1 oz. *City Chest.*

Hustus Cascar. c. Scillâ.

Tincture of Squill 15 mins.; Infusion of Cascarilla to 1 oz. *St. Bartholomew's.*

Hustus Cetacei.

Spermaceti 20 grs.; Powd. Acacia Gum 20 grs.; water 6 drms.; Pimento Water to $1\frac{1}{2}$ oz. *St. George's.*

Hustus Cetacei Co.

Spermaceti 20 grs.; Powd. Tragacanth 5 grs.; Syrup of Poppies 30 mins.; water to 1 oz. *Middlesex.*

Comp. Tincture of Camphor 1 drm.; Vinegar of Squill $\frac{1}{2}$ drm.; Hustus Cetacci to $1\frac{1}{2}$ oz. *St. George's.*

Hustus Chalybeatus.

Tincture of Perchloride of Iron 15 mins.; Dil. Nitric Acid 15 mins.; Syrup 20 mins.; Peppermint Water to 1 oz. *City Chest.*

Hustus Chiratæ.

Infusion of Chiretta 1 oz. *Fever.*

Hustus Chloral et Potassii Bromidi.

Hydrate of Chloral 15 grs.; Bromide of Potassium 15 grs.; Syrup of Tolu $\frac{1}{2}$ drm.; water to 1 oz. *Middlesex.*

Hustus Chlori.

Chlorate of Potash $\frac{1}{2}$ gr.; Hydrochloric Acid 3 mins.; mix for 5 minutes, and add water $7\frac{1}{2}$ drms.; Chlorate of Potash 10 grs.; Spirit of Chloroform 10 mins.; Dil. Hydrochloric Acid 15 mins. *Fever.*

Hautus Chloroformi Compositus.

Spirit of Chloroform 15 mins.; Comp. Tincture of Camphor 20 mins.; Syrup of Squill $\frac{1}{2}$ drn.; water to 1 oz. *Middlesex.*

Hautus Cinchonæ.

Tincture of Yellow Bark $1\frac{1}{2}$ drn.; Decoction of Yellow Bark to $1\frac{1}{2}$ oz. *St. George's.*

Dil. Nitro-hydrochloric Acid 10 mins.; Decoction of Bark to 1 oz. *Middlesex.*

Hautus Cinchonæ Acidus.

Dil. Sulphuric Acid 15 mins.; Decoction of Yellow Bark $1\frac{1}{2}$ oz. *St. George's.*

Dil. Sulphuric Acid 10 mins.; Decoction of Pale Bark to 1 oz. *St. Bartholomew's.*

Dil. Sulphuric Acid 5 mins.; Decoction of Bark 1 oz. *City Chest.*

Dil. Hydrochloric Acid 10 mins.; Decoction of Yellow Bark 1 oz. *Westminster.*

Dil. Nitro-hydrochloric Acid 10 mins.; Decoction of Yellow Bark 1 oz. *Women.*

Hautus Cinchonæ et Ammonia.

Solution of Ammonia 5 mins.; Decoction of Yellow Bark 1 oz. *Women.*

Carbonate of Ammonia 5 grs.; Decoction of Bark 1 oz. *Middlesex.*

Hautus Cinchoninæ.

Hydrochlorate of Cinchonine 1 gr.; Dil. Hydrochloric Acid 10 mins.; Treacle $\frac{1}{2}$ drn.; water to 1 oz. *Fever.*

Sulphate of Cinchonina 2 grs.; Glycerine 30 mins.; water 1 oz. *Women.*

Hautus Cinchoninæ c. Ferro.

Sulphate of Cinchonine 1 gr.; Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 2 mins.; water to 1 oz. *Middlesex.*

Haustus Colchici.

Bicarbonate of Potash 15 grs.; Tincture of Colchicum Seeds 20 mins.; Tincture of Hyoscyamus 20 mins.; Spearmint Water 1 oz. *Westminster.*

Tincture of Colchicum Seeds 15 mins.; Carbonate of Magnesia 10 grs.; Spearmint Water to 1 oz. *St. Bartholomew's.*

Haustus Colchici. Comp.

Wine of Colchicum 10 mins.; Light Carbonate of Magnesia 10 grs.; Camphor Water to 1 oz. *Middlesex.*

Haustus Colchici et Opii.

Wine of Colchicum 15 mins.; Solution of Acetate of Ammonia (strong) 40 mins.; Dover's Powder 5 grs.; Camphor Julep 1 oz. *St. George's.*

Haustus Copaibæ.

Copaiba 30 mins.; Solution of Potash 20 mins.; Mucilage 2 drms.; Caraway Water to 1 oz. *Middlesex.*

Copaiba 15 mins.; Solution of Potash 15 mins.; Spirit of Nitrous Ether 30 mins.; Camphor Water to 1 oz. *City Chest.*

Haustus Copaibæ Co.

Copaiba 15 mins.; Cubebs $\frac{1}{2}$ drm.; Spirit of Nitrous Ether 15 mins.; Mucilage 1 drm.; Camphor Water to 1 oz. *St. Bartholomew's.*

Haustus Copaibæ Resinæ.

Resin of Copaiba 10 grs.; Rectified Spirit 15 mins.; Spirit of Chloroform 10 mins.; Syrup of Ginger 40 mins.; Mucilage 80 mins.; water to 1 oz. *Westminster.*

Hautus Cretæ Aromaticus.

Aromatic Powder of Chalk 30 grs. ; Cassia Water
1 oz. *St. Bartholomew's.*

Aromatic Powder of Chalk 30 grs. ; Cinnamon
Water 1 oz. *Westminster.*

Hautus Cretæ Aromat. c. Opio.

Aromatic Powder of Chalk and Opium 20 grs. ;
Cassia Water to 1 oz. *St. Bartholomew's.*

Hautus Cretæ Aromat. c. Rheo.

Aromatic Powder of Chalk 20 grs. ; Powder of
Rhubarb 10 grs. ; Cassia Water 1 oz. *St.
Bartholomew's.*

Hautus Cretæ c. Catechu.

Tincture of Catechu 1 drm. ; Chalk Mixture to 1
oz. *Fever.*

Hautus Cretæ Compositus.

Chalk Mixture 1 oz. ; Tincture of Catechu 1 drm. ;
Glycerine of Carbolic Acid 5 mins. *Women.*

Hautus Cretæ et Opii.

Tincture of Opium 10 mins. ; Tincture of Catechu
 $\frac{1}{2}$ drm. ; Chalk Mixture to 1 oz. *Westminster.*

Tincture of Opium 5 mins. ; Tincture of Catechu $\frac{1}{2}$
drm. ; Chalk Mixture 1 oz. *City Chest.*

Hautus Diaphoreticus.

Tartarated Antimony $\frac{1}{12}$ gr. ; Solution of Acetate
of Ammonia 2 drms. ; water to 1 oz. *West-
minster.*

Hautus Diureticus.

Acid Tartrate of Potash 40 grs. ; Tincture of Digi-
talis 10 mins. ; Spirit of Nitrous Ether 30
mins. ; water to 1 oz. *Fever.*

Acetate of Potash 20 grs. ; Spirit of Nitrous Ether
 $\frac{1}{2}$ drm. ; Decoction of Broom to 1 oz. *West-
minster.*

Hustus Effervescens.

Bicarbonate of Soda 20 grs.; water 1 oz.; Tartaric Acid 18 grs.; water 1 oz. *Fever. Westminster. City Chest.*

Hustus Effervescens c. Acido Hydrocyanico.

Bicarbonate of Soda 20 grs.; water 1 oz.; Tartaric Acid 18 grs.; Dil. Hydrocyanic Acid 4 mins.; water 1 oz. *Fever.*

Hustus Effervescens c. Calumbâ.

Bicarbonate of Soda 20 grs.; Infusion of Calumba 1 oz.; Tartaric Acid 17 grs.; Infusion of Calumba $\frac{1}{2}$ oz. *City Chest.*

Hustus Emeticus.

Wine of Ipecacuanha 4 drms.; Oxymerc of Squill 4 drms.; water to $1\frac{1}{2}$ oz. *St. Bartholomew's.*

Antimonial Wine 2 drms.; Wine of Ipecacuanha 6 drms. *Fever.*

Ipecacuanha 10 grs.; Sulphate of Zinc 20 grs.; Syrup 1 drms.; Spearmint Water to 1 oz. *Westminster.*

Hustus Emeticus Purgans.

Tartarated Antimony $\frac{1}{8}$ gr.; Sulphate of Magnesia 1 drms.; water to $\frac{1}{2}$ oz. *Middlesex.*

Hustus Ergotæ Acidus.

Dil. Sulphuric Acid 10 mins.; Infusion of Ergot to 1 oz. *Westminster.*

Hustus Ferri Acidus.

Tincture of Perchloride of Iron 15 mins.; water to 1 oz. *Fever.*

Hustus Ferri Alkalinus.

Tartarated Iron 10 grs.; Bicarbonate of Potash 10 grs.; water 1 oz. *Westminster.*

Ammonio-Citrate of Iron 5 grs.; Bicarbonate of Soda 15 grs.; Infusion of Calumba 1 oz. *City Chest.*

Hautus Ferri et Ammoniaë.

Citrate of Iron and Ammonia 5 grs. ; water to 1 oz.
Fever.

Citrate of Iron and Ammonia 8 grs. ; Carbonate of Ammonia 2 grs. ; Spirit of Chloroform 10 mins. ; Infusion of Quassia to 1 oz. *St. Bartholomew's. Samaritan.*

Hautus Ferri Aperiens.

Sulphate of Iron 2 grs. ; Sulphate of Magnesia 40 grs. ; Diluted Sulphuric Acid 5 mins. ; Peppermint Water 1 oz. *Women.*

Sulphate of Iron 2 grs. ; Sulphate of Magnesia 30 grs. ; Dil. Sulphuric Acid 10 mins. ; Spirit of Chloroform 10 mins. ; Peppermint Water to 1 oz. *Westminster.*

Hautus Ferri Citratis.

Ammonio-Citrate of Iron 10 grs. ; Pimento Water 1 oz. *Westminster.*

Hautus Ferri Iodidi.

Tartarated Iron 10 grs. ; Iodide of Potassium 5 grs. ; water 1 oz. *Westminster.*

Hautus Ferri Perchloridi.

Solution of Perchloride of Iron 15 mins. ; Glycerine 15 mins. ; water 1 oz. *Women.*

Tincture of Perchloride of Iron 15 mins. ; Spirit of Chloroform 10 mins. ; water to 1 oz. *Middlesex.*

Tincture of Perchloride of Iron 15 mins. ; Spirit of Chloroform 10 mins. ; Glycerine 20 mins. ; water to 1 oz. *Westminster.*

Hautus Ferri Phosphatis.

Mistura Ferri Compositus (P.B.) cum Sodæ Phosphate vice Potassæ Carbonate. *City Chest.*

Hauftus Ferri et Quassiaë.

Sulphato of Iron 1 gr.; Dil. Sulphuric Acid 5 mins.; Infusion of Quassia 1 oz. *City Chest.*

Hauftus Ferri et Quiniaë.

Sulphate of Quinia 2 grs.; Tincture of Perchloride of Iron 20 mins.; Spirit of Chloroform 15 mins.; water to 1 oz. *Fever.*

Hauftus Ferri et Quiniaë Citratis.

Citrate of Iron and Quinine 5 grs.; Aromatic Spirit of Ammonia $\frac{1}{2}$ drm.; water 1 oz. *City Chest.*

Hauftus Filicis.

Liquid Extract of Male Fern $1\frac{1}{2}$ drm.; Mucilage 2 drms.; Peppermint Water to $1\frac{1}{2}$ oz. *Westminster.*

Liquid Extract of Male Fern 1 drm.; Glycerine 1 drm.; Mucilage 1 drm.; water to 1 oz. *Middlesex.*

Oil of Male Fern 2 drms.; Compound Tragacanth Powder 1 drm.; Peppermint Water to 2 oz. *St. Mary's.*

Liquid Extract of Male Fern 1 drm.; Mucilage 4 drms.; water to 1 oz. *Royal Free.*

Hauftus Gentianæ Acidus.

Dil. Hydrochloric Acid 10 mins.; Compound Infusion of Gentian to 1 oz. *Westminster.*

Hauftus Gentianæ Alkalinus.

Bicarbonate of Soda 15 grs.; Compound Infusion of Gentian 1 oz. *Westminster.*

Hauftus Gentianæ Co.

Simple Infusion of Gentian (M.H.) to 1 oz.; Infusion of Rhubarb 1 drm.; Tincture of Ginger 10 mins. *Middlesex.*

Hautus Gentianæ c. Rheo.

Compound Tincture of Gentian $\frac{1}{2}$ drm.; Bicarbonate of Soda 10 grs.; Spirit of Chloroform 10 mins.; Infusion of Rhubarb $\frac{1}{2}$ oz.; Peppermint Water to 1 oz. *St. Bartholomew's. Samaritan.*

Hautus Gentianæ c. Sennâ.

Infusion of Senna $\frac{1}{2}$ oz.; Tincture of Ginger 20 mins.; Comp. Infusion of Gentian to $1\frac{1}{2}$ oz. *St. Bartholomew's. Westminster.*

Infusion of Senna $2\frac{1}{2}$ drms.; Compound Infusion of Gentian $5\frac{1}{2}$ drms. *City Chest.*

Hautus Gentianæ c. Sodâ.

Bicarbonate of Soda 20 grs.; Compound Infusion of Gentian 1 oz. *Women.*

Hautus Guaiaci Co.

Ammoniated Tincture of Guaiacum 1 drm.; Mucilage 2 drms.; Camphor Water 1 oz. *Women.*

Ammoniated Tincture of Guaiacum 1 drm.; Mucilage 2 drms.; Camphor Water to 1 oz. *Middlesex.*

Hautus Hemidesmi c. Pot. Iodido.

Comp. Decoction of Hemidesmus 1 oz.; Iodide of Potassium 3 grs. *St. Bartholomew's.*

Hautus Hydrargyri Biniodidi.

Red Iodide of Mercury $\frac{1}{10}$ gr.; Iodide of Potassium 5 grs.; Decoction of Yellow Bark 1 oz. *Westminster.*

Hautus Hydrargyri Iodidi.

Solution of Perchloride of Mercury 1 drm.; Tincture of Iodine 4 mins.; Iodide of Potassium 5 grs.; water to 1 oz. *Women.*

Solution of Perchloride of Mercury 1 drm.; Iodide of Potassium 3 grs.; Compound Tincture of Bark 20 mins.; water to 1 oz. *Middlesex.*

Haustus Hyoscyami.

Tincture of Henbane 1 drm.; Camphor Water to 1 oz. *Fever.*

Haustus Imperialis.

Acid Tartrate of Potash 1 drm.; Sugar 4 drms. boiling water 20 oz. *University.*

Haustus Iodi.

Tincture of Iodine 3 mins.; water 1 oz. *Women.*

Haustus Ipecacuanhæ.

Solution of Potash 2 mins.; Wine of Ipecacuanha 2½ mins.; Syrup 20 mins.; Mucilage 30 mins.; Dill Water to 2 drms. *Westminster.*

Haustus Ipecacuanhæ et Ammoniaë.

Carbonate of Ammonia 10 grs.; Ipecacuanha Wine 15 mins.; Chlorate of Potash 20 grs.; water 1 oz. *Fever.*

Haustus Ipecacuanhæ Co.

Ipecacuanha Wine 10 mins.; Paregoric 30 mins.; Solution of Acetate of Ammonia 3 drms.; water to 1 oz. *Middlesex.*


Haustus Ipecacuanhæ Emeticus. *Vide* Haustus Emeticus.

Haustus Ipecacuanhæ Opiatus.

Ipecacuanha Wine 8 mins.; Tincture of Opium 4 mins.; Nitrate of Potash 8 grs.; Mucilage 2 drms.; water 6 drms. *City Chest.*

Haustus Ipecac. c. Scillâ.

Wine of Ipecacuanha 10 mins.; Syrup of Squill 30 mins.; Mint Water to 1 oz. *Middlesex.*



Hautus Magnesiae Acidus.

Sulphate of Magnesia 1 drn.; Dil. Sulphuric Acid
10 mins.; Syrup of Red Poppies 30 mins.;
Spearmint Water to 1 oz. *Westminster.*

Hautus Magnes. Co.

Carbonate of Magnesia 20 grs.; Sulphate of Mag-
nesia 60 grs.; Peppermint Water to 1 fl. oz.
Consumption.

Light Carbonate of Magnesia 5 grs.; Sulphate of
Magnesia 1 drn.; Peppermint Water to 1 oz.
Middlesex.

Carbonate of Magnesia 15 grs.; Aromatic Spirit of
Ammonia $\frac{1}{2}$ drn.; Compound Tincture of Cam-
phor 15 mins.; Dill Water 1 oz. *City Chest.*

Hautus Magnesiae c. Ferro.

Sulphate of Iron 1 gr.; Sulphate of Magnesia 20
grs.; Dil. Sulphuric Acid 10 mins.; Pepper-
mint Water to 1 oz. *Middlesex.*

Hautus Magnesiae et Magnesiae Sulphatis.

Carbonate of Magnesia 15 grs.; Sulphate of Mag-
nesia $\frac{1}{2}$ drn.; Peppermint Water 1 oz. *City
Chest.*

Hautus Magnes. c. Rheo.

Light Carbonate of Magnesia 15 grs.; Sulphate of
Magnesia 1 drn.; Powd. Rhubarb 20 grs.;
Peppermint Water to 1 oz. *Middlesex.*

Carbonate of Magnesia 5 grs.; Sulphate of Mag-
nesia 60 grs.; Powd. Rhubarb 20 grs.; Tinct.
of Ginger 5 mins.; Peppermint Water 1 oz.
Women.

Hautus Magnes. c. Sodâ.

Carbonate of Magnesia 8 grs.; Bicarbonate of Soda
8 grs.; Caraway Water 1 oz. *St. Bartholo-
mew's.*

Hautus Menthæ Sulphuricus.

Dil. Sulphuric Acid 10 mins.; Syrup $\frac{1}{2}$ drm.; Peppermint Water 1 oz. *City Chest.*

Spearmint Water to 1 oz.; Dil. Sulphuric Acid 10 mins.; Syrup of Red Poppies $\frac{1}{2}$ drm. *St. Bartholomew's.*

Hautus Menth. Sulph. c. Ferri Sulph.

Sulphate of Iron 1 gr.; Spirit of Chloroform 10 mins.; Sulphuric Mint Draught 1 oz. *St. Bartholomew's.*

Hautus Menthæ Sulph. c. Magn. Sulph.

Spearmint Water to 1 oz.; Dil. Sulphuric Acid 10 mins.; Sulphate of Magnesia 1 drm.; Syrup of Red Poppies $\frac{1}{2}$ drm. *St. Bartholomew's. Samaritan.*

Hautus Morphiæ.

Acetate of Morphia $\frac{1}{4}$ gr.; water 1 oz. *Women.*

Hydrochlorate of Morphia $\frac{1}{6}$ gr.; Dil. Hydrochloric Acid 1 min.; water to 1 oz. *Westminster.*

Hautus Morphiæ Acetatis.

Acetate of Morphia $\frac{1}{4}$ gr.; Pimento Water 6 drms. water to $1\frac{1}{2}$ oz. *St. George's.*

Hautus Morphiæ et Acidi Hydrocyanici.

Solution of Hydrochlorate of Morphia 10 mins.; Dil. Hydrocyanic Acid 3 mins.; Spirit of Chloroform 10 mins.; water to 1 oz. *Westminster.*

Hautus Morphiæ c. Ferro.

Hydrochlorate of Morphia $\frac{1}{12}$ gr.; Solution of Perchloride of Iron 15 mins.; Dil. Hydrochloric Acid 3 mins.; Spirit of Chloroform 10 mins.; water to 1 oz. *St. Bartholomew's. Samaritan.*

Solution of Hydrochlorate of Morphia 10 mins.; Tincture of Perchloride of Iron 15 mins.; Spirit of Chloroform 10 mins.; water 1 oz. *City Chest.*

Hautus Morphice Hydrochlor.

Hydrochlorate of Morphia $\frac{1}{6}$ gr.; Dil. Hydrochloric Acid $\frac{1}{3}$ min.; water to 1 oz. *St. Bartholomew's.*

Hautus Niger. See Mistura Sennæ.

Hautus Nitrosus.

Dil. Nitric Acid 10 mins.; Spirit of Nitrous Ether 20 mins.; Syrup 30 mins.; Camphor Water to 1 oz. *City Chest.*

Hautus Ol. Morrhuæ.

Cod Liver Oil 2 drms.; Mucilage 2 drms.; White Sugar $\frac{1}{2}$ drm.; Caraway Water to 1 oz. *St. Bartholomew's.*

Hautus Ol. Morrhuæ Alkalinus.

Cod Liver Oil 2 drms.; Solution of Potash 15 mins.; Caraway Water to 1 oz. *St. Bartholomew's. Westminster.*

Hautus Ol. Ricini.

Castor Oil 2 drms.; Mucilage 2 drms.; White Sugar 30 grs.; Caraway Water 1 oz. *St. Bartholomew's.*

Castor Oil $\frac{1}{2}$ oz.; Solution of Potash 15 mins.; Peppermint Water to 1 oz. *Middlesex.*

Hautus Ol. Ricini Alkalinus.

Castor Oil 2 drms.; Solution of Potash 15 mins.; Caraway Water to 1 oz. *St. Bartholomew's. Westminster.*

Hautus Olei Ricini c. Terebinthinâ.

Castor Oil 6 drms.; Oil of Turpentine 2 drms.; Peppermint Water to 1 oz. *Royal Free.*

Hautus Opiatus.

Tincture of Opium 15 mins.; Pimento Water 6 drms.; water to $1\frac{1}{2}$ oz. *St. George's.*

Haustus Opii c. Æthere.

Tincture of Opium 15 mins.; Ether 15 mins.;
Camphor Water to 1 oz. *Fever.*

Haustus Phosphori (gr. $\frac{1}{10}$).

Ethereal Solution of Phosphorus 6 mins.; Mucilage
1 drn.; Cinnamon Water to 1 oz. *Middlesex.*

Haustus Pimentæ.

Pimento Water 6 drms.; water to $1\frac{1}{2}$ oz. *St. George's.*

Haustus Plumbi.

Acetate of Lead 3 grs.; Dil. Acetic Acid 5 mins.;
Distilled Water to 1 oz. *Fever.*

Haustus Plumbi c. Morphiâ.

Acetate of Lead 3 grs.; Acetate of Morphia $\frac{1}{6}$ gr.;
Dil. Acetic Acid 5 mins.; Peppermint Water to
1 oz. *Fever.*

Haustus Potassæ Acetatis Comp.

Acetate of Potash 20 grs.; Tincture of Squill 15
mins.; Sweet Spirit of Nitre $\frac{1}{2}$ drn.; Decoc-
tion of Broom 1 oz.; mix. *Women.*

Haustus Potassæ Acetatis et Scillæ.

Acetate of Potash 20 grs.; Spirit of Nitrous Ether
 $\frac{1}{2}$ drn.; Solution of Acetate of Ammonia 2
drms.; Vinegar of Squill 20 mins.; water to
1 oz. *City Chest.*

Haustus Potassæ Bicarbonatis.

Bicarbonate of Potash 30 grs.; Nitrate of Potash
10 grs.; water to 1 oz. *Fever.*

Haustus Potassæ Chloratis.

Chlorate of Potash 10 grs.; water 1 oz. *St. Bar-
tholomew's.*

Chlorate of Potash 20 grs.; water to 1 oz. *Fever.*

Hautus Potassæ Chloratis Acid.

Chlorate of Potash 10 grs. ; Dil. Hydrochloric Acid 10 mins. ; Decoction of Bark 1 oz. *City Chest.*
Chlorate of Potash 10 grs. ; Diluted Hydrochloric Acid 10 mins. ; Peppermint Water to 1 oz. *Middlesex.*

Hautus Potassæ Chloratis c. Ferro.

Chlorate of Potash 20 grs. ; Tincture of Perchloride of Iron 20 mins. ; water to 1 oz. *Fever.*
Chlorate of Potash 10 grs. ; Tincture of Perchloride of Iron 10 mins. ; Dil. Hydrochloric Acid 5 mins. ; Water to 1 oz. *Middlesex.*

Hautus Potassæ Citratis.

Bicarbonate of Potash 20 grs. ; Citric Acid 14 grs. ; water to 1 oz. *Middlesex. St. George's.*
Citrate of Potash 20 grs. ; Syrup $\frac{1}{2}$ drm. ; water to 1 oz. *Westminster.*

Hautus Potassæ Effervescens.

Bicarbonate of Potash 20 grs. ; Citric Acid 14 grs. ; water to 1 oz. Taken during effervescence. *Middlesex. St. George's.*
Bicarbonate of Potash 20 grs. ; water 1 oz. ; Citric Acid 14 grs. ; water to 1 oz. ; mix. *St. Bartholomew's.*

Hautus Potassæ Nitratis.

Nitrate of Potash 10 grs. ; Mint Water $\frac{1}{2}$ oz. ; water to 1 $\frac{1}{2}$ oz. *St. George's.*

Hautus Potassæ Tart. v. Haut. Salinus.

Bicarbonate of Potash 20 grs. ; Spearmint Water $\frac{1}{2}$ oz. ; Tartaric Acid 15 grs. ; water 1 oz. *St. George's.*

Hautus Potassii Bromidi.

Bromide of Potassium 5 grs. ; Bicarbonate of Potash 5 grs. ; water 1 oz. *Women.*
Bromide of Potassium 20 grs. ; Aromatic Spirit of Ammonia 20 mins. ; water to 1 oz. *Westminster.*

Hautus Potassii Bromidi et Iodidi.

Bromide of Potassium 10 grs. ; Iodide of Potassium 5 grs. ; water 1 oz. *Women.*

Bromide of Potassium 5 grs. ; Iodide of Potassium 3 grs. ; Compound Infusion of Gentian 1 oz. *Westminster.*

Hautus Potassii Iodidi.

Iodide of Potassium 3 grs. ; Carbonate of Potash 10 grs. ; Pimento Water 6 drms. ; water to 1½ oz. *St. George's.*

Iodide of Potassium 4 grs. ; Aromatic Spirit of Ammonia 20 mins. ; Camphor Water to 1 oz. *Middlesex.*

Iodide of Potassium 5 grs. ; Aromatic Spirit of Ammonia 20 mins. ; water to 1 oz. *Westminster.*

Hautus Potassii Iodidi Alkalinus.

Iodide of Potassium 5 grs. ; Bicarbonate of Potash 15 grs. ; Tincture of Hyoscyamus 20 mins. ; Spirit of Chloroform 10 mins. ; water to 1 oz. *Westminster.*

Hautus Potassii Iodidi Ammoniatus.

Iodide of Potassium 3 grs. ; Carbonate of Ammonia 2 grs. ; water 1 oz. *St. Bartholomew's.*

Hautus Potassii Iodidi Compositus.

Iodide of Potassium 3 grs. ; Tincture of Opium 3 mins. ; Aromatic Spirit of Ammonia ½ drm. ; Decoction of Bark 1 oz. *City Chest.*

Iodide of Potassium 5 grs. ; Bicarbonate of Potash 10 grs. ; Colchicum Wine 10 mins. ; Infusion of Gentian Simplex (M. II.) to 1 oz. *Middlesex.*

Hautus Quassiæ.

Tincture of Ginger 1 drm. ; Infusion of Quassia to 1½ oz. *St. George's.*

Hautus Quassiae Compositus.

Diluted Nitric Acid 10 mins.; Infusion of Quassia 1 oz. *Women.*

Hautus Quassiae et Ferri.

Tincture of Sesquichloride of Iron 15 mins.; Quassia Draught $1\frac{1}{2}$ oz. *St. George's.*

Solution of Perchloride of Iron 15 mins.; Infusion of Quassia 1 oz. *St. Bartholomew's.*

Solution of Perchloride of Iron 10 mins.; Infusion of Quassia 1 oz.; Dil. Nitric Acid 10 mins.; mix. *Women.*

Tincture of Perchloride of Iron 15 mins.; Infusion of Quassia to 1 oz. *Westminster.*

Hautus Quiniæ.

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 1 min.; water 1 oz. *Middlesex.*

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 5 mins.; Infusion of Quassia 1 oz. *City Chest.*

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 4 mins.; Tincture of Orange 1 drm.; water to $1\frac{1}{2}$ oz. *St. George's.*

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid $1\frac{1}{2}$ mins.; water 1 oz. *St. Bartholomew's.*

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 10 mins.; water 1 oz. *Fever.*

Hydrochlorate of Quinia 2 grs.; Syrup of Orange 20 mins.; water 1 oz. *Women.*

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 3 mins.; water to 1 oz. *Westminster.*

Hautus Quiniæ et Acidi Hydrochlorici.

Sulphate of Quinia 1 gr.; Dil. Hydrochloric Acid 10 mins.; Infusion of Quassia 1 oz. *City Chest.*

Hautus Quiniæ Acidus.

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid $\frac{1}{2}$ drm.; Comp. Tincture of Cardamoms 1 drm.; Syrup 1 drm.; water to $1\frac{1}{2}$ oz. *St. George's.*

Hautus Quiniæ Ammoniatuſ.

Ammoniated Tincture of Quinia 1 dr̄m.; Spirit of Chloroform 10 mins.; water to 1 oz. *Middleſex.*

Hautus Quiniæ et Digitaliſ.

Sulphate of Quinia 2 grs.; Tincture of Digitaliſ 10 mins.; Nitrate of Potash 10 grs.; water 1 oz. *City Cheſt.*

Hautus Quiniæ c. Ferro.

Sulphate of Quinia 1 gr.; Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 5 mins.; Infuſion of Quaiſſia 1 oz. *City Cheſt.*

Sulphate of Quinia 2 grs.; Sulphate of Iron 2 grs.; Dil. Sulphuric Acid 10 mins.; water 1½ oz. *St. George's.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 2 mins.; water to 1 oz. *Middleſex.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 2 grs.; Dil. Sulphuric Acid 4 mins.; water to 1 oz. *Westmiſter.*

Sulphate of Quinia 2 grs.; Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 3 mins.; Glycerine 30 mins.; water 1 oz. *Women.*

Sulphate of Quinia 1 gr.; Sulphate of Iron ½ gr.; Spirit of Chloroform 10 mins.; Sulphuric Mint Draught to 1 oz. *St. Bartholomew's.*

Hautus Quiniæ c. Opio.

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 15 mins.; Tincture of Opium 5 mins.; Pepper-mint Water 1 oz. *Fever.*

Hautus Quiniæ c. Potassi Iodido.

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 4 mins.; Iodide of Potassium 5 grs.; water to 1 oz. *St. Bartholomew's.*

Haustus Rhei.

Rhubarb 20 grs.; Aromatic Powder of Chalk 20 grs.; Pimento Water 6 drms.; water to $1\frac{1}{2}$ oz. *St. George's.*

Haustus Rhei Aromaticus.

Tincture of Rhubarb 1 drm.; Aromatic Powder of Chalk 10 grs.; Cinnamon Water 7 drms. *City Chest.*

Haustus Rhei Co.

Rhubarb 20 grs.; Carbonate of Magnesia 20 grs.; Aromatic Spirit of Ammonia 20 mins.; Pimento Water 6 drms.; water to $1\frac{1}{2}$ oz. *St. George's.*

Haustus Rhei c. Magnes.

Rhubarb 12 grs.; Carbonate of Magnesia 12 grs.; Aromatic Spirit of Ammonia $\frac{1}{2}$ drm.; Peppermint Water 12 drms. *City Chest.*

Comp. Rhubarb Powder 30 grs.; Caraway Water to 1 oz. *St. Bartholomew's.*

Rhubarb 15 grs.; Carbonate of Magnesia 30 grs.; Aromatic Spirit of Ammonia 30 mins.; Pimento Water to $1\frac{1}{2}$ oz. *Consumption.*

Haustus Rhei c. Sodâ.

Rhubarb 10 grs.; Bicarbonate of Soda 15 grs.; Tincture of Ginger 10 mins.; Stronger Solution of Ammonia 2 mins.; Peppermint Water to 1 oz. *Consumption.*

Haustus Rosæ Aperiens.

Sulphate of Magnesia $\frac{1}{2}$ drm.; Acid Infusion of Roses 1 oz. *City Chest.*

Haustus Salinus.

Citrate of Potash 20 grs.; water 1 oz. *Women.*

Nitrate of Potash 10 grs.; Spirit of Nitrous Ether $\frac{1}{2}$ drm.; Solution of Acetate of Ammonia 2 drms.; water to 1 oz. *City Chest.*

Hautus Salinus Antimonialis.

Antimonial Wine $\frac{1}{2}$ drn.; Nitrate of Potash 10 grs.; Spirit of Nitrous Ether $\frac{1}{2}$ drn.; Solution of Acetate of Ammonia 2 drms.; water to 1 oz. *City Chest.*

Hautus Salinus Aperiens.

Sulphate of Magnesia 2 drms.; Carbonate of Magnesia 20 grs.; Peppermint Water 1 oz. *Women.*

Hautus Salinus Effervescens.

Bicarbonate of Soda 20 grs.; water 1 oz.; Tartaric Acid 18 grs.; water 1 oz. *Women.*

Hautus Scillæ.

Oxymel of Squill $\frac{1}{2}$ drn.; Solution of Acetate of Ammonia 3 drms.; Spirit of Nitrous Ether 20 mins.; water to 1 oz. *Westminster.*

Hautus Scillæ Co.

Tincture of Squill 15 mins.; Carbonate of Ammonia 5 grs.; Comp. Tincture of Camphor 20 mins.; Spirit of Nitrous Ether 20 mins.; Spirit of Chloroform 10 mins.; Infusion of Senega 1 oz. *Women.*

Tincture of Squill 15 mins.; Spirit of Nitrous Ether $\frac{1}{2}$ drn.; Solution of Acetate of Ammonia 2 drms.; Caraway Water to 1 oz. *Middlesex.*

Hautus Scopar. Co.

Decoction of Broom to $1\frac{1}{2}$ oz.; Spirit of Juniper $\frac{1}{2}$ drn.; Tartrate of Potash 20 grs. *St. Bartholomew's.*

Acid Tartrate of Potash $\frac{1}{2}$ drn.; Spirit of Nitrous Ether $\frac{1}{2}$ drn.; Decoction of Broom 1 oz. *City Chest.*

Acetate of Potash 20 grs.; Tincture of Squill 15 mins.; Spirit of Nitrous Ether $\frac{1}{2}$ drn.; Decoction of Broom to 1 oz. *Middlesex.*

Hautus Senegæ et Ammonia.

Carbonate of Ammonia 5 grs.; Infusion of Senega 1 oz. *City Chest.*

Hautus Senegæ Co.

Carbonate of Ammonia 4 grs.; Tincture of Squill 15 mins.; Pimento Oil 1 min.; Infusion of Senega to 1 oz. *Middlesex.*

Carbonate of Ammonia 5 grs.; Spirit of Chloroform 15 mins.; Tincture of Squill 10 mins.; Infusion of Senega to 1 oz. *Fever.*

Hautus Sennæ.

Sulphate of Magnesia 2 drms.; Compound Tincture of Senna (special form) 2 drms.; Aromatic Spirit of Ammonia 20 mins.; Infusion of Senna to 1½ oz. *St. George's.*

Hautus Sennæ Co.

Sulphate of Magnesia 2 drms.; Aromatic Spirit of Ammonia ½ drms.; Infusion of Senna 1½ oz. *City Chest.*

Sulphate of Magnesia 2 drms.; Tincture of Senna 2 drms.; Comp. Infusion of Senna to 1 oz. Dose 1 to 2 oz. *Fever.*

Sulphate of Magnesia ¼ oz.; Oil of Peppermint ¼ min.; Infusion of Senna to 1½ oz. *St. Bartholomew's.*

Sulphate of Magnesia ½ oz.; Oil of Pimento 1 min.; Extract of Liquorice 10 grs.; Infusion of Senna to 1½ oz. *Middlesex.*

Hautus Serpentariae et Ammonia.

Carbonate of Ammonia 5 grs.; Infusion of Serpentry 1 oz. *City Chest.*

Hautus Sodæ Effervescens.

Bicarbonate of Soda 20 grs.; Tartaric Acid 18 grs.; water 1 oz. *Middlesex.*

Bicarbonate of Soda 20 grs.; water 1 oz.; Tartaric Acid 17 grs.; water to 1 oz.; mix during effervescence. *St. Bartholomew's.*

Hautus Sodæ Hypophosphitis.

Hypophosphite of Soda 5 grs.; Spirit of Chloroform 10 mins.; Syrup $\frac{1}{2}$ drn.; Camphor Water 1 oz. *City Chest.*

Hautus Sodæ Salicylatis.

Salicylic Acid 15 grs.; Caustic Soda $4\frac{1}{2}$ grs.; water to 1 oz. *Middlesex.*

Hautus Sodæ Tart.

Bicarbonate of Soda 20 grs.; Tartaric Acid 17 grs.; water 1 oz. *St. Bartholomew's.*

Hautus Strychniæ Compositus.

Solution of Strychnia P. B. 4 mins.; Sulphate of Quinia 1 gr.; Sulphate of Zinc 1 gr.; Dil. Sulphuric Acid 2 mins.; water to 1 oz. *Middlesex.*

Hautus Strychniæ c. Ferro.

Solution of Strychnia 4 mins.; Solution of Perchloride of Iron 10 mins.; Syrup 30 mins.; water 1 oz. *Women.*

Solution of Strychnia 4 mins.; Tincture of Perchloride of Iron 10 mins.; water to 1 oz. *Middlesex.*

Solution of Strychnia 3 mins.; Tincture of Perchloride of Iron 15 mins.; Spirit of Chloroform 10 mins.; water 1 oz. *City Chest.*

Hautus Strychniæ c. Magnesia.

Sulphate of Iron 2 grs.; Sulphate of Magnesia 15 grs.; Solution of Strychnia 4 mins.; Spirit of Chloroform 10 mins.; Peppermint Water to 1 oz. *Middlesex.*

Hautus Taraxaci.

Juice of Dandelion 1 drn.; Sulphate of Magnesia $\frac{1}{2}$ drn.; Peppermint Water to 1 oz. *Westminster.*

Hustus Taraxaci Acidus.

Juice of Dandelion $\frac{1}{2}$ dr. ; Dil. Nitro-hydrochloric Acid 15 mins. ; Compound Infusion of Gentian to 1 oz. *Westminster.*

Hustus Terebinth.

Oil of Turpentine 15 mins. ; Mucilage 1 dr. ; Pimento Draught to $1\frac{1}{2}$ oz. *St. George's.*

Oil of Turpentine 15 mins. ; Ether 15 mins. ; Mucilage 2 drs. ; Peppermint Water to 1 oz. *Fever.*

Oil of Turpentine 20 mins. ; Mucilage 2 drs. Caraway Water to 1 oz. *St. Bartholomew's.*

Hustus Tragacanthæ c. Ipecacuanhâ.

Ipecacuanha Wine 10 mins. ; Mucilage of Tragacanth 1 oz. *Fever.*

Hustus Valerianæ.

Ammoniated Tincture of Valerian 1 dr. ; water to 1 oz. *Fever.*

Ammoniated Tincture of Valerian or Foetid Spirit of Ammonia 20 mins. ; Tincture of Hyoscyamus 30 mins. ; Camphor Water 1 oz. *Samaritan.*

Infusion of Valerian $\frac{1}{2}$ oz. ; Camphor Water to 1 oz. *Westminster.*

Hustus Valerianæ Comp.

Tincture of Valerian 20 mins. ; Solution of Ammonia 5 mins. ; Foetid Spirit of Ammonia 15 mins. ; Infusion of Quassia 1 oz. *Women.*

Ammoniated Tincture of Valerian 20 mins. ; Foetid Spirit of Ammonia 15 mins. ; Infusion of Quassia to 1 oz. *Middlesex.*

Hustus Valerianæ c. Hyoscyamo.

Ammoniated Tincture of Valerian $\frac{1}{2}$ dr. ; Tincture of Hyoscyamus $\frac{1}{2}$ dr. ; Camphor Water to 1 oz. *St. Bartholomew's.*

Haustus Zinci Emeticus.

Sulphate of Zinc 20 grs.; water to 1 oz. *St. Bartholomew's.*

INFUSA.

Infusum Gentianæ Aromaticum.

(*Vel* Infusum Gentianæ Compositum.)

Sliced Gentian $\frac{1}{4}$ oz.; Lemon Peel 45 grs.; Orange Peel $22\frac{1}{2}$ grs.; boiling water 20 oz. *Consumption.*

Infusum Gentianæ Co.

Sliced Gentian 60 grs.; Powdered Canella 30 grs. boiling water 12 oz.: 1 hour. Dose 1 to 2 oz. *St. George's.*

Gentian Root 2 drms.; Ginger 1 drm.; water 20 oz.: 1 hour. *London.*

Sliced Gentian 120 grs.; Dried Orange Peel 120 grs.; boiling water 20 oz. Infuse 1 hour, and add Essence of Lemon 40 mins. *Guy's.*

Infusum Gentianæ Simplex.

Gentian Root bruised 2 drms.; boiling water 20 oz.: infuse 1 hour. Dose 1 to 2 oz. *Middlesex.*

Infusum Gummi Rubri.

Red Gum $\frac{1}{2}$ oz.; boiling water 20 oz.: for 1 hour. *London.*

Infusum Juniperi.

Juniper Berries $2\frac{1}{2}$ oz.; boiling water 20 oz. Infuse 2 hours, strain, and add Spirit of Juniper 10 drms. Dose 2 oz. *Guy's.*

Infusum Krameriæ Co.

Infusion of Rhatany 11 oz.; Ipecacuanha Wine $\frac{1}{2}$ oz.; Tincture of Catechu $\frac{1}{2}$ oz. Dose 1 oz. *Guy's.*

Infusum Menthæ Co.

Spearmint dried 2 oz.; Red Rose Petals 4 scruples;
 Sugar $1\frac{1}{2}$ oz.; Dil. Sulphuric Acid 2 drms.;
 boiling water 20 oz.: $\frac{1}{2}$ hour. Dose 1 to 2 oz.
Guy's.

Infusum Sarsæ Frigidum.

Sliced Sarsa 1 oz.; Lime Water 20 oz.: infuse 6
 hours. Dose 2 to 4 oz. *Guy's.*

Infusum Sumbuli.

Sumbul 4 drms. and 10 grs.; boiling water 20 oz.
 Infuse 2 hours, strain, and add Tincture of
 Sumbul $1\frac{1}{2}$ oz. Dose 1 oz. *Guy's.*

Infusum Tabaci.

Leaf Tobacco 90 grs.; boiling water 20 oz. *Women.*

INHALATIONES. *Vide* VAPORES.

INJECTIONES.

Injectio Acidi Carbolici.

Carbolic Acid 5 grs.; water 20 oz. *Women.*
 Carbolic Acid 5 grs.; water 1 oz. *Throat.*

Injectio Acidi Tannici.

Tannic Acid 2 drms.; Glycerine 1 oz.; water 3 oz.
Fever.

Injectio Alkalina.

Carbonate of Potash 120 grs.; water 20 oz. *London*
Ophthalmic.
 Solution of Potash 2 drms.; water 20 oz. *Women.*

Injectio Aluminis.

Alum 2 drms. ; water 20 oz. *Women.*

Injectio Aluminis cum Quercu.

Alum 2 drms. ; Decoction of Oak Bark 20 oz. *Royal Free.*

Injectio Aluminis et Zinci.

Alum 2 drms. ; Sulphate of Zinc 2 scruples ; water 20 oz. *Women.*

Alum 1 drm. ; Sulphate of Zinc 1 drm. ; water 20 oz. *Royal Free.*

Alum 6 grs. ; Sulphate of Zinc 2 grs. ; water 1 oz. *British Skin.*

Injectio Astringens.

Alum 4 grs. ; Sulphate of Zinc 4 grs. ; Tannic Acid $1\frac{1}{2}$ gr. ; water 1 oz. *London Ophthalmic.*

Injectio Communis.

Alum 40 grs. ; Sulphate of Zinc 24 grs. ; Decoction of Oak Bark 4 oz. *Gt. Northern.*

Injectio Conii c. Ferro.

Sulphate of Iron $\frac{1}{2}$ gr. ; Extract of Conium $2\frac{1}{2}$ grs. ; water 1 oz. *Women.*

Injectio Ergotinæ Hypodermica.

Ergotine $\frac{1}{6}$ gr. ; Glycerine 3 mins. ; water 3 mins. *Westminster.*

Injectio Ferri Perchloridi.

Perchloride of Iron 60 grs. ; water 1 oz. *Throat.*

Injectio Iodi.

Solution of Iodine 10 mins. ; water 1 oz. *Throat.*

Injectio Plumbi.

Acetate of Lead 16 grs. ; water 4 oz. *Fever.*

Diluted Solution of Subacetate of Lead $1\frac{1}{2}$ drm.;
Rectified Spirit 2 drms.; water to 20 oz. *London*
Ophthalmic.

Solution of Subacetate of Lead 3 mins.; water 1 oz.
Middlesex.

Solution of Subacetate of Lead 1 oz.; water 20 oz.
Royal Free.

Solution of Subacetate of Lead 1 drm.; water 20 oz.
Women.

Injectio Plumbi (Fortis).

Solution of Subacetate of Lead $\frac{1}{2}$ oz.; water $3\frac{1}{2}$ oz.
Royal Free.

Injectio Potassæ Permanganatis.

Solution of Permanganate of Potash 12 mins.;
water 1 oz. *Women.*

Solution of Permanganate of Potash 6 mins.; water
1 oz. *Throat.*

Injectio Quercus Co.

Alum 4 grs.; Sulphate of Zinc 4 grs.; Decoction of
Oak Bark $\frac{1}{2}$ oz.; water to 1 oz. *Middlesex.*

Injectio Quercus c. Alumine.

Alum 1 drm.; Decoction of Oak Bark 4 oz. *Fever.*

Injectio Quiniæ Sulphatis.

Sulphate of Quinia 4 grs.; Diluted Sulphuric Acid
3 mins.; water 1 oz.; to be diluted with 1 oz. of
warm water before using for the ear. *University.*

Injectio Vaginalis Astringens.

Alum 6 grs.; Sulphate of Zinc 2 grs.; water 1 oz.
Used in cases of Pruritus Vulvæ complicated
with Leucorrhœa. *British Skin.*

Injectio Zinci Chloridi.

Chloride of Zinc 40 grs.; water 20 oz. *Royal Free.*

Injectio Zinci Sulphatis.

Sulphate of Zinc 2 grs.; water to 1 oz. *Middlesex.*

Sulphate of Zinc 2 grs.; Alum 4 grs.; water 1 oz.
King's.

Sulphate of Zinc 3 grs.; water 1 oz. *Women. Royal Free.*

Sulphate of Zinc 8 grs.; water 1 oz. *Fever.*

Used also for purulent ophthalmia.

Injectio Zinci Sulphatis et Acidi Carbolic.

Sulphate of Zinc 4 grs.; Carbolic Acid 4 grs.; water 1 oz.; to be diluted with 1 oz. of warm water before using for the ear. *University.*

Injectio Zinci Sulphocarbolic.

Sulphocarbonate of Zinc 2 grs.; water 1 oz. *King's. Middlesex.*

INJECTIONES HYPODERMICÆ.**Injectio Acidi Acetici Hypod.**

Diluted Acetic Acid 15 to 30 mins. *Throat.*

Injectio Atropiæ Sulphatis.

Sulphate of Atropia $\frac{1}{4}$ gr.; water 1 drm. Dose 2 to 4 mins. *London Ophthalmic.*

Injectio Iodi Hypod. Communis.

Tincture of Iodine 15 to 30 mins. *Throat.*

Injectio Iodi Hypod. Fortior.

Iodine 40 grs.; Absolute Alcohol 1 oz. 10 to 15 mins. *Throat.*

Injectio Iodi Hypod. Fortissim.

Iodine 360 grs.; Iodide of Potassium 360 grs.; Distilled Water to 1 oz.; dissolve. 3 to 5 mins. *Throat.*

Injectio Morphiæ et Atropiæ.

Sulphate of Atropia $\frac{1}{8}$ gr. ; Hypodermic Injection of Morphia P. B. 1 drn. Dose 1 to 4 mins. *London. Ophthalmic.*

Injectio Morphiæ Hypod.

Acetate of Morphia 80 grs. ; Distilled Water 1 oz. ; dissolve. 1 to 6 mins. *Throat. Middlesex. Women.* P. B. 1 to 6 mins. *London Ophthalmic.*

LINCTI.

Linctus Acidus.

Dil. Sulphuric Acid 5 mins. ; Oxymel 20 mins. ; Spirit of Chloroform 2 mins. ; Treacle to 1 drn. *University.*

Dil. Sulphuric Acid 5 mins. ; Oxymel 25 mins. ; Simple Linctus to 1 drn. Dose 1 drn. *Consumption.*

Linctus Acidus c. Opio.

Tincture of Opium 15 mins. ; Diluted Sulphuric Acid 15 mins. ; Treacle 1 oz. ; water 1 oz. Dose 1 to 2 drns. *Gt. Northern.*

Linctus Ammoniæ.

Tincture of Squill 5 mins. ; Carbonate of Ammonia $\frac{1}{8}$ gr. ; Essence of Anise P. B. 1 min. ; Borax $\frac{1}{4}$ gr. ; Mucilage 30 mins. ; water to 1 drn. *Consumption.*

Linctus Communis.

Dil. Sulphuric Acid 15 mins. ; Syrup of Squill 30 mins. ; Paregoric 2 drns. ; Treacle 1 drn. ; Anise Water to 1 oz. ; mix. Dose 1 drn. *King's.*

Dil. Sulphuric Acid $7\frac{1}{2}$ mins. ; Tincture of Squill 30 mins. ; Syrup of Extract of Poppies $1\frac{1}{2}$ drn. ; Powdered Tragacanth 6 grs. ; Treacle 2 drns. ; water to 1 oz. Dose $\frac{1}{2}$ to 2 drns. *Middlesex.*

Solution of Hydrochlorate of Morphia 3 mins.; Spirit of Chloroform 3 mins.; Glycerine and water of each $\frac{1}{2}$ drm. *City Chest.*

Dil. Sulphuric Acid 5 mins.; Liquid Extract of Opium 3 mins.; Syrup of Squill 15 mins.; Treacle $\frac{1}{2}$ drm.; water to 1 drm. *Charing Cross.*

Acetic Acid 2 mins.; Vinegar of Squill 36 mins.; Syrup of Poppies 36 mins.; Confection of Hips 100 grs.; Powdered Tragacanth 6 grs.; boiling water to 1 oz. Dose 1 to 2 teaspoonfuls. *St. Bartholomew's.*

Olive Oil 4 drms.; Confection of Hips 6 drms.; Vinegar of Squill $1\frac{1}{2}$ drm.; Tincture of Opium $7\frac{1}{2}$ mins.; Treacle 3 drms. Dose 1 to 2 drms. *St. George's.*

Dil. Sulphuric Acid 5 drms.; Syrup of Squill 5 drms.; Syrup of Poppies 5 drms.; Comp. Tincture of Camphor 5 drms.; Ipecacuanha Wine 2 drms.; Gum Arabic 5 drms.; Treacle $2\frac{1}{2}$ fl. oz.; water $7\frac{1}{2}$ oz. Dose 1 to 2 drms. *Westminster Ophthalmic.*

Olive Oil 4 oz.; Tartaric Acid 2 oz.; Powdered Gum 4 oz.; Powdered Opium 30 grs.; Treacle 5 lbs. *Women.*

Dil. Sulphuric Acid 30 mins.; Vinegar of Squill 3 drms.; Tincture of Opium 30 mins.; Powdered Tragacanth 40 grs.; Treacle 2 oz.; water 2 oz. *London Ophthalmic.*

Linctus Creasoti.

Creasote 1 min.; Glycerine 56 mins.; water to 1 oz. *Royal Chest.*

Linctus c. Ipecacuanhâ.

Ipecacuanha Wine $\frac{1}{2}$ drm.; Linctus to 1 oz. Dose 1 teaspoonful. *St. Bartholomew's.*

Linctus Limonis.

Syrup of Lemon 6 drms.; Solut. Acet. Morphia 2 fl. drms.; water to 3 oz. Dose 1 drm. *Throat.*

Linctus Morphiæ.

Solution of Hydrochlorate of Morphia 3 mins.;
Spirit of Chloroform 3 mins.; Glycerine 1 drm.
Westminster.

Muriate of Morphia $\frac{1}{8}$ gr.; Dil. Hydrochloric Acid
 $\frac{1}{4}$ min.; Dil. Prussic Acid $3\frac{3}{4}$ mins.; Syrup of
Squill 2 drms.; water to 4 drms. Dose $\frac{1}{2}$ to 2
drms. *Middlesex.*

Solution of Hydrochlorate of Morphia 3 mins.;
Spirit of Chloroform 3 mins.; Treacle, Honey,
or Glycerine 60 grs.; water to 1 drm. *Uni-
versity.*

Hydrochlorate of Morphia $\frac{1}{8}$ gr.; Dil. Hydrochloric
Acid 2 mins.; Syrup of Squill 20 mins.; Dil.
Hydrocyanic Acid 2 mins.; water to 1 drm.
Royal Chest.

Linctus Morphiæ Acetatis.

Solution of Acetate of Morphia 8 mins.; Chloric
Ether 3 mins.; Lemon Juico 15 mins.; Muci-
lage to 1 drm. *Consumption.*

Acetate of Morphia $\frac{1}{12}$ gr.; Oxymel 1 drm.; water
1 drm. Dose 2 drms. *St. Mary's.*

Linctus Opiatus.

Tincture of Opium 15 mins.; Dil. Sulphuric Acid
30 mins.; Treacle $\frac{1}{2}$ oz.; boiling water to 1 oz.
London.

Tincture of Opium 10 mins.; Dil. Sulphuric Acid
 $12\frac{1}{2}$ mins.; Treacle 5 drms.; water to 1 oz.
Dose 1 to 2 teaspoonfuls. *Guy's.*

Linctus Opii.

Tincture of Opium 5 mins.; Dil. Sulphuric Acid 5
mins.; Simple Linctus to 1 drm. *Consumption.*

Linctus Papaveris.

Syrup of Poppies 1 oz.; Syrup of Tolu 1 oz.; Parc-
goric 1 oz. Dose 1 drm. *Throat.*

Linctus Potassæ Nitratis.

Nitrate of Potash $1\frac{1}{2}$ drn.; Oxymel 4 drms.; Syrup of Roses to $1\frac{1}{2}$ oz. Dose 1 teaspoonful. *Guy's.*

Linctus Scillæ.

Syrup of Squill, Syrup of Poppies, Syrup of Lemons, Syrup of Tolu, equal quantities. Dose 1 drn. *Throat.*

Oxymel of Squill 20 mins.; Dil. Sulphuric Acid 5 mins.; Tincture of Opium 2 mins.; Simple Linctus to 1 drn. *Consumption.*

Oxymel of Squill 1 drn.; Paregoric 15 mins. Mucilage 1 drn. Dose 2 drms. *St. Mary's.*

Linctus Scillæ Co. vel c. Opio.

Oxymel of Squill 5 mins.; Compound Tincture of Camphor $2\frac{1}{2}$ mins.; Spirit of Nitrous Ether $2\frac{1}{2}$ mins.; water to 1 drn. *Westminster.*

Oxymel of Squill 20 mins.; Comp. Tincture of Camphor 10 mins.; Ipecacuanha Wine 5 mins.; Mucilage to 1 drn. *Royal Chest.*

Oxymel of Squill 2 drms.; Paregoric 1 drn.; Ipecacuanha Wine $\frac{1}{2}$ drn.; Mucilage to 5 drms. *University.*

Linctus Simplex.

(*Vel Theriaca Preparata.*)

Treacle 20 mins.; Spirit of Chloroform 2 mins.; water to 1 drn. *Consumption.*

Linctus pro Tussi.

Oxymel of Squill, Syrup of Poppies, Mucilage, of each equal parts. *St. Thomas's.*

LINIMENTA.**Linimentum Acidi Sulph.**

Strong Sulphuric Acid $\frac{1}{2}$ fl. drn.; Spirit of Turpentine 4 drms.; Olive Oil 12 drms.; mix the Oils and add the Acid gradually. *St. George's.*

Linimentum Aconiti.

Tincture of Aconite 1 oz.; Soap Liniment 1 oz.;
London.

Tincture of Aconite 2 drms.; Glycerine 4 drms.;
water to 1 oz. *Samaritan.*

Linimentum Aconiti Compositum.

Tincture of Aconite 5 drms.; Belladonna Liniment
2 drms.; Chloroform 1 drm. *Westminster Oph-
thalmic.*

Linimentum Aconiti et Opii.

Tincture of Aconite 3 drms.; Liniment of Opium to
1 oz. *St. Thomas's.*

Linimentum Aconiti et Saponis.

Liniment of Aconite 1 oz.; Soap Liniment 3 oz.
London Ophthalmic.

Linimentum Æruginis.

Powder of Verdigris 1 oz.; Dil. Acetic Acid 7 oz.;
Honey 14 oz.: dissolve the Verdigris in the
Acid, and filter; add the Honey, and boil to a
proper consistence. *Middlesex.*

Linimentum Ammoniacæ.

Solution of Ammonia 1 oz.; Rape Oil 3 oz. *Lon-
don.*

Linimentum Ammoniacæ Mitius.

Solution of Ammonia 1 drm.; Olive Oil 7 drms.
City Chest.

Linimentum Belladonnæ et Chloroformi.

Liniment of Belladonna 6 drms.; Chloroform 2
drms.; Compound Camphor Liniment 1 oz.
Westminster. Westminster Ophthalmic.

Linimentum Belladonnæ Compos.

Extract of Belladonna 1 drm.; Distilled Water 1 drm.;
Soap Liniment 6 drms. *London Ophthalmic.*

Linimentum Calcis Co.

Olive Oil 1 oz.; Oil of Turpentine 1 drn.; Lime
Water 2 oz. *Gt. Northern.*

Oil of Turpentine $\frac{1}{2}$ oz.; Olive Oil 4 oz.; Solution
of Lime $7\frac{1}{2}$ oz. *Royal Free.*

Linimentum Camph. c. Cantharide.

Liniment of Camphor $14\frac{1}{2}$ drms.; Tincture of
Opium 2 drms.; Tincture of Cantharides $3\frac{1}{2}$
drms. *Women.*

Linimentum Cantharidis.

Tincture of Cantharides 2 drms.; Liniment of Soap
6 drms. *City Chest.*

Linimentum Cantharidis et Camphoræ.

Vinegar of Cantharides, Acetic Acid, Spirit of Cam-
phor, of each equal parts. *Royal Chest.*

Linimentum Chloroformi.

Chloroform 1 oz.; Olive Oil 2 oz.; mix. *London.*

Chloroform 1 oz.; Olive Oil 3 oz. *Guy's.*

Linimentum Commune.

Oil of Thyme 6 mins.; Rape Oil 2 oz. *London.*

Soft Soap 3; Camphor 1; Rectified Spirit 8; water
8. *St. George's.*

Olive Oil 1 oz.; Solution of Ammonia $\frac{1}{2}$ oz. *Sama-
ritan.*

Linimentum Cretæ.

Prepared Chalk 2 oz.; Olive Oil 6 drms.; Rose
Water 6 drms. *St. George's.*

Linimentum Crotonis.

Croton Oil 1 drn.; Soap Liniment to 2 oz. *Royal
Chest. University.*

Croton Oil 1 drn.; Soap Liniment 11 drms. *Gt. Northern.*

Croton Oil 1 drn.; Olive Oil to 1 oz. *St. Mary's.*

Croton Oil 1 drn.; Oil of Turpentine 3 drms.;
Olive Oil 4 drms. *London Ophthalmic.*

Linimentum Crotonis Dilutum.

Liniment of Croton Oil P. B., Liniment of Soap,
equal parts. *Consumption.*

Linimentum Hydrarg. Oleatis (10 per cent.).

Precipitated Peroxide of Mercury 1 drn.; Oleic
Acid 10 drms.: keep agitating the Acid in the
mortar; sprinkle in the Peroxide gradually,
and triturate the mixture frequently during 24
hours, until the Peroxide is dissolved, and a
viscid solution is formed. *University. Throat.*
London Ophthalmic.

Linimentum Hydrarg. Oleatis c. Morphiâ.

Pure Morphia 10 grs.; Oleic Acid 5 drms.: dis-
solve, and add Liniment of Oleate of Mercury
5 drms. *University. Throat. London Oph-
thalmic.*

Linimentum Hydrarg. Oxyd. Rubri.

Red Oxide of Mercury 1 drn.; Glycerine 1 drn.;
Benzoated Lard 2 drms.; Olive Oil to 2 oz.:
mix. *Charing Cross.*

Linimentum Iodi Co.

Tincture of Iodine $2\frac{1}{2}$; Strong Solution of Ammo-
nia 1; Common Liniment $2\frac{1}{2}$. *St. George's.*

Linimentum Iodi c. Belladonnâ.

Iodine Liniment, Belladonna Liniment, equal parts.
Women.

Linimentum Lini c. Calce.

Linseed Oil, Lime Water, of each equal parts.
Middlesex.

Linimentum Olei Crotonis et Camphoræ.

Oil of Croton 1 drn.; Liniment of Camphor 15 drms. *City Chest.*

Linimentum Opii.

Tincture of Opium 1 oz.; Comp. Soap Liniment 3 oz. *London. St. Bartholomew's.*

Linimentum Opii et Chloroformi.

Tincture of Opium 2 drms.; Chloroform 2 drms.; Compound Camphor Liniment 4 drms.; Liniment of Soap 1 oz. *City Chest.*

Linimentum Plumbi.

Solution of Subacetate of Lead $\frac{1}{2}$ oz.; Olive Oil $3\frac{1}{2}$ oz. *St. Bartholomew's.*

Linimentum Plumbi Opiatum.

Solution of Subacetate of Lead 2 drms.; Tincture of Opium 2 drms.; Honey 2 drms.; Confection of Roses 1 oz. *Guy's.*

Linimentum Potassii Iodidi.

Iodide of Potassium 1 drn.; Stronger Solution of Ammonia 2 drms.; Liniment of Soap to 2 oz. *City Chest.*

Linimentum Saponis.

Soft Soap $2\frac{1}{2}$ oz.; Camphor 1 oz.; Rectified Spirit 2 oz.; boiling water to 20 oz. *Gt. Northern.*

Soft Soap 90 grs.; Camphor $22\frac{1}{2}$ grs.; Rectified Spirit $1\frac{1}{2}$ drn.; Oil of Turpentine 15 mins.; water $7\frac{1}{2}$ drms. *London.*

Soft Soap 12 drms.; Camphor 4 drms.; Spirit of Wine 8 oz.; Oil of Origanum 1 drn. *Guy's.*

Linimentum Saponis Co.

Soft Soap 5 drms.; Solution of Ammonia 1 drn.; Rectified Spirit 3 drms.; Oil of Marjoram 6 mins.; Oil of Turpentine $1\frac{1}{2}$ drn.; boiling water to 4 oz. *St. Bartholomew's.*

Linimentum Saponis et Iodi.

Tincture of Iodine 1 drm.; Liniment of Soap 7 drms. *City Chest.*

Linimentum Saponis Mollis.

Soft Soap 1 oz.; hot water 10 oz. *Middlesex.*

Linimentum Saponis c. Opio.

Tincture of Opium 2 drms.; Soap Liniment 10 drms. *Consumption.*

Linimentum Sinapis.

Mustard 24 grs.; Oil of Turpentine 1 oz. *St. Thomas's.*

Linimentum Terebinth.

Oil of Turpentine $1\frac{1}{2}$ oz.; Soap Liniment $1\frac{1}{2}$ oz. *London.*

Linimentum Terebinth. c. Ammoniâ.

Liniment of Turpentine 6 drms.; Solution of Ammonia 6 drms.; Oil of Cajeput 15 mins.; Olive Oil to 2 oz. *Royal Chest.*

Linimentum Terebinth. c. Chloroformo.

Liniment of Turpentine $1\frac{1}{2}$ oz.; Chloroform $\frac{1}{2}$ oz. *St. Mary's.*

Linimentum Tiglii.

Croton Oil and Turpentine of each equal parts. *Samaritan.*

Linimentum Volatile.

Strong Solution of Ammonia $\frac{1}{2}$ oz.; Soap Liniment 1 oz.; Tincture of Cantharides $\frac{1}{4}$ oz.; Tincture of Opium $\frac{1}{4}$ oz. *London.*

LIQUORES.

Liquor Acidi Tartarici.

Tartaric Acid 35 grs.; water 1 oz. *London.*

Liquor Antimonii Tartarati.

Tartar Emetie 2 grs.; Rectified Spirit 1 drm.;
water to 1 oz. Dose 5 mins. to 1 drm. *Middlesex.*

Liquor Argenti Nitratis Opiatus.

Nitrate of Silver 2 grs.; Wine of Opium 2 oz. *St. George's.*

Liquor Belladonnæ.

Extract of Belladonna $\frac{1}{2}$ oz.; Proof Spirit 1 drm.;
water to 2 oz. *St. George's.*

Liquor Chlori.

Chlorate of Potash 30 grs.; Hydrochloric Acid $\frac{1}{2}$
oz.; water to 1 oz. *London.*

Liquor Ferri Tartarati.

Tartarated Iron 8 grs.; Treacle $\frac{1}{2}$ drm. (or 40 grs.);
boiling water to 1 oz. Dose 1 to 4 drms. *St. Bartholomew's.*

Liquor Hydr. Bibromidi.

Bibromide of Mercury 1 gr.; Distilled Water 2 oz.
Women.

Liquor Phosphori Æthereus.

Phosphorus 2 grs.; Ether 1 oz. Dose 6 mins.
(= $\frac{1}{10}$ gr.) to 24 mins. (= $\frac{1}{10}$ gr.). *Middlesex.*

Liquor Quiniæ Ammoniatus.

Sulphate of Quinia 24 grs.; } Strong Solution of
 Ammonia 4 drms.; Reetified Spirit to 3 oz.
 Dose 30 to 60 mins. *London.*

Liquor Ruber.

Raw Sugar 8 oz.; boiling water 1 gallon. Heat the
 Sugar in an iron vessel until it fuses to a deep
 brown colour, then add the boiling water.
London.

LOHOCH. *Vide* LINCTI.**LOTIONES.****Lotio Aceti.**

Vinegar 5 drms.; water to 10 oz. *St. Bartholomew's.*
 Dil. Acetic Acid 5 drms.; Distilled Water 10 oz.
London Ophthalmic. Westminster Ophthalmic.

Lotio Acidi Acetici.

Dil. Acetic Acid 2 oz.; water to 20 oz. *City Chest.*

Lotio Acidi Benzoici.

Benzoic Acid 1 gr.; Reetified Spirit 24 mins.; water
 1 oz. *Middlesex.*
 Benzoic Acid 2 grs.; water 1 oz. *British Skin.*

Lotio Acidi Boracici.

A saturated solution. *University.*
 Boracic Acid 15 grs.; water 1 oz. *British Skin.*

Lotio Acidi Carbolici.

- Carbolic Acid $\frac{1}{4}$ oz. ; water to 10 oz. *Middlesex.*
 Carbolic Acid in Crystals 1 gr. ; water to 40 mins.
Samaritan. St. George's. Women.
 Carbolic Acid 1 gr. ; water to 80 mins. *St. Thomas's.*
 Carbolic Acid 1 part ; water, at 122° F., to 20, 40,
 80, or 100 parts as required. *University.*
 Carbolic Acid Crystals 1 gr. ; water to 55 mins.
Fever.
 Carbolic Acid Crystals 1 gr. ; Mucilage 4 mins. ;
 water to 80 mins. *King's.*
 Carbolic Acid 1 fl. drm. ; water 6 oz. *Royal Free.*
 Carbolic Acid Crystals 1 gr. ; water to 64 mins.
London.
 Carbolic Acid 1 gr. ; water 80 mins. *Charing Cross.*
 Liquefied Carbolic Acid 1 drm. ; water 60 drms. *St.*
Mary's.
 Glycerine of Carbolic Acid $2\frac{1}{2}$ drms. ; water to 10 oz.
St. Bartholomew's.
 Glycerine of Carbolic Acid 15 mins. ; water to 1 oz.
Westminster.
 Carbolic Acid 10 grs. ; water 1 oz. *British Skin.*

Lotio Acidi Hydrocyan.

- Diluted Hydrocyanic Acid 7 mins. ; water to 1 oz.
Guy's.
 Diluted Hydrocyanic Acid 10 mins. ; water to 1 oz.
St. Bartholomew's.
 Diluted Hydrocyanic Acid 3 mins. ; Glycerine 1
 drm. ; water to 1 oz. *Royal Free.*
 Diluted Hydrocyanic Acid 12 mins. ; Rectified Spirit
 36 mins. ; water to 1 oz. *St. Thomas's.*
 Diluted Hydrocyanic Acid 30 mins. ; water to 1 oz.
St. George's.
 Diluted Hydrocyanic Acid 10 mins. ; water 1 oz.
British Skin.
 Diluted Hydrocyanic Acid 5 mins. ; water 1 oz.
London Ophthalmic.

Lotio Acidi Hydrocyanici c. Sodâ.

Diluted Hydrocyanic Acid 5 mins.; Bicarbonate of Soda 5 grs.; Borax 5 grs.; water 1 oz. *London Ophthalmic.*

Lotio Acidi Nitrici.

Diluted Nitric Acid 15 mins.; Tincture of Opium 15 mins.; water to 1 oz. *University.*

Strong Nitric Acid 5 mins.; water 1 oz. *Royal Free.*

Strong Nitric Acid 4 mins.; Tincture of Opium 6 mins.; water 1 oz. *Fever.*

Strong Nitric Acid 3 mins.; water to 1 oz. *St. Thomas's.*

Diluted Nitric Acid 15 mins.; water to 1 oz. *Middlesex.*

Strong Nitric Acid 2 mins.; water to 1 oz. *Gt. Northern.*

Diluted Nitric Acid 6 mins.; water to 1 oz. *London.*

Strong Nitric Acid 35 mins.; water 12 oz. *St. Mary's.*

Diluted Nitric Acid $7\frac{1}{2}$ mins.; water to 1 oz. *Westminster.*

Strong Nitric Acid 2 mins.; water 1 oz. *Guy's.*

Diluted Nitric Acid 10 mins.; water 1 oz. *British Skin.*

Lotio Acidi Nitrici et Opii.

Dil. Nitric Acid 5 mins.; Tincture of Opium 5 mins.; water to 1 oz. *Westminster.*

Nitric Acid 3 mins.; Tincture of Opium 3 mins.; water to 1 oz. *Charing Cross.*

Dil. Nitric Acid 15 mins.; Liquid Extract of Opium $22\frac{1}{2}$ mins.; water to 1 oz. *Middlesex.*

Lotio Acidi Nitro-Hydrochlor.

Nitric Acid 3 mins.; Hydrochloric Acid 6 mins.; water 1 oz. *St. Thomas's.*

Lotio Acidi Sulphurosi.

Sulphurous Acid 1 drm.; water to 1 oz. *Middlesex.*

Sulphurous Acid 2 drms.; water to 1 oz. *Charing Cross. British Skin.*

Sulphurous Acid 5 oz.; Glycerine to 10 oz. *St. Bartholomew's. Westminster.*

Lotio Acidi Tannici.

Tannic Acid 25 grs.; Glycerine 1 oz.; water to 5 oz. *Charing Cross.*

Lotio Ætheris.

Ether 1 oz.; water to 40 oz. *Middlesex.*

Lotio Alkalina.

Bicarbonate of Potash 6 grs.; water to 1 oz. *Middlesex.*

Bicarbonate of Potash 4 drms.; water 12 oz. *St. Mary's.*

Carbonate of Potash 12 grs.; Iodide of Potassium 3 grs.; tepid water 1 oz. *Charing Cross.*

Lotio Aluminis.

Alum 15 grs.; water 1 oz. *City Chest.*

Alum 6 grs.; water to 1 oz. *St. Mary's. London Ophthalmic. Westminster Ophthalmic. No. 2.*

Alum 5 grs.; water to 1 oz. *Middlesex.*

Alum 10 grs.; water 1 oz. *British Skin.*

Alum $7\frac{1}{2}$ grs.; water to 1 oz. *Guy's.*

Alum 16 grs.; water to 1 oz. *St. Bartholomew's.*

Alum $4\frac{1}{2}$ grs.; water 1 oz. *St. Thomas's.*

Alum 3 grs.; water 1 oz. *Westminster Ophthalmic. No. 1.*

Alum 12 grs.; water 1 oz. *Charing Cross. Westminster.*

Lotio Aluminis et Acidi Tannici.

Alum 12 grs.; Tannic Acid 6 grs.; water 1 oz.
Westminster.

Lotio Aluminis Co.

Alum 3 grs.; Sulphate of Zinc 3 grs.; water 1 oz.
London.

Alum $7\frac{1}{2}$ grs.; Sulphate of Zinc $7\frac{1}{2}$ grs.; water 1 oz.
Guy's.

Alum 8 grs.; Sulphate of Zinc 8 grs.; water 1 oz.
St. Bartholomew's.

Alum 3 grs.; Sulphate of Zinc 1 gr.; Distilled Water 1 oz. *Westminster Ophthalmic. London Ophthalmic.*

Lotio Aluminis c. Decoct. Quercus.

Alum $4\frac{1}{2}$ grs.; Decoction of Oak Bark 1 oz. *St. Thomas's.*

Lotio Aluminis Ferri.

Iron Alum 6 grs.; water 1 oz. *St. Mary's.*

Lotio Aluminis Mitior.

Alum 3 grs.; water 1 oz. *London Ophthalmic.*

Alum 8 grs.; water 1 oz. *St. Bartholomew's.*

Alum 6 grs.; water to 1 oz. *Westminster.*

Lotio Aluminis Mitissima.

Alum 4 grs.; water 1 oz. *St. Bartholomew's.*

Lotio Aluminis et Zinci.

Alum 4 grs.; Sulphate of Zinc 1 gr.; water 1 oz.
Westminster.

Lotio Ammon. Acet.

Solution of Acetate of Ammonia 1 oz.; water 9 oz.
Westminster Ophthalmic.

Solution of Acetate of Ammonia (strong) 1 pt.; water 10 pts. *St. George's.*

Lotio Ammon. Chlor.

Muriate of Ammonia $14\frac{1}{2}$ grs.; Distilled Vinegar to 1 oz. *Guy's.*

Muriate of Ammonia $\frac{1}{2}$ oz.; Diluted Acetic Acid 1 oz.; Spirit of Wine 1 oz.; water to 10 oz. *Middlesex.*

Muriate of Ammonia 30 grs.; Distilled Vinegar 1 drn.; Spirit of Wine 1 drn.; water to 1 oz. *St. George's. Fever.*

Lotio Argenti Nitratis.

Nitrate of Silver $\frac{1}{2}$ gr.; Distilled Water 1 oz. *St. Mary's.*

.. Nitrate of Silver 1 gr.; Distilled Water 1 oz. *Middlesex.*

Nitrate of Silver 2 grs.; Distilled Water to 1 oz. *St. Bartholomew's. Westminster.*

Nitrate of Silver 3 grs.; Distilled Water to 1 oz. *London. British Skin.*

Lotio Argenti Nitratis Ætherea.

Nitrate of Silver 20 grs.; Distilled Water 1 drn.; Spirit of Nitrous Ether to 1 oz. *London.*

Lotio Argenti Nitratis Fortis.

Nitrate of Silver 1 drn.; Distilled Water 1 oz. *Fever.*

Lotio Argenti Nitr. Mitior.

Nitrate of Silver 1 gr.; Distilled Water 1 oz. *St. Bartholomew's.*

Lotio Arnicæ.

Tincture of Arnica 20 mins.; water 1 oz. *London Ophthalmic.*

Tincture of Arnica 24 mins.; water to 1 oz. *Middlesex. St. George's.*

Tincture of Arnica 1 drn.; Lead Lotion to 1 oz. *St. Bartholomew's.*

Lotio Atropiæ et Hydrarg. Perchloridi.

Atropia Lotion 4 drms.; Perchloride of Mercury
Lotion 4 drms.: mix. (Eye Lotion No. 3.)
University.

Lotio Atropiæ Sulphatis.

Solution of Sulphate of Atropia 12 mins.; water 1
oz. (Eye Lotion, No. 2.) *University.*
Sulphate of Atropia 2 grs.; water 1 oz. *St. Bartholomew's.*

Lotio Belladonnæ.

Extract of Belladonna $7\frac{1}{2}$ grs.; water 1 oz. *Middlesex.*
Extract of Belladonna 2 grs.; water 1 oz. *St. Mary's.*

Lotio Belladonnæ c. Alumine.

Extract of Belladonna 5 grs.; Alum 3 grs.; water
1 oz. *London Ophthalmic.*

Lotio Bismuth.

Subnitrate of Bismuth 10 grs.; water 1 oz. *British Skin.*

Lotio Bismuthi et Hydrargyri.

Subnitrate of Bismuth 5 grs.; Perchloride of Mercury $\frac{1}{2}$ gr.; Oxide of Zinc 20 grs.; water 1 oz.
University.

Lotio Boracis.

Borax 3 grs.; water 1 oz. *Samaritan.*
Borax $\frac{1}{4}$ oz.; water to 10 oz. *Middlesex.*
Borax $4\frac{1}{2}$ grs.; water to 1 oz. *St. Thomas's.*
Borax 36 grs.; Glycerine 72 mins.; water to 1 oz.
King's. Charing Cross.

Borax 6 grs.; Chlorate of Potash 5 grs.; water 1 oz. *St. Mary's.*

Borax $\frac{3}{4}$ oz.; Glycerine $1\frac{1}{2}$ oz.; water to 10 oz. *Royal Free.*

Borax $7\frac{1}{2}$ grs.; Rose Water 1 oz. *Guy's.*

Borax 15 grs.; Glycerine 30 mins.; water 1 oz. *Westminster.*

Borax 15 grs.; water 1 oz. *London Ophthalmic. British Skin.*

Borax 20 grs.; Dil. Hydrocyanic Acid 6 mins.; water 10 oz. *Middlesex.*

Lotio Boracis c. Potassæ Chloratâ.

Borax 3 grs.; Chlorate of Potash 6 grs.; water 1 oz. *St. Bartholomew's.*

Lotio Calaminæ.

Levigated Calamine 6 drms.; Oxide of Zinc 6 drms.; Glycerine 2 oz.; Lime Water to 12 oz. *St. Mary's.*

Levigated Calamine 40 grs.; Oxide of Zinc 20 grs.; Glycerine 20 mins.; water to 1 oz. *University.*

Calamine 2 drms.; Prepared Chalk 4 drms.; Lime Water to 10 oz. *Middlesex.*

Lotio Calcis.

Lime Water 1 oz.; Oil of Almonds 1 drm. *British Skin.*

Lotio Calcis Chloratæ.

Chlorinated Solution of Lime $\frac{1}{2}$ oz.; water to 10 oz. *Middlesex.*

Lotio Calcis et Sodæ.

Bicarbonate of Soda 6 grs.; Glycerine 10 mins.; Lime Water to 1 oz. *Westminster.*

Lotio Calceis c. Spiritu.

Solution of Lime 15 oz.; Reetified Spirit 1 oz.
London.

Lotio Calceis Sulphuratae.

Slaked Lime 4 oz.; Sublimed Sulphur 4 oz.; water
35 oz.; boil and evaporate to 1 pint. *Univer-*
sity.

Lotio Calceis et Sulphuris.

Sulphur 12 grs.; Lime Water 1 oz. *Westminster.*

Lotio Carbonis Detergens.

Liq. Carbonis. Deterg. 4 drms.; water to 12 oz. *St.*
Mary's.

Lotio Chlori.

Solution of Chlorine 10 drms.; water to 10 oz.
Middlesex.

Lotio Conii.

Extract of Conium 2 drms.; Diluted Solution of
Subacetate of Lead 12 oz. *St. George's.*

Lotio Conii c. Opio.

Extract of Conium 90 grs.; Powdered Opium 30
grs.; hot water to 10 oz. *Middlesex.*

Lotio Cupri Camphor. vel Lotio Rubra.

Sulphate of Copper $3\frac{3}{4}$ grs.; Camphor 1 gr.; Armen.
Bole $3\frac{3}{4}$ grs.; boiling water to 1 oz. *St.*
George's.

Lotio Cupri Sulphatis.

Sulphate of Copper 2 grs.; water to 1 oz. *St.*
Bartholomew's.

Sulphate of Copper $\frac{3}{4}$ oz.; water 10 oz. *Royal Free.*

Sulphate of Copper 8 grs.; water 1 oz. *Gt. Northern.*

Sulphate of Copper 3 grs.; water 1 oz. *British Skin.*

Lotio Evaporans.

Hydrochlorate of Ammonia 12 grs. ; Spirit of Wine
24 mins. ; water to 1 oz. *Charing Cross.*

Spirit $1\frac{1}{2}$ oz. ; water to 20 oz. *Royal Free.*

Solution of Acetate of Ammonia 108 mins. ; Spirit
of Wine 108 mins. ; water to 1 oz. *St. Thomas's.*

Rectified Spirit 2 drms. ; water to 1 oz. *University.*

Solution of Acetate of Ammonia 1 drm. ; Rectified
Spirit 2 drms. ; water to 1 oz. *Westminster.*

Hydrochlorate of Ammonia 12 grs. ; Spirit of Wine
36 mins. ; water to 1 oz. *King's.*

Lotio Ferri Sulphatis.

Sulphate of Iron 2 grs. ; water 1 oz. *St. Bartholo-
mew's.*

Sulphate of Iron 5 grs. ; water to 1 oz. *Middlesex.
London Ophthalmic.*

Lotio Ferri Tartarati.

Tartrate of Iron $\frac{1}{2}$ drm. ; water 1 oz. *British Skin.*

Lotio Flava.

Corrosive Sublimate 1 gr. ; Lime Water 1 oz. *St.
George's.*

Lotio Frigida.

The same as Liquor Plumbi Diacetatis Dilutus,
Pharm. Lond. *London.*

Solution of Acetate of Ammonia $3\frac{1}{2}$ drms. ; water to
10 drms. *St. Thomas's.*

Lotio Glycerini.

Glycerine 1 drm. ; water 1 oz. *British Skin.*

Glycerine $\frac{1}{2}$ oz. ; Saccharated Solution of Lime $\frac{1}{2}$ oz.
Samaritan.

Lotio Glycerini Carbolici.

Glycerine of Carbolic Acid 3 drms. ; water to 12 oz.
St. Mary's.

Lotio Glycerini et Rosæ.

Glycerine and Rose Water equal parts. *City Chest.*

Lotio Hydr. Cinerea. *Vide Lotio Nigra.*

Lotio Hydr. Flava. *Vide Lotio Flava.*

Lotio Hydr. Nigra. *Vide Lotio Nigra.*

Lotio Hydr. Oxyd. *Vide Lotio Nigra.*

Lotio Hydrarg. Perchlor.

Corrosive Sublimate $\frac{1}{8}$ gr.; water 1 oz. *London Ophthalmic.*

Corrosive Sublimate $\frac{1}{4}$ gr.; water 1 oz. *St. Bartholomew's.*

Corrosive Sublimate 1 gr.; water to 1 oz. *London. British Skin.*

Corrosive Sublimate 1 gr.; Diluted Hydrochloric Acid 3 mins.; water to 1 oz. *Gt. Northern.*

Corrosive Sublimate $\frac{1}{10}$ gr.; Tincture of Cochineal 3 mins.; water to 1 oz. (Eye Water, No. 1.) *University.*

Lotio Hydrarg. Perchlor. Hydrocyanica.

Corrosive Sublimate $\frac{1}{2}$ gr.; Glycerine 2 drms.; Hydrocyanic Acid 8 mins.; water to 1 oz. *St. Bartholomew's.*

Lotio Hydr. Subchlor. *Vide Lotio Nigra.*

Lotio Iodi.

Tincture of Iodine 24 mins.; water to 1 oz. *London.*

Tincture of Iodine 22 $\frac{1}{2}$ mins.; water to 1 oz. *Royal Free.*

Tincture of Iodine 3 mins.; water to 1 oz. *St. Thomas's.*

Tincture of Iodine 12 mins.; water 1 oz. *Fever. Women.*

Lotio Iodi Co.

Iodine 1 drn.; Iodide of Potassium 4 scruples; water 1 oz. *St. George's.*

Lotio Myrrhæ.

Tincture of Myrrh 72 mins.; water to 1 oz. *King's.*

Lotio Nigra.

Calomel 30 grs.; Gum Acacia 30 grs.; Lime Water to 10 ozs. *Middlesex.*

Calomel 15 grs.; Mucilage 7½ mins.; Lime Water 1 oz. *St. George's.*

Calomel 3 grs.; Solution of Potash 3 mins.; water 1 oz. *Samaritan.*

Calomel 10 grs.; Mucilago of Tragacanth 1 drn.; Lime Water 1 oz. *British Skin.*

Lotio Nigra Fortis.

Calomel 10 grs.; Solution of Lime 1 oz. *Royal Free.*

Lotio Opii.

Extract of Opium 3 grs.; water to 1 oz. *London. Guy's.*

Tincture of Opium ½ oz.; water to 10 oz. *Middlesex.*

Opium 5 grs.; boiling water to 1 oz. *St. Bartholomew's.*

Extract of Opium 6 grs.; warm water to 1 oz. *St. Thomas's.*

Lotio Picis c. Sapone.

Tar 1 oz.; Soft Soap 1 oz.; Rectified Spirit 4 oz.; water 4 oz. *Middlesex.*

Lotio Plumbi.

The same as Liquor Plumbi Subacetatis Dilutus,
Pharm. Brit. *St. Bartholomew's. Fever. Westminster.*

Acetate of Lead 16 grs. ; Dil. Acetic Acid 16 mins. ;
Distilled Water 10 oz. *Westminster Ophthalmic.*

Solution of Subacetate of Lead 1 oz. ; Diluted Acetic
Acid 1 oz. ; Tincture of Opium 2 oz. *Samaritan.*

Lotio Plumbi Acetatis.

Acetate of Lead 2 grs. ; Diluted Acetic Acid 2 mins. ;
water to 1 oz. *London Ophthalmic. St. Bartholomew's.*

Acetate of Lead 3 grs. ; Glycerine 36 mins. ; water
to 1 oz. *King's.*

Acetate of Lead 2 grs. ; Acetic Acid 2 mins. ; water
1 oz. *Westminster.*

Lotio Plumbi Co.

Solution of Subacetate of Lead 6 mins. ; Rectified
Spirit 6 mins. ; water 1 oz. *London Ophthalmic.*

Lotio Plumbi c. Opio.

Acetate of Lead 4 grs. ; Opium in powder 4 grs. ;
warm water 1 oz. *Fever.*

Acetate of Lead 4 grs. ; Tincture of Opium 4 mins. ;
water 1 oz. *St. Mary's.*

Acetate of Lead 4 grs. ; Opium in powder 3 grs. ;
hot water 1 oz. *Women.*

Extract of Opium 1 gr. ; Diluted Solution of Sub-
acetate of Lead to 1 oz. *St. Bartholomew's. Westminster.*

Opium 15 grs. ; Diluted Solution of Subacetate of
Lead 10 oz. *Middlesex.*

Lotio Plumbi Subacetatis.

Solution of Subacetate of Lead 5 mins. ; water 1 oz.
British Skin.

Solution of Subacetate of Lead $4\frac{1}{2}$ mins.; Rectified Spirit 6 mins.; water to 1 oz. *Guy's.*

Solution of Subacetate of Lead 6 mins.; Rectified Spirit 6 mins.; water 1 oz. *Great Northern.*

Solution of Subacetate of Lead 12 mins.; water to 1 oz. *Royal Free.*

Lotio Potassæ Carbonatis.

Carbonate of Potash 24 grs.; water 1 oz. *King's.*

Lotio Potassæ Chloratis.

Chlorate of Potash, 6 grs.; water 1 oz. *Middlesex.*

Chlorate of Potash 5 grs.; Compound Spirit of Lavender $2\frac{1}{2}$ mins.; water 1 oz. *Samaritan.*

Chlorate of Potash 1 drn.; Hydrochloric Acid 16 mins. The Acid to be poured upon the Chlorate of Potash in the bottle, and whilst the Chlorine is being evolved add water 8 ozs. *Royal Free.*

Chlorate of Potash $\frac{1}{2}$ drn.; water 1 oz. *British Skin.*

Chlorate of Potash 5 grs.; Diluted Hydrochloric Acid 2 mins.; water 1 oz. *London Ophthalmic.*

Lotio Potassæ Permanganatis.

Solution of Permanganate of Potash 24 mins.; water 1 oz. *London.*

Solution of Permanganate of Potash 12 mins.; water 1 oz. *Fever. St. Bartholomew's. Women. Middlesex. University. Westminster.*

Solution of Permanganate of Potash 36 mins.; water to 1 oz. *Charing Cross.*

Lotio Potassæ Sulphuratæ.

Sulphurated Potash 3 grs.; water to 1 oz. *Guy's.*

Sulphurated Potash 4 grs.; Distilled Water 1 oz. *St. Bartholomew's.*

Sulphurated Potash $3\frac{3}{4}$ grs.; Lime Water 1 oz.
St. George's.

Sulphurated Potash 12 grs.; Solution of Potash
3 mins.; water to 1 oz. *Charing Cross.*

Sulphurated Potash 5 grs.; water 1 oz. *British
Skin.*

Sulphurated Potash 9 grs.; water to 1 oz. *Middlesex.*

Lotio Quercus Co.

Alum 4 grs.; Sulphate of Zinc 4 grs.; Decoction of
Oak Bark to 1 oz. *St. Bartholomew's.*

Lotio Rubra.

Sulphate of Zinc 10 grs.; Spirit of Rosemary $2\frac{1}{2}$
drms.; Compound Tincture of Lavender $2\frac{1}{2}$
drms.; water to 10 oz. *Middlesex. London
Ophthalmic.*

Sulphate of Zinc 2 grs.; Comp. Tincture of Laven-
der 12 mins.; water to 1 oz. *University.*

Sulphate of Zinc 2 grs.; Compound Tincture of
Lavender 10 mins.; water 1 oz. *St. Mary's.*

Sulphate of Zinc 1 gr.; Spirit of Rosemary 9 mins.;
Comp. Spirit of Lavender 9 mins.; water to 1
oz. *King's.*

Perchloride of Mercury 1 gr.; Bisulphuret of Mer-
cury $\frac{1}{2}$ gr.; Creasote $\frac{1}{2}$ min.; water 1 oz.
Samaritan.

See Lotio Cupri Camphor. *St. George's.*

Lotio Sodæ Bicarbonatis.

Bicarbonate of Soda 4 grs.; water 1 oz. *Westminster.
Ophthalmic.*

Lotio Sodæ Bicarbonatis et Opii.

Bicarbonate of Soda 8 grs.; Tincture of Opium 8
mins.; water 1 oz. *Westminster.*

Lotio Sodæ Chloratæ.

Chlorinated Solution of Soda 30 mins.; water to 1 oz. *St. Bartholomew's. St. Mary's. British Skin.*

Chlorinated Solution of Soda 48 mins.; water to 1 oz. *London. Fever.*

Chlorinated Solution of Soda 60 mins.; water to 1 oz. *Guy's.*

Chlorinated Solution of Soda 84 mins.; water to 1 oz. *St. Thomas's.*

Chlorinated Solution of Soda 5 mins.; water to 1 oz. *Westminster.*

Lotio Sodæ Hyposulphitis.

Hyposulphite of Soda 1 drn.; water 1 oz. *City Chest.*

A saturated solution in water. *King's.*

Hyposulphite of Soda 9 grs.; Sulphurous Acid 36 mins.; water to 1 oz. *Samaritan.*

Hyposulphite of Soda 36 grs.; Glycerine 24 mins.; water 1 oz. *Charing Cross.*

Hyposulphite of Soda $2\frac{1}{2}$ drms.; water to 10 oz. *Middlesex.*

Lotio Spirituosa.

Rectified Spirit 1 oz.; water to 10 oz. *Middlesex.*

Lotio Spiritus.

Spirit of Wine 96 mins.; water to 1 oz. *Guy's.*

Lotio Stimulans.

Tincture of Cantharides 5 mins.; Stronger Solution of Ammonia 10 mins.; Rectified Spirit 10 mins.; Glycerine 10 mins.; Oil of Rosemary 3 mins.; water to 1 oz. *Westminster.*

Lotio Sulphuris.

Precipitated Sulphur 10 drms.; Rectified Spirit 5 oz.; water to 10 oz. *Middlesex.*

Lotio Tabaci c. Plumbo.

Solution of Subacetate of Lead 3 mins.; Infusion of
Tobacco 1 oz. *Women.*

Lotio Vasilini.

Vaseline 1 oz.; Solution of Subacetate of Lead $\frac{1}{2}$ oz.
Samaritan.

Lotio Zinci.

Sulphate of Zinc 2 grs.; water to 1 oz. *Royal
Chest.*

Lotio Zinci et Acidi Carbolici.

Sulphate of Zinc 5 grs.; Carbolic Acid 5 mins.;
Glycerine 30 mins.; water to 1 oz. *West-
minster.*

Lotio Zinci Chlor.

Chloride of Zinc 2 grs.; water 1 oz. *Women.*

Solution of Chloride of Zinc $1\frac{1}{2}$ mins.; water to 1
oz. *St. Thomas's.*

Chloride of Zinc 10 grs.; water 10 oz. *Middlesex.
Charing Cross. St. Mary's.*

Chloride of Zinc 4 grs.; water 1 oz. *Westminster.*

Lotio Zinci c. Glycerinâ.

Oxide of Zinc $\frac{1}{2}$ oz.; Glycerine $\frac{1}{2}$ oz.; water to 6 oz.
Samaritan.

Lotio Zinci Oxyd.

Oxide of Zinc 1 drm.; Prepared Calamine 1 drm.;
Glycerine 1 drm.; water 1 oz. *British Skin.*

Oxide of Zinc 25 grs.; Mucilage 1 drm.; water to 1
oz. *Middlesex.*

Oxide of Zinc 24 grs.; water to 1 oz. *London.*

Oxide of Zinc 30 grs.; Mucilage 60 mins.; water to
1 oz. *Guy's.*

Oxide of Zinc 24 grs.; Lime Water 1 oz. *Charing
Cross.*

Lotio Zinci Sulph.

Sulphate of Zinc 1 gr.; water to 1 oz. *London Ophthalmic. Westminster Ophthalmic.*

Sulphate of Zinc 2 grs.; Comp. Tincture of Lavender 12 mins.; water to 1 oz. *Charing Cross.*

Sulphate of Zinc 2 grs.; water to 1 oz. *Guy's. St. Mary's. St. Thomas's. Westminster.*

Sulphate of Zinc 1 gr.; Comp. Tincture of Lavender 18 mins.; water to 1 oz. *Fever.*

Sulphate of Zinc 50 grs.; water 10 oz. *London. Middlesex.*

Sulphate of Zinc 40 grs.; water to 10 oz. *St. Bartholomew's.*

Sulphate of Zinc 2 grs.; Compound Tincture of Lavender 25 mins.; water 1 oz. *British Skin.*

Lotio Zinci Sulph. Mitior.

Sulphate of Zinc 10 grs.; water 10 oz. *St. Bartholomew's.*

MISTURÆ.

Mistura Acaciæ.

Acacia Gum 1 oz.; water to 12 oz. *London. Throat.*

Mistura Acaciæ Opiata.

Comp. Tincture of Camphor $\frac{1}{2}$ drm.; Chloric Ether 5 mins.; Mucilage 2 drms.; water to 1 oz. *Consumption.*

Mistura Acida.

Aromatic Sulphuric Acid 5 mins.; Red Mixture 1 oz. *London.*

Dil. Nitric Acid 10 mins.; Dil. Hydrochloric Acid 8 mins.; Comp. Infusion of Gentian 1 oz. *Royal Free.*

Mistura Acida Amara.

Dil. Nitro-Hydrochloric Acid 10 mins. ; Comp. Infusion of Gentian 1 oz. *St. Mary's.*

Mistura Acida Aromatica.

Dil. Hydrochloric Acid 15 mins. ; Comp. Spirit of Horseradish 10 mins. ; Tincture of Ginger 5 mins. ; Infusion of Calumba to 1 oz. *King's.*

Mistura Acida Digitalis.

Dil. Sulphuric Acid 15 mins. ; Tincture of Digitalis 10 mins. ; Infusion of Quassia to 1 oz. *Royal Chest.*

Mistura Acida c. Opio.

Dil. Sulphuric Acid 20 mins. ; Tincture of Opium 10 mins. ; Spirit of Chloroform 20 mins. ; Cinamon Water to 1 oz. *Charing Cross.*

Mistura Acida c. Quassiâ.

Dil. Nitro-Hydrochloric Acid 10 mins. ; Infusion of Quassia to 1 oz. *Consumption.*

Mistura Acida Tonica.

Dil. Hydrochloric Acid 8 mins. ; Dil. Nitric Acid 7 mins. ; Glycerine $\frac{1}{2}$ drm. ; Infusion of Gentian to 1 oz. *Charing Cross.*

Mistura Acidi Acetici et Morphiæ.

Solution of Acetate of Morphia 20 mins. ; Dil. Acetic Acid 30 mins. ; Camphor Water to 1 oz. *Royal Chest.*

Mistura Acidi Benzoici.

Benzoic Acid 5 grs. ; Solution of Ammonia 5 mins. ; water to 1 oz. *London.*

Mistura Acidi Gallici.

Gallic Acid 10 grs. ; Tincture of Opium 3 mins. ;
Dil. Sulphuric Acid 15 mins. ; water to 1 oz.
University.

Gallic Acid 10 grs. ; Comp. Tincture of Camphor
20 mins. ; Dil. Sulphuric Acid 15 mins. ; water
to 1 oz. *Consumption.*

Glycerine of Gallic Acid $\frac{1}{2}$ drm. ; Dil. Sulphuric
Acid 15 mins. ; water 1 oz. *Royal Chest.*

Glycerine of Gallic Acid $\frac{1}{2}$ drm. ; water to 1 oz.
Royal Free.

Gallic Acid 10 grs. ; Glycerine 40 mins. ; water to
1 oz. For a dose. *Throat.*

Mistura Acidi Hydrochlorici.

Dil. Hydrochloric Acid $2\frac{1}{2}$ mins. ; Sugar $12\frac{1}{2}$ grs. ;
water 1 oz. *Guy's.*

Dil. Hydrochloric Acid 10 mins. ; Tincture of Chiretta
15 mins. ; water to 1 oz. *London Ophthalmic.*

Mistura Acidi Hydrocyan.

Dil. Hydrocyanic Acid 2 mins. ; Red Mixture to 1
oz. *London.*

Dil. Hydrocyanic Acid 5 mins. ; Bicarbonate of
Soda 20 grs. ; water 1 oz. *St. Mary's.*

Dil. Hydrocyanic Acid 4 mins. ; Bicarbonate of
Soda 15 grs. ; water to 1 oz. *Royal Chest.*

Dil. Hydrocyanic Acid 3 mins. ; Camphor Water
1 oz. *Throat.*

Dil. Hydrocyanic Acid 3 mins. ; Bicarbonate of
Soda 10 grs. ; Tincture of Belladonna 10 mins. ;
Infusion of Gentian 1 oz. *Samaritan.*

Mistura Acidi Hydrocyan. c. Sodâ.

Dil. Hydrocyanic Acid 4 mins. ; Bicarbonate of
Soda 15 grs. ; water to 1 oz. *Consumption.*

Mistura Acidi Nitrici.

- Dil. Nitric Acid 2 mins.; Sugar 12½ grs.; water 1 oz. *Guy's.*
 Dil. Nitric Acid 10 mins.; Acacia Mixture to 1 oz. *London.*
 Dil. Nitric Acid 20 mins.; Comp. Tincture of Cardamoms 1 drm.; Comp. Infusion of Gentian to 1½ oz. *St. Thomas's.*

Mistura Acidi Nitrici c. Calumbâ.

- Dil. Nitric Acid 10 mins.; Tincture of Calumba ½ drm.; water to 1 oz. *Consumption.*

Mistura Acidi Nitrici c. Pareirâ.

- Dil. Nitric Acid 10 mins.; Decoction of Pareira 1 oz. *Royal Free.*

Mistura Acidi Nitro-Hydrochlorici.

- Dil. Nitro-Muriatic Acid 15 mins.; Sugar 20 grs.; water 1 oz. Dose 1 to 2 oz. *Guy's.*
 Dil. Nitro-Muriatic Acid 20 mins.; Acacia Mixture to 1 oz. *London.*
 Dil. Nitro-Hydrochloric Acid 15 mins.; Syrup of Orange ½ drm.; water to 1 oz. *Consumption.*
 Dil. Nitro-Hydrochloric Acid 10 mins.; Infusion of Quassia 1 oz. For a dose. *Throat.*
 Dil. Nitro-hydrochloric Acid 15 mins.; Glycerine 20 mins.; Chloroform Water 2 drms.; water to 1 oz. *Charing Cross.*
 Dil. Nitro-hydrochloric Acid 15 mins.; Caramel 5 grs.; water 1 oz. *British Skin.*
 Dil. Nitric Acid 10 mins.; Dil. Hydrochloric Acid 10 mins.; Infusion of Quassia 1 oz. *Westminster Ophthalmic.*
 Dil. Nitro-Hydrochloric Acid 15 mins.; Infusion of Chiretta to 1 oz. *King's.*
 Dil. Nitro-Hydrochloric Acid 15 mins.; Infusion of Quassia to 1 oz. *Royal Chest.*
 Dil. Nitro-Hydrochloric Acid 20 mins.; Infusion of Quassia 1 oz. *Gt. Northern.*

Mistura Acidi Phosphorici.

Dil. Phosphoric Acid 15 mins. ; Spirit of Chloroform 10 mins. ; Comp. Infusion of Gentian to 1 oz. *University.*

Mistura Acidi Phosphorici Co.

Dil. Phosphoric Acid 15 mins. ; Solution of Strychnia 5 mins. ; Infusion of Quassia to 1 oz. For a dose. *Throat.*

Mistura Acidi Phosph. c. Quassiâ.

Dil. Phosphoric Acid 15 mins. ; Tincture of Quassia 30 mins. ; Syrup of Orango 20 mins. ; water to 1 oz. *Consumption.*

Mistura Acidi Salicylici.

Salicylic Acid 20 grs. ; Bicarbonate of Soda 20 grs. ; water 1 oz. *St. Mary's.*

Mistura Acidi Sulph.

Dil. Sulphuric Acid 10 mins. ; Glycerine 30 mins. ; Peppermint Water to 1 oz. *London Ophthalmic.*

Dil. Sulphuric Acid 12 mins. ; Tincture of Catechu 15 mins. ; water 1 oz. *University.*

Dil. Sulphuric Acid 15 mins. ; Chloroform Water $\frac{1}{2}$ oz. ; water to 1 oz. *Charing Cross.*

Mistura Acidi Sulph. c. Æther.

Dil. Sulphuric Acid 12 mins. ; Spirit of Ether 10 mins. ; Comp. Tinct. of Camphor 12 mins. ; Tinct. of Rhatany 1 drm. ; Spirit of Peppermint $\frac{1}{2}$ drm. ; water to 1 oz. *Samaritan.*

Mistura Acidi Sulph. Co.

Dil. Sulphuric Acid 15 mins. ; Sulphate of Magnesia 20 grs. ; Alum 10 grs. ; water to 1 oz. *Consumption.*

Dil. Sulphuric Acid 10 mins. ; Sulphate of Magnesia 40 grs. ; Treaclo 40 mins. ; Peppermint Water 7 drms. *Westminster Ophthalmic.*

Mistura Acidi Sulph. c. Magnes.

Dil. Sulphuric Acid 10 mins. ; Sulphate of Magnesia 60 grs. ; Glycerine 30 mins. ; Peppermint Water to 1 oz. For a dose. *London Ophthalmic.*

Mistura Acidi Sulphurici c. Opio.

Dil. Sulphuric Acid 20 mins. ; Tincture of Opium 10 mins. ; Spirit of Chloroform 20 mins. ; Camphor Water to 1 oz. *St. Mary's.*

Dil. Sulphuric Acid 15 mins. ; Tinct. of Opium 6 mins. ; Tinct. of Capsicum 3 mins. ; water to 1 oz. *University.*

Mistura Acidi Tannici.

Tannic Acid 7 grs. ; Dil. Sulphuric Acid 10 mins. ; Cinnamon Water 1 oz. *Charing Cross.*

Mistura Aconiti.

Tincture of Aconite 10 mins. ; Red Mixture 1 oz. *London.*

Tincture of Aconite $2\frac{1}{2}$ mins. ; Camphor Water to 1 oz. For a dose. *Throat.*

Mistura Aconiti et Colchici.

Tincture of Aconite 3 mins. ; Colchicum Wine 10 mins. ; Bicarbonate of Potash 10 grs. ; water 1 oz. *Westminster Ophthalmic.*

Mistura Æther. c. Ammoniâ.

Aromatic Spirit of Ammonia 30 mins. ; Spirit of Ether 30 mins. ; Tincture of Orange 10 mins. ; Camphor Water to 1 oz. *Consumption.*

Aromatic Spirit of Ammon. 15 mins. ; Spirit of Ether 15 mins. ; water to 1 oz. *University.*

Mistura Ætheris c. Ammon. Valer.

Ether $\frac{1}{2}$ drm. ; Ammoniated Tincture of Valerian $\frac{1}{2}$ drm. ; Infusion of Quassia to 1 oz. *Royal Chest.*

Mistura Æther. Chlor. c. Opio.

Chloric Ether 10 mins. ; Tincture of Squill 20 mins. ;
Tincture of Opium 3 mins. ; Honey 10 grs. ;
water to 1 oz. *Consumption.*

Mistura Æther. Co.

Spirit of Ether 1 drm. ; Sal Volatile $\frac{1}{2}$ drm. ; Syrup
 $\frac{1}{2}$ drm. ; Pimento Water 3 drms. ; water to 1 oz.
1 dose. *St. George's.*

Spirit of Ether 30 mins. ; Aromatic Spirit of Am-
monia 30 mins. ; Syrup of Tolu 1 drm. ; water
1 oz. *London Ophthalmic.*

Mistura Æther. c. Lobeliâ.

Spirit of Ether 30 mins. ; Ethereal Tincture of
Lobelia 20 mins. ; Camphor Water to 1 oz.
Consumption.

Mistura Æther. Nitrosi. c. Ammoniâ.

Spirit of Nitrous Ether 20 mins. ; Carbonate of Am-
monia 3 grs. ; Tincture of Tolu 10 mins. ; Comp.
Infusion of Gentian to 1 oz. *King's.*

Mistura Æther. c. Sodâ.

Spirit of Ether 1 drm. ; Bicarbonate of Soda 10
grs. ; Peppermint Water to 1 oz. *St. Thomas's.*

Mistura Æther. pro Tuss.

Solution of Hydrochlorate of Morphia 10 mins. ;
Spirit of Ether 5 mins. ; water to $\frac{1}{2}$ oz. 15
mins. of Comp. Tinct. of Camphor may be sub-
stituted for the Solution of Hydrochlorate of
Morphia. *Samaritan.*

Mistura Alba.

Carbonate of Magnesia 10 grs. ; Sulphate of Mag-
nesia 60 grs. ; Spearmint Water 1 oz. *Great
Northern.*

Carbonate of Magnesia 10 grs.; Sulphate of Magnesia 1 drn.; Peppermint Water to 1 oz. *King's. British Skin.*

Carbonate of Magnesia 10 grs.; Sulphate of Magnesia $1\frac{1}{2}$ drn.; Peppermint Water 1 oz. *Royal Free.*

Carbonate of Magnesia 20 grs.; Sulphate of Magnesia 60 grs.; Peppermint Water 1 oz. *Charing Cross.*

Carbonate of Magnesia 10 grs.; Sulphate of Magnesia 1 drn.; Peppermint Water $\frac{1}{2}$ oz. *Samaritan.* For *St. Mary's* see Mist. Magn. Sulphatis.

Mistura Alkalina.

Carbonate of Ammonia 6 grs.; Bicarbonate of Soda 12 grs.; Infusion of Calumba 1 oz. *Royal Free.*

Mistura Alkalina Amara.

Bicarbonate of Soda 10 grs.; Solution of Ammonia 5 mins.; Compound Infusion of Gentian 1 oz. *St. Mary's.*

Mistura Alkalina Effervescens.

Bicarbonate of Soda 15 grs.; Bicarbonate of Potash 15 grs.; water 1 oz. To be taken effervescing with 15 grs. of Tartarie Acid. *Royal Chest.*

Mistura Alterativa.

Iodide of Potassium 5 grs.; Solution of Potash 10 mins.; Infusion of Quassia 1 oz. *Royal Free.*

Mistura Aluminis.

Alum 8 grs.; Dil. Sulphuric Acid 10 mins.; Tincture of Hops 20 mins.; Infusion of Roses 1 oz. *Guy's.*

Mistura Aluminis Co.

Alum 8 grs.; Compound Tincture of Camphor 20 mins.; Camphor Water 4 drms.; Ipecacuanha Wine 15 mins.; Dill Water to 1 oz. Dose 1 to 1½ oz. *Guy's.*

Mistura Amara.

Carbonate of Ammonia 5 grs.; Burnt Sugar 1 min.; Infusion of Quassia 1 oz. *Throat.*

Mistura Ammoniæ.

Carbonate of Ammonia 3½ grs.; Treacle 20 mins.; Comp. Tincture of Lavender 20 mins.; Peppermint Water to 1 oz. Dose 1½ oz. *Guy's.*

Mistura Ammon. Acet.

Solution of Acetate of Ammonia 2 drms.; water to 1 oz. *London Ophthalmic.*

Solution of Acetate of Ammonia 4 drms.; Camphor Water to 1 oz. *St. Mary's.*

Solution of Acetate of Ammonia 4 drms.; water to 1 oz. For a dose. *Guy's.*

Solution of Acetate of Ammonia 4 drms.; water to 1 oz. *King's.*

Solution of Acetate of Ammonia 2 drms.; Nitrate of Potash 10 grs.; Camphor Water to 1 oz. *University.*

Mistura Ammon. Acet. Co.

Solution of Acetate of Ammonia 4 drms.; Spirit of Nitrous Ether ½ drm.; Camphor Water to 1 oz. *Royal Chest.*

Mistura Ammon. c. Æthere.

Spirit of Ether 20 mins.; Aromatic Spirit of Ammonia 20 mins.; Camphor Water to 1 oz. *London.*

Ether 20 mins.; Spirit of Chloroform 20 mins.;
 Aromatic Spirit of Ammonia 20 mins.; Cam-
 phor Water to 1 oz. For a dose. *Throat.*
 Spirit of Ether 15 mins.; Aromatic Spirit of Am-
 monia 15 mins.; Camphor Water to 1 oz.
University.

Mistura Ammon. c. Calumbâ.

Aromatic Spirit of Ammonia 15 mins.; Tincture of
 Cinnamon 20 mins.; Infusion of Calumba 1 oz.
Royal Free.

Mistura Ammon. Carbonatis.

Carbonate of Ammonia 4 grs.; Burnt Sugar $\frac{3}{4}$ gr.;
 water 1 oz. *Charing Cross.*
 Carbonate of Ammonia 5 grs.; Red Mixture 1 oz.
London.
 Carbonate of Ammonia 5 grs.; Spirit of Chloro-
 form 15 mins.; Spearmint Water 1 oz. *Gt.*
Northern.

Mistura Ammon. et Chloroformi.

Aromatic Spirit of Ammonia 20 mins.; Spirit of
 Chloroform 20 mins.; water 1 oz. *Samaritan.*
 Carbonate of Ammonia 5 grs.; Spirit of Chloroform
 20 mins.; Mucilage 2 drms.; water to 1 oz.
Royal Chest.

Mistura Ammon. c. Cinchonâ.

Carbonate of Ammonia 3 grs.; Infusion of Cin-
 chona 1 oz. *King's.*
 Carbonate of Ammonia 5 grs.; Comp. Tincture of
 Gentian 20 mins.; Decoction of Cinchona 1 oz.
Royal Free.
 Carbonate of Ammonia 3 grs.; Spirit of Chloroform
 10 mins.; Decoction of Cinchona Bark 1 oz.
Westminster Ophthalmic.

Mistura Ammon. Effervescens.

Carbonate of Ammonia 15 grs. (Tartaric Acid 18 grs., and $\frac{1}{2}$ oz. water); water to 1 oz. *London.*

Carbonate of Ammonia 20 grs.; water 1 oz.: this with $\frac{1}{2}$ oz. Lemon Juice every 4 or 6 hours. *Guy's.*

Carbonate of Ammonia 10 grs.; Aromatic Spirit of Ammonia 10 mins.; water $\frac{1}{2}$ oz.; with Tartaric Acid 8 grs. in $\frac{1}{2}$ oz. water. *Charing Cross.*

Carbonate of Ammonia 15 grs. (Citric Acid 15 grs., in $\frac{1}{2}$ oz. of water); water to 1 oz. *Consumption.*

Carbonate of Ammonia 20 grs. (Tartaric Acid 25 grs., in $\frac{1}{2}$ oz. of water); water to 1 $\frac{1}{2}$ oz. *S. Mary's.*

Ammon: Carb: 3ij

*And
Liquor
1945*

Mistura Ammon. c. Ipecac.

Carbonate of Ammonia 4 grs.; Ipecac. Wine 9 mins.; Camphor Water to 1 oz. *University.*

Carbonate of Ammonia 3 grs.; Ipecac. Wine 10 mins.; Glycerine 30 mins.; water to 1 oz. *London Ophthalmic.*

Mistura Ammon. et Morphiae.

Carbonate of Ammonia 5 grs.; Acetate of Morphine $\frac{1}{6}$ gr.; Solution of Acetate of Ammonia 2 drms.; Camphor Water to 1 oz. *Royal Chest.*

Mistura Ammon. c. Senegâ.

Carbonate of Ammonia 4 grs.; Spirit of Chloroform 9 mins.; Infusion of Senega to 1 oz. *University.*

Mistura Ammoniaci Co.

Comp. Tincture of Camphor 30 mins.; Oxymel of Squill 30 mins.; Mixture of Ammoniacum to 1 oz. *Consumption.*

Mistura Ammoniacy Ipecac. et Lobeliæ.

Ammoniacum Mixture $\frac{1}{2}$ oz. ; Ipecacuanha Wine 10 mins. ; Ethereal Tincture of Lobelia 10 mins. ; water to 1 oz. *Royal Chest.*

Mistura Ammonii Chloridi.

Chloride of Ammonium 10 grs. ; Carbonate of Ammonia 5 grs. ; Camphor Water to 1 oz. *Royal Chest.*

Chloride of Ammonium 15 grs. ; Spirit of Chloroform 10 mins. ; Spearmint Water 1 oz. *Gt. Northern.*

Mistura Anodyna.

Camphor $3\frac{1}{2}$ grs. ; Tincture of Henbane 30 mins. ; Powder of Acaia 40 grs. ; water to 1 oz. *Guy's.*

Mistura Antimonialis.

Tartar Emetic $\frac{1}{6}$ gr. ; Nitre 10 grs. ; water to 1 oz. *Consumption.*

Mistura Aromatica.

Compound Powder of Cinnamon $7\frac{1}{2}$ grs. ; Spirit of Chloroform 20 mins. ; water 1 oz. For a dose. *Throat.*

Aromatic Powder of Chalk $7\frac{1}{2}$ grs. ; water to 1 oz. *London.*

Aromatic Powder of Chalk 15 grs. ; Peppermint Water 1 oz. *St. Thomas's.*

Bicarbonate of Soda 10 grs. ; Carbonate of Ammonia 4 grs. ; Compound Tincture of Cardamoms $\frac{1}{2}$ drm. ; Infusion of Cloves to 1 oz. *St. Mary's.*

Mistura Arsenicalis.

Arsenical Solution 4 mins. ; Burnt Sugar $\frac{3}{4}$ gr. ; Cinnamon Water 1 oz. *Charing Cross.*

Arsenical Solution 5 mins. ; Infusion of Quassia 1 oz. *Royal Free.*

Arsenical Solution 5 mins. ; water 1 oz. *British Skin.*

Mistura Assafoetidæ.

Tincture of Assafoetida 15 mins.; Acacia Mixture
1 oz. *London.*

Assafoetida 5 grs.; water 1 oz. *British Skin.*

Tincture of Assafoetida $\frac{1}{2}$ drm.; Tincture of Valerian 1 drm.; Carbonate of Ammonia Mixture $\frac{1}{2}$ oz.; Mucilage of Tragacanth $\frac{1}{2}$ oz. *Charing Cross.*

Mistura Astringens.

Gallie Acid 3 grs.; Diluted Sulphuric Acid 20 mins.;
Glycerine $\frac{1}{2}$ drm.; water $\frac{1}{2}$ oz. *Samaritan.*

Mistura Astringens Acida.

Aromatic Sulphuric Acid 25 mins.; Tincture of
Opium 5 mins.; water 1 oz. *Royal Free.*

Mistura Balsam. Peruv.

Peruvian Balsam 25 mins.; Honey 40 mins.; water
to 1 oz. The dose. *Guy's.*

Mistura Benzoini Composita.

Comp. Tincture of Benzoin 20 mins.; Oxymel of
Squill 30 mins.; Ipecacuanha Wine 5 mins.;
Tincture of Tolu 5 mins.; water to 1 oz. *Consumption.*

Mistura Bismuthi.

Subnitrate of Bismuth 10 grs.; Mucilage 1 drm.;
Dill Water 1 oz. *Royal Free.*

Carbonate of Bismuth 10 grs.; Mucilage 2 drms.;
water 1 oz. *Samaritan.*

Subnitrate of Bismuth 20 grs.; Mucilage of Tragacanth $\frac{1}{2}$ oz.; Tincture of Cinnamon 10 mins.;
water to 1 oz. *Consumption.*

Carbonate of Bismuth 9 grs.; Mucilage of Tragacanth 1 drm.; water to 1 oz. *University.*

Nitrate of Bismuth 10 grs.; Bicarbonate of Soda 10 grs.; Powdered Calumba 10 grs.; Mucilage 1 drn.; Peppermint Water to 1 oz. *St. Thomas's.*

Subnitrate of Bismuth 10 grs.; Spirit of Chloroform 10 mins.; Tincture of Calumba 20 mins.; water to 1 oz. *Royal Chest.*

Subnitrate of Bismuth 10 grs.; Bicarbonate of Soda 10 grs.; Comp. Tragacanth Powder 10 grs.; water 1 oz. *Charing Cross.*

Subnitrate of Bismuth 15 grs.; Comp. Tragacanth Powder 5 grs.; water to 1 oz. For a dose. *Throat.*

Subnitrate of Bismuth 10 grs.; Powder of Tragacanth 3 grs.; water 1 oz. *London Ophthalmic.*

Nitrate of Bismuth 15 grs.; Mucilage 1 drn.; Bicarbonate of Soda 10 grs.; Tincture of Calumba $\frac{1}{2}$ drn.; water to 1 oz. *St. Mary's.*

White Bismuth 5 grs.; Carbonate of Magnesia 10 grs.; Mucilage of Tragacanth 30 mins.; Dill Water 1 oz. *King's.*

White Bismuth 10 grs.; Carbonate of Magnesia 10 grs.; Mucilage 1 drn.; water 7 drms. *Gt. Northern.*

Solution of Citrate of Bismuth and Ammonia 1 drn.; Diluted Hydrocyanic Acid 3 mins.; Peppermint Water 1 oz. *British Skin.*

Mistura Bismuthi Acida.

Nitrate of Bismuth 5 grs.; Glycerine 1 drn.; water 1 oz. *British Skin.*

Mistura Bismuthi c. Acid. Hydrocyan.

Subnitrate of Bismuth 5 grs.; Dil. Hydrocyanic Acid 3 mins.; Comp. Infusion of Gentian 1 oz. *Consumption.*

Mistura Bismuthi et Ammoniae Citratis.

Solution of Citrate of Bismuth and Ammonia 40 mins.; Red Mixture 1 oz. *London.*

Mistura Bismuthi Co.

Subnitrate of Bismuth 5 grs.; Comp. Tragacanth Powder 10 grs.; water to 1 oz. The dose. *Guy's.*

Subnitrate of Bismuth 15 grs.; Spirit of Chloroform 10 mins.; Tincture of Calumba 10 mins.; water to 1 oz. *London.*

Mistura Bismuthi et Gentianæ.

Subnitrate of Bismuth 15 grs.; Bicarbonate of Soda 15 grs.; Mucilago 1 drn.; Comp. Infusion of Gentian to 1 oz. *London.*

Subnitrate of Bismuth 10 grs.; Carbonate of Magnesia 5 grs.; Comp. Infusion of Gentian to 1 oz. *Consumption.*

Mistura Bismuthi c. Magnesiâ.

Subnitrate of Bismuth 15 grs.; Carbonate of Magnesia 15 grs.; Mucilage of Acacia 1 drn.; Peppermint Water 1 oz. *London.*

Mistura Bismuthi Sedativa.

Subnitrate of Bismuth 7 grs.; Carbonate of Soda 7 grs.; Solution of Hydrochlorate of Morphia 10 mins.; Comp. Powd. of Tragac. 20 grs.; water to 1 oz. The dose. *Guy's.*

Mistura Buchu.

Tincture of Henbane 12 mins.; Mucilage 2 drms.; Infusion of Buchu 1 oz. *Royal Free.*

Mistura Buchu Co.

Bicarbonate of Potash 10 grs.; Tincture of Henbane 15 mins.; Infusion of Buchu 1½ oz. *St. Thomas's.*

Mistura Calumbæ Alkalina.

Bicarbonate of Soda 10 grs.; Infusion of Calumba to 1 oz. *Royal Chest.*

Mistura Camphoræ c. Æthere.

Spirit of Ether $\frac{1}{2}$ drm.; Camphor Water 1 oz. *London.*

Mistura Carminativa.

Carbonate of Magnesia 20 grs.; Powdered Rhubarb 10 grs.; Comp. Tincture of Camphor 30 mins.; Spirit of Sal Volatile 30 mins.; Dill Water to $1\frac{1}{2}$ oz. *St. Thomas's.*

Carbonate of Magnesia 10 grs.; Comp. Tincture of Cardamoms 20 mins.; Tincture of Ginger 10 mins.; water to 1 oz. *Samaritan.*

Mistura Caryophylli Composita.

Bicarbonate of Soda 10 grs.; Aromatic Spirit of Ammonia 20 mins.; Spirit of Chloroform 15 mins.; Infusion of Cloves to 1 oz. Dose 1 to 2 oz. *St. George's.*

Mistura Cascarillæ Acida.

Dil. Nitric Acid 15 mins.; Tincture of Hops 30 mins.; Infusion of Cascarilla to 1 oz. *University.*

Mistura Cascarillæ c. Acid. Nit.

Dil. Nitric Acid 15 mins.; Tincture of Hops 30 mins.; Infusion of Cascarilla to 1 oz. *Consumption.*

Mistura Cascarillæ c. Ammoniâ.

Carbonate of Ammonia 3 grs.; Compound Spirit of Horseradish 10 mins.; Infusion of Cascarilla to 1 oz. *Consumption.*

Mistura Cascarillæ Co.

Vinegar of Squill 10 mins.; Comp. Tincture of Camphor 15 mins.; Infusion of Cascarilla to 1 oz. *St. Thomas's.*

Tincture of Squill 15 mins.; Comp. Tincture of Camphor 60 mins.; Infusion of Cascarilla to 1 oz. The dose. *Guy's.*

Vinegar of Squill $\frac{1}{2}$ drm.; Comp. Tincture of Camphor 1 drm.; Infusion of Cascarilla to 12 drms. Dose 1 to 2 oz. *St. George's.*

Vinegar of Squill $\frac{1}{2}$ drm.; Comp. Tincture of Camphor 1 drm.; Infusion of Cascarilla to 10 drms. Dose 1 oz. *London.*

Mistura Cascarillæ c. Scillâ.

Oxymel of Squill $\frac{1}{2}$ drm.; Infusion of Cascarilla to 1 oz. *Royal Chest.*

Mistura Catechu.

Tincture of Catechu 1 drm.; Bicarbonate of Potash 10 grs.; Cinnamon Water 1 oz. *British Skin.*

Mistura Catechu c. Cretâ.

Tincture of Catechu 30 mins.; Chalk Mixture to 1 oz. *University.*

Mistura Cathartica.

Sulphate of Magnesia $1\frac{1}{2}$ drm.; Comp. Infusion of Senna 1 oz.; Aromatic Spirit of Ammonia 24 mins. *Gt. Northern.*

Sulphate of Magnesia 1 drm.; Peppermint Water to 1 oz. *London.*

Sulphate of Magnesia 2 drms.; Strong Tincture of Ginger 5 mins.; Infusion of Senna to 1 oz. *Charing Cross.*

Mistura Cetacei.

Spermaceti 15 grs. ; Chloric Ether 5 mins. ; Comp.
Tragacanth Powder 20 grs. ; Pimento Water to
1 oz. *Consumption.*

Spermaceti 20 grs. ; Powdered Gum Acacia 20 grs. ;
water to 1 oz. *Royal Chest.*

Spermaceti 20 grs. ; Yelk of Egg *q. s.* ; Syrup of
Tolu 40 mins. ; water to 1 oz. The dose.
Guy's.

Mistura Cetacei Opiata.

Spermaceti 15 grs. ; Ipeaeuanha Wine 10 mins. ;
Comp. Tincture of Camphor 30 mins. ; Comp.
Tragacanth Powder 20 grs. ; water to 1 oz.
Consumption.

Mistura Chalybeata.

Tincture of Perechloride of Iron 10 mins. ; Dil. Nitric
Acid 15 mins. ; Syrup 20 mins. ; Infusion of
Quassia to 1 oz. *St. Thomas's.*

Mistura Chloral. Composita.

Chloral Hydrate 10 grs. ; Bromide of Potassium 10
grs. ; Syrup of Orange 30 mins. ; water to 1 oz.
Consumption.

Mistura Chloralis Hydratis.

Hydrate of Chloral 10 grs. ; Syrup of Red Poppies
1 drm. ; water to 1 oz. *British Skin.*

Hydrate of Chloral 20 grs. ; Syrup of Orange Flower
40 mins. ; Syrup of Tolu 40 mins. ; water to 1
oz. *Throat.*

Mistura Chlori.

Solution of Chlorine 15 mins. ; water to 1 oz.
London.

Mistura Chloroformi.

Chloroform Water $\frac{1}{2}$ oz. ; water to 1 oz. *British Skin.*

Spirit of Chloroform 10 mins. ; Mucilage of Tragacanth 1 oz. *King's.*

Chloroform 5 mins. ; Camphor 5 grs. ; Mucilage 60 mins. ; water to 1 oz. *Guy's.*

Mistura Chloroformi c. Ammoniâ.

Spirit of Chloroform 15 mins. ; Carbonate of Ammonia 3 grs. ; Infusion of Gentian 1 oz. Dose 1 oz. *London Ophthalmic.*

Mistura Cinchonæ Acida.

Diluted Sulphuric Acid 10 mins. ; Comp. Tincture of Cinchona 1 drm. ; Decoction of Cinchona 1 oz. *Royal Free.*

Mistura Cinchonæ c. Acido.

Dil. Sulphuric Acid 10 mins. ; Decoction of Bark 1 oz. *St. Thomas's.*

Mistura Cinchonæ c. Acid. Nitric.

Dil. Nitric Acid 15 mins. ; Decoction of Yellow Bark to 1 oz. *Consumption.*

Mistura Cinchonæ c. Acid. Sulph.

Dil. Sulphuric Acid 15 mins. ; Decoction of Yellow Bark to 1 oz. *Consumption.*

Mistura Cinchonæ c. Ammoniâ.

Carbonate of Ammonia 5 grs. ; Decoction of Yellow Bark to 1 oz. *Consumption.*

Mistura Cinchonæ Co.

Carbonate of Magnesia 7 grs.; Sulphate of Magnesia 20 grs.; Decoction of Yellow Bark 1 oz. *St. George's.*

Carbonate of Ammonia 4 grs.; Decoction of Bark 1 oz. *Charing Cross.*

Mistura Cinchoniæ.

Sulphate of Cinchonia 1 gr.; Dil. Sulphuric Acid $2\frac{1}{2}$ mins.; water to 1 oz. *London.*

Hydrochlorate of Cinchonia 2 grs.; Dil. Hydrochloric Acid 2 mins.; water 1 oz. *Charing Cross.*

Sulphate of Cinchonia 2 grs.; Dil. Sulphuric Acid 5 mins.; water to 1 oz. *Royal Chest.*

Sulphate of Cinchonia $1\frac{1}{2}$ gr.; Dil. Sulphuric Acid 5 mins.; water 1 oz. *Great Northern.*

Mistura Cinchoniæ Acida.

Cinchonine 1 gr.; Dil. Sulphuric Acid 5 mins.; water 1 oz. *St. Mary's.*

Hydrochlorate of Cinchonia 2 grs.; Dil. Hydrochloric Acid 2 mins.; water 1 oz. *University.*

Mistura Colchici.

Wine of Colchicum 15 mins.; Carbonate of Magnesia 10 grs.; Pimento Water 1 oz. *Westminster Ophthalmic.*

Wine of Colchicum 15 mins.; Carb. of Magnesia 10 grs.; Sweet Spirit of Nitre 30 mins.; Tinct. of Henbane 30 mins.; Spearmint Water to 1 oz. *Great Northern.*

Wine of Colchicum 20 mins.; Carbonate of Magnesia 10 grs.; Pimento Water 1 oz. Dose 1 oz. *London Ophthalmic.*

Wine of Colchicum 15 mins.; Carbonate of Magnesia 10 grs.; Spirit of Nitrous Ether 30 mins.; water 1 oz. *Royal Free.*

Wine of Colchicum 15 mins.; Carbonate of Magnesia 10 grs.; Bicarbonate of Potash 10 grs.; Peppermint Water 1 oz. *St. Thomas's.*

Mistura Colchici Alkalini.

Tincture of Colchicum Seeds 6 mins.; Bicarbonate of Potash 5 grs.; Pimento Water 1 oz. *British Skin.*

Tincture of Colchicum Seeds 20 mins.; Bicarbonate of Potash 10 grs.; Pimento Water 1 oz. *London.*

Tincture of Colchicum Seeds 24 mins.; Bicarbonate of Soda $7\frac{1}{2}$ grs.; water to 1 oz. *University.*

Mistura Colchici Aperiens.

Tincture of Colchicum Seeds 15 mins.; Carbonate of Magnesia 6 grs.; Sulphate of Magnesia 30 grs.; Peppermint Water to 1 oz. *University.*

Mistura Colchici et Magnesiae.

Wine of Colchicum 15 mins.; Carbonate of Magnesia $12\frac{1}{2}$ grs.; Sulphate of Magnesia 20 grs.; Infusion of Cloves 1 oz. *St. George's.*

Mistura Colchici et Potassae.

Wine of Colchicum 15 mins.; Solution of Potash 30 mins.; Pimento Water to 1 oz. *St. George's.*

Mistura Conii Co.

Extract of Conium 5 grs.; Carbonate of Soda $7\frac{1}{2}$ grs.; Spirit of Pimento 30 mins.; Decoct. of Liquorice to 1 oz. The dose 3 or 4 times daily. *Guy's.*

Mistura Conii c. Hyoscyamo.

Juice of Conium 30 mins.; Extract of Henbane 3 grs.; Mucilage 2 drms.; water to 1 oz. *Royal Chest.*

Mistura Copaibae.

Copaiba 15 mins.; Mucilage 2 drms.; water to 1 oz. *St. Thomas's.*

- Copaiba 15 mins. ; Spirit of Nitrous Ether 30 mins. ;
Solution of Potash 15 mins. ; Camphor Water
1 oz. *London.*
- Copaiba 1 dr. ; Mucilage 2 drms. ; Peppermint
Water to 1 oz. *Royal Free.*
- Copaiba 20 mins. ; Solution of Potash 20 mins. ;
Tincture of Opium 5 mins. ; Peppermint Water
1 oz. *Gt. Northern.*
- Copaiba 20 mins. ; Mucilage 40 mins. ; Dil. Sulphu-
ric Acid 10 mins. ; Acid Infusion of Roses to 1
oz. *St. George's.*
- Copaiba 20 mins. ; Mucilage 1 dr. ; Chloric Ether
5 mins. ; Camphor Water to 1 oz. *Consumption.*
- Copaiba 20 mins. ; Carbonate of Potash $8\frac{1}{2}$ grs. ;
Decoction of Barley to 1 oz. The dose. *Guy's.*
- Copaiba 30 mins. ; Mucilage 1 dr. ; Pimento
Water to 1 oz. *St. Mary's.*
- Copaiba 20 mins. ; Solution of Potash 10 mins. ;
Pimento Water to 1 oz. *London Ophthalmic.*
- Copaiba 30 mins. ; Solution of Potash 12 mins. ;
Cinnamon Water to 1 oz. *University.*
- Copaiba 20 mins. ; Dil. Sulphuric Acid 10 mins. ;
Mucilage $\frac{1}{2}$ oz. ; water to 1 oz. *King's.*

Mistura Copaibæ Co.

- Oil of Cubebs 10 mins. ; Copaiba Mixture 1 oz.
London.

Mistura Creasoti c. Opio.

- Creasote 1 min. ; Tincture of Opium 2 mins. ; Spirit
of Chloroform 15 mins. ; Glycerine 1 dr. ;
water to 1 oz. *Royal Chest.*
- Creasote 1 min. ; Tincture of Opium 3 mins. ; Syrup
of Orange 30 mins. ; Mucilage 1 dr. ; Cinna-
mon Water to 1 oz. *Consumption.*

Mistura Cretæ.

- Prepared Chalk 15 grs. ; Acacia 15 grs. ; Cassia
Water 1 oz. *London. Throat, with Cinna-
mon.*

Mistura Cretæ Aromatica.

Comp. Powder of Cinnamon 10 grs.; Powdered
Acacia 10 grs.; Prepared Chalk 10 grs.; water
1 oz. *London Ophthalmic.*

Mistura Cretæ Aromat. Anodyna.

Comp. Powder of Cinnamon 10 grs.; Powdered
Acacia 10 grs.; Prepared Chalk 10 grs.; Tinc-
ture of Opium 5 mins.; water 1 oz. *London*
Ophthalmic.

Mistura Cretæ c. Catechu.

Tincture of Catechu 30 mins.; Chalk Mixture to 1
oz. *Consumption.*

Tincture of Catechu 1 drm.; Spirit of Chloroform
10 mins.; Chalk Mixture to 1 oz. *St. Mary's.*

Mistura Cretæ c. Hæmatoxylo.

Chalk Mixture $\frac{1}{2}$ oz.; Tincture of Catechu 30 mins.;
Decoction of Logwood to 1 oz. for an adult.
King's.

Mistura Cretæ Opiata.

Aromatic Chalk Powder 20 grs.; Tincture of Opium
10 mins.; Chalk Mixture 1 oz. *St. Mary's.*

Mistura Cretæ c. Opio.

Tincture of Catechu 30 mins.; Tincture of Opium
5 mins.; Chalk Mixture to 1 oz. *Consumption.*

Aromatic Powder of Chalk 20 grs.; Tincture of
Opium 5 mins.; Spirit of Chloroform 20 mins.;
Tincture of Capsicum 2 mins.; Pimento Water
to 1 oz. *Royal Chest.*

Comp. Chalk Powder P. L. 20 grs.; Tincture of
Opium 5 mins.; water 1 oz. *St. Thomas's.*

Tincture of Opium 10 mins.; Tincture of Rhatany
1 drm.; Chalk Mixture to 1 oz. *Charing Cross.*

Mistura Croton-Chloral.

Croton-Chloral Hydrate 4 grs. ; Glycerine 15 mins. ; water to 1 oz. *Throat.*

Mistura Diaphoretica.

Ipecacuanha Wine 5 mins. ; Spirit of Nitrous Ether 30 mins. ; Solution of Acetate of Ammonia 2 drms. ; water 1 oz. *British Skin.*

Ipecacuanha Wine 15 mins. ; Spirit of Nitrous Ether 30 mins. ; Saline Mixture to 1 oz. *London. Throat.*

Mistura Diuretica.

Acetate of Potash 20 grs. ; Vinegar of Squill 20 mins. ; Decoction of Broom 1 oz. *London. Throat.*

Acetate of Potash 20 grs. ; Spirit of Nitrous Ether 30 mins. ; Spirit of Juniper 30 mins. ; Mucilage 1 dr. ; Decoction of Broom to 1 oz. *St. Mary's.*

Acetate of Potash 30 grs. ; Tincture of Squill 15 mins. ; Spirit of Nitrous Ether 30 mins. ; Spirit of Juniper 30 mins. ; Decoction of Broom 1 oz. *Royal Free.*

Acetate of Potash 20 grs. ; Spirit of Nitrous Ether 30 mins. ; Decoction of Broom to 1 oz. *Charing Cross.*

Acetate of Potash 20 grs. ; Vinegar of Squill 20 mins. ; Tincture of Digitalis 5 mins. ; water 1 oz. *British Skin.*

Acetate of Potash 30 grs. ; Tincture of Squill 20 mins. ; Sweet Spirit of Nitre 30 mins. ; water to 1 oz. *Gt. Northern.*

Nitrate of Potash 6 grs. ; Bicarbonate of Potash 10 grs. ; Carbonate of Ammonia 3 grs. ; Spirit of Juniper 1 dr. ; water to $\frac{1}{2}$ oz. *Samari-tan.*

Mistura Dyspeptica.

Bicarbonate of Soda 10 grs. ; Sulphato of Magnesia 30 grs. ; Essence of Peppermint 10 mins. ; Comp. Infusion of Gentian 1 oz. *St. Thomas's.*

Mistura Effervescens.

Bicarbonate of Soda 20 grs. (water $1\frac{1}{2}$ oz., Tartaric Acid 15 grs.). *London. Throat.*

Bicarbonate of Soda 20 grs. ; water 1 oz. (Tartaric Acid 18 grs., water $\frac{1}{2}$ oz.). *King's. Royal Free.*

Bicarbonate of Potash 20 grs. ; water 1 oz. during effervescence, with a tablespoonful of Lemon Juice for a dose. *Guy's.*

Mistura Emolliens.

Nitrato of Potash 10 grs. ; Sulphato of Magnesia $\frac{1}{2}$ drm. ; Tincture of Henbano 15 mins. ; Mucilago 2 drms. ; water to $1\frac{1}{2}$ oz. *St. Thomas's.*

Mistura Ergotæ.

Fluid Extract of Ergot 30 mins. ; Glycerine 20 mins. ; Cinnamon Water to 1 oz. *Consumption.*

Fluid Extract of Ergot 20 mins. ; Aromatic Sulphuric Acid 10 mins. ; Cinnamon Water 1 oz. *Samaritan.*

Mistura Ergotæ Ammoniata.

Liquid Extract of Ergot 20 mins. ; Carbonate of Ammonia 4 grs. ; Spirit of Chloroform 15 mins. ; Camphor Water to 1 oz. *University.*

Mistura Ergotæ Co.

Liquid Extract of Ergot 15 mins. ; Sulphate of Magnesia 1 drm. ; Gallic Acid 10 grs. ; Dil. Sulphuric Acid 5 mins. ; water to 1 oz. *Royal Chest.*

Liquid Extract of Ergot 40 mins. ; Gallic Acid 10 grs. ; Cassia Water 1 oz. *London.*

Mistura Ergotæ c. Ferro.

Tincture of Perchloride of Iron 15 mins.; Liquid Extract of Ergot 15 mins.; Spirit of Chloroform 15 mins.; Infusion of Quassia 1 oz. *St. Mary's.*

Mistura Expectorans.

Ipecacuanha Wine 10 mins.; Tincture of Squill 20 mins.; Spirit of Nitrous Ether 30 mins.; Chloroform Water 2 drms.; water to 1 oz. *Charing Cross.*

Carbonate of Ammonia 5 grs.; Tincture of Squill 20 mins.; Paregoric 30 mins.; Treacle 30 mins.; Infusion of Senega to 1 oz. *Gt. Northern.*

Ipecacuanha Wine 10 mins.; Nitrate of Potash 6 grs.; Compound Tincture of Camphor 30 mins.; Mucilage 1 drm.; water to 1 oz. *Royal Free.*

Ipecacuanha Wine 30 mins.; Antimonial Wine 30 mins.; Spirit of Chloroform 30 mins.; Tincture of Belladonna 15 mins.; Syrup of Squill 3 drms.; Mindererus Spirit to 1 oz. Dose 1 to 2 drms. *Samaritan.*

Mistura Febrifuga.

Nitrate of Potash 7 grs.; Spirit of Nitrous Ether 30 mins.; Solution of Acetate of Ammonia $\frac{1}{2}$ oz.; water $\frac{1}{2}$ oz. *Royal Free.*

Mistura Ferri.

Tincture of Perchloride of Iron 10 mins.; Glycerine $\frac{1}{2}$ drm.; water to 1 oz. *Royal Chest.*

Mistura Ferri Acida.

Sulphate of Iron 2 grs.; Sulphate of Magnesia 20 grs.; Diluted Sulphuric Acid 5 mins.; Dill Water $\frac{1}{2}$ oz. *Samaritan.*

Solution of Perchloride of Iron 15 mins.; Dil. Nitro-Hydrochloric Acid 10 mins.; water to 1 oz. *Consumption.*

Mistura Ferri c. Æther. Chlor.

Solution of Perchloride of Iron 20 mins. ; Chloric Ether 10 mins. ; Infusion of Quassia 1 oz.
Dose $\frac{1}{2}$ to 1 oz. *Consumption.*

Mistura Ferri c. Aloë.

Comp. Mixture of Iron P. B. 6 drms. ; Comp. Decoction of Aloes to 1 oz. *Consumption.*

Mistura Ferri Amara.

Solution of Perchloride of Iron 30 mins. ; Spirit of Chloroform 5 mins. ; Infusion of Quassia to 1 oz. *University.*

Mistura Ferri Ammon. Citrat.

Ammonio-Citrate of Iron 5 grs. ; Pimento Water 1 oz. *London.*

Ammonio-Citrate of Iron 5 grs. ; Camphor Water 1 oz. *Throat.*

Mistura Ferri Ammonio-Tartratis.

Ammonio-Tartrate of Iron 5 grs. ; water 1 oz. *Westminster Ophthalmic.*

Mistura Ferri Aperiens.

Sulphate of Iron 2 grs. ; Sulphate of Magnesia 30 grs. ; Dil. Sulphuric Acid 9 mins. ; Peppermint Water to 1 oz. *University.*

Sulphate of Iron $1\frac{1}{2}$ gr. ; Sulphate of Magnesia 30 grs. ; Dil. Sulphuric Acid 8 mins. ; Spirit of Chloroform 8 mins. ; Peppermint Water 1 oz. *Westminster Ophthalmic.*

Sulphate of Iron 1 gr. ; Sulphate of Magnesia 30 grs. ; Diluted Sulphuric Acid 5 mins. ; water 1 oz. *London Ophthalmic.*

Mistura Ferri Arsenicalis.

Ammonio-Citrate of Iron $7\frac{1}{2}$ grs. ; Arsenical Solution 5 mins. ; Tincture of Calumba 24 mins. ; water to 1 oz. *University.*

Mistura Ferri et Bismuthi.

Citrate of Iron and Ammonia 5 grs. ; Subnitrate of Bismuth 5 grs. ; water to 1 oz. *Royal Chest.*

Mistura Ferri c. Calumbâ.

Ammonio-Citrate of Iron 5 grs. ; Stronger Solution of Ammonia $1\frac{1}{2}$ min. ; Spirit of Nutmeg 6 mins. ; Infusion of Calumba to 1 oz. *Consumption.*

Mistura Ferri Cathartica.

Sulphate of Iron 2 grs. ; Sulphate of Magnesia 60 grs. ; Dil. Sulphuric Acid 10 mins. ; Peppermint Water to 1 oz. *London.*

Mistura Ferri Citratis c. Ammoniâ.

Ammonio-Citrate of Iron 5 grs. ; Aromatic Spirit of Ammonia 20 mins. ; Chloroform Water 2 drms. ; Infusion of Chiretta to 1 oz. *Charing Cross.*

Mistura Ferri Co.

Sulphate of Iron $2\frac{1}{2}$ grs. ; Myrrh 6 grs. ; Carbonate of Potash 3 grs. ; water 1 oz. *London Ophthalmic.*

Sulphate of Iron 2 grs. ; Myrrh 5 grs. ; Carbonate of Potash $2\frac{1}{2}$ grs. ; Sugar 5 grs. ; Cassia Water to 1 oz. *London.*

Sulphate of Iron $2\frac{1}{2}$ grs. ; Myrrh 5 grs. ; Carbonate of Potash 3 grs. ; White Sugar 6 grs. ; Cinnamon Water $\frac{1}{2}$ oz. ; water to 1 oz. *Charing Cross.*

Sulphate of Iron 4 grs. ; Sugar 10 grs. ; water 2 drms. ; dissolve, and add Carbonate of Potash 5 grs. ; Spirit of Nutmeg 30 mins. ; water 2 drms. *Samaritan.*

Mistura Ferri c. Hydrarg.

Solution of Perchloride of Iron 10 mins. ; Solution of Perchlorido of Mercury P. B. $\frac{1}{2}$ to 1 drm. ; Infusion of Quassia to 1 oz. *Samaritan.*

Mistura Ferri Laxans.

St. Mary's. Vide Mistura Ferri et Magnesiae.

Mistura Ferri et Magnesiae vel Laxans.

Sulphate of Iron 2 grs. ; Sulphate of Magnesia 1 drm. ; Sulphuric Acid (Strong) 3 mins. ; Peppermint Water to 1 oz. *St. Mary's.*

Mistura Ferri c. Magnesiae Sulphate.

Sulphate of Iron 2 grs. ; Sulphate of Magnesia 20 grs. ; water 1 oz. *King's.*

Sulphate of Iron 1 gr. ; Sulphate of Magnesia 1 drm. ; Dil. Sulphuric Acid 5 mins. ; Infusion of Quassia 1 oz. *Gt. Northern.*

Sulphate of Iron 2 grs. ; Sulphate of Magnesia 20 grs. ; Dil. Sulphuric Acid 10 mins. ; Peppermint Water 1 oz. *Charing Cross.*

Sulphate of Iron 2 grs. ; Sulphate of Magnesia 30 grs. ; Dil. Sulphuric Acid 10 mins. ; Infusion of Quassia to 1 oz. *Consumption.*

Mistura Ferri c. Nuc.-Vom.

Tincture of Nux Vomica 10 mins. ; Ammonio-Citrate of Iron 5 grs. ; Carbonate of Ammonia 4 grs. ; Camphor Water 1 oz. *Samaritan.*

Mistura Ferri c. Opio.

Ammonio-Citrate of Iron 5 grs. ; Tincture of Opium
4 mins. ; water 1 oz. *British Skin.*

Mistura Ferri Perchloridi.

Tincture of Perchloride of Iron 15 mins. ; Infusion
of Quassia 1 oz. *Royal Free.*

Solution of Perchloride of Iron 15 mins. ; Glyce-
rine 18 mins. ; Spirit of Chloroform 9 mins. ;
water to 1 oz. *University.*

Solution of Perchloride of Iron 15 mins. ; Spirit
of Chloroform 15 mins. ; water 1 oz. *St.
Mary's.*

Tincture of Perchloride of Iron 10 mins. ; Red
Mixture 1 oz. *London.*

Solution of Perchloride of Iron 15 mins. ; Sulphate
of Magnesia 15 grs. ; water 1 oz. *British
Skin.*

Solution of Perchloride of Iron 15 mins. ; Chloro-
form Water 3 drms. ; Infusion of Quassia to 1
oz. *Charing Cross.*

Solution of Perchloride of Iron 10 mins. ; Infusion
of Quassia 1 oz. *King's.*

Solution of Perchloride of Iron 10 mins. ; Glycerine
10 mins. ; Infusion of Quassia $\frac{1}{2}$ oz. ; water $\frac{1}{2}$
oz. *Westminster Ophthalmic.*

Tincture of Perchloride of Iron 10 mins. ; Glyce-
rine 15 mins. ; water 1 oz. Dose 1 oz. *London
Ophthalmic.*

Mistura Ferri Perchlor. c. Potassæ Chlorate.

Tinct. of Perchloride of Iron 10 mins. ; Chlorate of
Potash 5 grs. ; water 1 oz. *Samaritan.*

Mistura Ferri Perchlor. c. Quassiâ.

Solution of Perchloride of Iron $\frac{1}{2}$ oz. ; Infusion of
Quassia to 12 oz. Dose 1 oz. *Throat.*

Mistura Ferri Perchlor. c. Quiniâ.

Solution of Perchloride of Iron 10 mins. ; Sulphate of Quinia 1 gr. ; Cinnamon Water 1 oz. *Samaritan.*

Mistura Ferri c. Potassæ Chlorate.

Chlorate of Potash 5 grs. ; Tincture of Perchloride of Iron 15 mins. ; Chloric Ether 5 mins. ; water to 1 oz. *Consumption.*

Mistura Ferri c. Potass. Iodido.

Ammonio-Citrate of Iron 5 grs. ; Iodide of Potassium $2\frac{1}{2}$ grs. ; Pimento Water 1 oz. *London.*

Tartarated Iron 20 grs. ; Iodide of Potassium 10 grs. ; water 1 oz. *King's.*

Ammonio-Citrate of Iron 10 grs. ; Aromatic Spirit of Ammonia 20 mins. ; Iodide of Potassium 5 grs. ; water to 1 oz. *University.*

Mistura Ferri c. Quassiâ.

Solution of Perchloride of Iron 15 mins. ; Spirit of Cinnamon 20 mins. ; Infusion of Quassia to 1 oz. *Consumption.*

Ammonio-Citrate of Iron 10 grs. ; Infusion of Quassia 1 oz. *Charing Cross.*

Mistura Ferri c. Quiniâ.

Sulphate of Iron 2 grs. ; Sulphate of Quinine 2 grs. ; Dil. Sulphuric Acid 10 mins. ; water $\frac{1}{2}$ oz. *Samaritan.*

Mistura Ferri et Quiniæ Effervescens.

Ammonio-Citrate of Iron 5 grs. ; Sulphate of Quinia 1 gr. ; Citric Acid 10 grs. ; water 1 oz. To be taken with 10 grs. of Bicarbonate of Soda. *Consumption.*

Mistura Ferri Salina.

Solution of Perchloride of Iron 24 mins.; Citrate of Potash 22 grs.; Spirit of Chloroform 9 mins.; water to 1 oz. *University.*

Mistura Ferri c. Strychniâ.

Solution of Perchloride of Iron 10 mins.; Solution of Strychnia 4 mins.; Spirit of Chloroform 10 mins.; water 1 oz. *Westminster Ophthalmic.*

Mistura Ferri Sulph.

Sulphate of Iron 2 grs.; Dil. Sulphuric Acid 5 mins.; Infusion of Quassia 1 oz. *Royal Frec.*

Sulphate of Iron 3 grs.; Dil. Sulphuric Acid 5 mins.; Infusion of Quassia 1 oz. *Charing Cross.*

Sulphate of Iron 3 grs.; Dil. Sulphuric Acid 15 mins.; water to 1 oz. *Royal Chest.*

Mistura Ferri Sulph. Aperiens.

Sulphate of Iron 2 grs.; Sulphate of Magnesia 60 grs.; Dil. Sulphuric Acid 5 mins.; Peppermint Water 1 oz. *Throat.*

Mistura Ferri Tartarati.

Tartarated Iron 10 grs.; water 1 oz. *Charing Cross.*

Mistura Filicis vel Haustus Filicis.

Oil of Male Fern 2 drms.; Comp. Tragacanth Powder 1 drm.; Peppermint Water to 2 oz. Dose 2 oz. *St. Mary's.*

Liquid Extr. of Male Fern 30 mins.; Powdered Tragacanth 10 grs.; water 1 oz. *London Ophthalmic.*

Mistura Flava.

Caramel *q. s.*; water 1 oz. *University.*

Mistura Gelsemini.

Tincture of Yellow Jessamine 15 mins.; Infusion of Casearilla to 1 oz. *Royal Chest.*

Mistura Gentian. Acid.

Dil. Hydrochloric Acid 10 mins.; Comp. Infusion of Gentian to 1 oz. *Consumption.*

Diluted Nitric Acid 10 mins.; Infusion of Gentian 1 oz. *Gt. Northern.*

Diluted Nitro-Hydrochloric Acid 12 mins.; Spirit of Chloroform 10 mins.; Comp. Infusion of Gentian 1 oz. *University.*

Mistura Gentian. Alkaline.

Dil. Hydrocyanic Acid 3 mins.; Bicarbonate of Soda 15 grs.; Comp. Infusion of Gentian to 1 oz. *Consumption. Charing Cross.*

Mistura Gentian. Cathartica.

Sulphate of Magnesia 60 grs.; Comp. Infusion of Gentian 1 oz. Dose 1 oz. *London Ophthalmic.*

Mistura Gentian. c. Ammonia.

Carbonate of Ammonia 3 grs.; Comp. Infusion of Gentian 1 oz. *Royal Chest.*

Carbonate of Ammonia 4 grs.; Bicarbonate of Soda 10 grs.; Comp. Infusion of Gentian 1 oz. *London Ophthalmic.*

Carbonate of Ammonia 5 grs.; Comp. Infusion of Gentian 1 oz. *Gt. Northern.*

Aromatic Spirit of Ammonia 20 mins.; Bicarbonate of Soda 10 grs.; Comp. Infusion of Gentian to 1 oz. *Consumption.*

Mistura Gentian. et Magnesiae.

Carbonate of Magnesia 15 grs. ; Sulphate of Magnesia 60 grs. ; Tincture of Gentian 20 mins. ; Infusion of Gentian to 1 oz. *St. George's.*

Mistura Gentian. et Sennae.

Infusion of Gentian 6 drms. ; Infusion of Senna 3 drms. ; Comp. Tincture of Cardamoms 1 drm. *St. George's.*

Mistura Gentian. et Sodae.

Comp. Infusion of Gentian 1 oz. ; Bicarbonate of Soda 18 grs. *University.*

Mistura Guaiaci.

Ammoniated Tincture of Guaiacum 30 mins. ; Acacia Mixture 1 oz. *London.*

Mistura Guaiaci Comp.

Ammoniated Tincture of Guaiacum 30 mins. ; Mucilago 1 drm. ; water to 1 oz. *London Ophthalmic.*

Mistura Hæmatoxyli.

Decoction of Logwood to 1 oz. ; Lime Water 3 drms. *Consumption.*

Bicarbonate of Potash 20 grs. ; Tincture of Opium 5 mins. ; Tincture of Catechu 15 mins. ; Decoction of Logwood 1 oz. *Royal Free.*

Mistura Hæmatoxyli Co.

Extract of Logwood 10 grs. ; Wine of Opium 5 mins. ; Ipecacuanha Wine 10 mins. ; Chalk Mixture to 1 oz. For a dose. *Guy's.*

Mistura Hæmatoxyli Opiata.

Tincture of Opium 3 mins.; Tincture of Catechu 1 drn.; Decoction of Logwood to 1 oz. *St. George's.*

Mistura Hydrargyri c. Cinch.

Solution of Perchloride of Mercury $\frac{1}{2}$ drn.; Infusion of Yellow Bark 1 oz. *Samaritan.*

Mistura Hydrarg. Iodid.

Red Iodide of Mercury $\frac{1}{8}$ gr.; Iodide of Potassium $\frac{1}{2}$ gr.; water 1 oz. *British Skin.*

Corrosive Sublimato $\frac{1}{16}$ gr.; Iodide of Potassium 4 grs.; water 1 oz. *University.*

Corrosive Sublimate $\frac{1}{16}$ gr.; Iodide of Potassium 3 grs.; Infusion of Quassia 1 oz. *Gt. Northern.*

Solution of Perchloride of Mercury 1 drn.; Iodide of Potassium 10 grs.; Cinnamon Water to 1 oz. *Charing Cross.*

Solution of Perchloride of Mercury 30 mins.; Iodide of Potassium 3 grs.; water to 1 oz. *London Ophthalmic.*

Mistura Hydrarg. Perchloridi.

Perchloride of Mercury $\frac{1}{12}$ gr.; Rectified Spirit 10 mins.; water to 1 oz. *London.*

Corrosive Sublimate $\frac{1}{12}$ gr.; Tincture of Bark 60 mins.; Tincture of Rhubarb 30 mins.; water 1 oz. For a dose. *Guy's.*

Solution of Perchloride of Mercury 1 drn.; Glycerine 10 mins.; water to 1 oz. *Westminster Ophthalmic.*

Perchloride of Mercury $\frac{1}{16}$ gr.; Tincture of Cochineal 10 mins.; water to 1 oz. *London Ophthalmic.*

Mistura Hyoseyami c. Sodâ.

Tincture of Henbane 20 mins.; Bicarbonate of Soda 10 grs.; Mucilage 1 drn.; Chloric Ether 5 mins.; water to 1 oz. *Consumption.*

Mistura Iodi.

Iodine $\frac{1}{8}$ gr.; Iodide of Potassium 3 grs.; Comp.
Tincture of Lavender 30 mins.; water to 1 oz.
For a dose. *Guy's.*

Mistura Iodi Co.

Tincture of Iodine 8 mins.; Iodide of Potassium 5
grs.; Peppermint Water 1 oz. *Charing Cross.*

Mistura Ipecacuanhæ.

Ipecacuanha 2 grs.; Acacia Mixture 1 oz. *London.*

Mistura Ipecac. c. Ammoniâ.

Ipecacuanha Wine 5 mins.; Carbonate of Ammonia
5 grs.; Camphor Water 1 oz. *Consumption.*

Mistura Ipecacuanhæ Co.

Ipecacuanha Wine 15 mins.; Liquid Extract of
Opium 5 mins.; Syrup of Tolu $\frac{1}{2}$ drm.; Saline
Mixture to 1 oz. *Charing Cross.*

Wine of Ipecacuanha 15 mins.; Tincture of Squill
 $7\frac{1}{2}$ mins.; Tincture of Opium 4 mins.; Gly-
cerine 18 mins.; water to 1 oz. *University.*

Mistura Ipecacuanhæ Opiata.

Compound Tincture of Camphor 30 mins.; Wine of
Ipecacuanha 10 mins.; Dill Water to 1 oz.
Consumption.

Mistura Ipecac. c. Opio.

Ipecacuanha Wine 10 mins.; Tincture of Opium 4
mins.; water 1 oz. *British Skin.*

Mistura Ipecac. c. Sodâ.

Bicarbonate of Soda 10 grs.; Ipecacuanha Wine 20
mins.; Spirit of Nitrous Ether 15 mins.; Tinc-
ture of Henbane 20 mins.; Treacle 1 drm.;
water to 1 oz. *Gt. Northern.*

Mistura Liquoris Potassæ.

Solution of Potash 20 mins. ; water 1 oz. *British Skin.*

Mistura Lobeliæ.

Ethereal Tincture of Lobelia 15 mins. ; Camphor Water 1 oz. *London.*

Mistura Magnesiae.

Carbonate of Magnesia 15 grs. ; water to 1 oz. For a dose. *Guy's.*

Carbonate of Magnesia 15 grs. ; Acacia Mixture 1 oz. *London.*

Mistura Magnesiae Cathartica.

Carbonate of Magnesia 15 grs. ; Sulphate of Magnesia 1 dr. ; Peppermint Water to 1 oz. *London.*

Mistura Magnesiae et Magnes. Sulph.

Carbonate of Magnesia 10 grs. ; Sulphate of Magnesia 80 grs. ; Peppermint Water to 1 oz. For a dose. *Guy's.*

Carbonate of Magnesia 15 grs. ; Sulphate of Magnesia 30 grs. ; Peppermint Water 1 oz. *St. Thomas's.*

Mistura Magnesiae c. Rheo.

Rhubarb 5 grs. ; Carbonate of Magnesia 15 grs. ; Acacia Mixture 1 oz. *London.*

Rhubarb 5 grs. ; Carbonate of Magnesia 15 grs. ; Cinnamon Water 1 oz. *London Ophthalmic.*

Rhubarb $7\frac{1}{2}$ grs. ; Carbonate of Magnesia 15 grs. ; Peppermint Water 1 oz. *St. Thomas's.*

Rhubarb $4\frac{1}{2}$ grs. ; Carbonate of Magnesia $13\frac{1}{2}$ grs. ; Ginger 2 grs. ; water to 1 oz. *King's.*

Mistura Magnesiae Sulphatis (Mistura Alba).

Sulphate of Magnesia 2 drms.; Carbonate of Magnesia 20 grs.; Peppermint Water to 2 oz. For a dose. *St. Mary's.*

Mistura Magnesiae Sulphatis et Acidi Gallici.

Sulphate of Magnesia 1 drm.; Gallic Acid 10 grs.; Dil. Sulphuric Acid 5 mins.; water to 1 oz. *Royal Chest.*

Mistura Magnes. Sulph. et Magnes. Carb.

Carbonate of Magnesia 10 grs.; Sulphate of Magnesia 1 drm.; Peppermint Water 1 oz. *Royal Chest.*

Mistura Magnesiae Sulphatis c. Quiniâ.

Sulphate of Magnesia 1 drm.; Diluted Sulphuric Acid 4 mins.; Sulphate of Quinia 1 gr.; Syrup of Ginger 1 drm.; Dill Water to 1 oz. *Samaritan.*

Mistura Manganesii.

Prepared Oxide of Manganese 10 grs.; Mucilage 1 drm.; water to 1 oz. *Gt. Northern.*

Mistura Menthæ Acida.

Dil. Sulphuric Acid 10 mins.; Confection of Roses 1 drm.; Mint Water 1 oz. *St. George's.*

Mistura Menthæ Sulphurica.

Dil. Sulphuric Acid 20 mins.; Treacle 30 mins.; Spearmint Water to 1 oz. *Gt. Northern.*

Mistura Menthæ Sulphuricæ Comp.

Sulphuric Mint Mixture 1 oz.; Sulphate of Magnesia 1 drm. *Gt. Northern.*

Mistura Morphiæ c. Acido Hydrocyan.

Hydrochlorate of Morphia $\frac{1}{6}$ gr. ; Dil. Hydrocyanic Acid 4 mins. ; Syrup 1 drm. ; Mueilage to 1 oz.
Consumption.

Mistura Mucilagin.

Almond Oil 10 mins. ; Syrup 40 drops ; Mueilage $2\frac{2}{3}$ drms. ; water to 1 oz. For a dose. *Guy's.*

Mistura Myrrhæ.

Myrrh 40 grs. ; Liquorice Decoction to 1 oz. For a dose. *Guy's.*

Mistura Neuralgica.

Carbonate of Ammonia 5 grs. ; Chloride of Ammonium 20 grs. : Peppermint Water 7 drms. ; Mueilage 1 drm. *Samaritan.*

Mistura Nigra.

Sulphate of Magnesia 1 drm. ; Essence of Peppermint 5 mins. ; Comp. Infusion of Senna 1 oz.
St. Thomas's.

Mistura Nucis-Vomicæ.

Tincture of Nux Vomica 10 mins. ; Comp. Infusion of Gentian 1 oz. *London Ophthalmic. Westminster Ophthalmic.*

Tincture of Nux Vomica 20 mins. ; water 1 oz.
British Skin.

Mistura Nucis-Vomic. Acida.

Tincture of Nux Vomica $7\frac{1}{2}$ mins. ; Diluted Nitric Acid 10 mins. ; water to 1 oz. *University.*

Mistura Olei.

Olive Oil 1 drm. ; Carbonate of Potash 4 grs. ; water to 1 oz. *Guy's.*

Mistura Olei Morrhuæ.

Cod-Liver Oil 1 drm.; Lime Water 1 drm. For a dose. *St. Mary's.*

Cod-Liver Oil 30 mins.; Compound Tincture of Gentian 5 mins.; Lime Water to 1 drm. *University.*

Mistura Olei Morrhuæ Amara.

Cod-Liver Oil 1 drm.; Tincture of Calumba 15 mins.; Lime Water 1 drm. For a dose. *St. Mary's.*

Mistura Olei Morrhuæ c. Ferro.

Cod-Liver Oil 1 oz.; Carbonate of Potash $\frac{1}{4}$ gr.; Wine of Iron 1 oz. Dose 2 drms. *St. Mary's.*

Mistura Olei Morrhuæ c. Potassâ.

Cod-Liver Oil 6 drms.; Solution of Potash 40 mins.; Stronger Solution of Ammonia 2 mins.; Oil of Cassia 1 min.; Syrup 2 drms. *Consumption.*

Mistura Olei Morrhuæ Præparata.

Cod-Liver Oil 6 drms.; Stronger Solution of Ammonia 2 mins.; Oil of Cassia 1 min.; Syrup 2 drms. *Consumption.*

Mistura Olei Ricini.

Castor Oil $\frac{1}{2}$ oz.; Tincture of Opium 5 mins.; Powder of Acacia *q. s.*; Cinnamon Water to 1 oz. *King's.*

Mistura Oleosa.

Oil of Almonds 40 mins.; Solution of Potash 5 mins.; Oil of Caraway $\frac{1}{6}$ min.; water 1 oz. *London.*

Mistura Olibani.

Olibanum 20 grs.; Honey 30 grs.; Decoction of Barley to 1 oz. For a dose. *Guy's.*

Mistura Oxymellis.

Oxymel $2\frac{2}{3}$ drms. ; Nitrate of Potash $6\frac{2}{3}$ grs. ; water to 1 oz. For a dose. *Guy's.*

Mistura Oxymel. Co.

Vinegar 10 mins. ; Honey 24 grs. ; Nitrate of Potash 10 grs. ; water to 1 oz. *St. Thomas's.*

Mistura Oxymel. Scillæ.

Oxymel of Squill 80 mins. ; Spirit of Nitrous Ether 20 mins. ; Paregoric 20 mins. ; water to 1 oz. *St. George's.*

Mistura Pectoralis.

Ipecacuanha Wine 5 mins. ; Comp. Tincture of Camphor 15 mins. ; Spirit of Nitrous Ether 30 mins. ; Mucilage 30 mins. ; water to $\frac{1}{2}$ oz. *Samaritan.*

Mistura Phosphorica.

Hypophosphite of Lime 10 grs. ; Syrup of Phosphate of Iron $\frac{1}{2}$ dr. ; Gentian Mixture P. B. to 1 oz. *Royal Chest.*

Mistura Plumbi Acetat.

Acetate of Lead 2 grs. ; Dil. Acetic Acid 30 mins. ; water 1 oz. *Royal Free.*

Acetate of Lead 2 grs. ; Distilled Vinegar 20 mins. ; water to 1 oz. *Consumption.*

Mistura Potassæ.

Sulphate of Potash 20 grs. ; Solution of Potash 10 mins. ; Peppermint Water 1 oz. *St. Thomas's.*

Solution of Potash 15 mins. ; Acacia Mixture to 1 oz. *London.*

Mistura Potassæ Acetat. Co.

Acetate of Potash 30 grs. ; Spirit of Nitrous Ether 30 mins. ; Camphor Water to 1 oz. *Consumption.*

Acetate of Potash 15 grs. ; Spirit of Juniper 9 mins. ; Decoction of Broom to 1 oz. *University.*

Acetate of Potash $7\frac{1}{2}$ grs. ; Nitrate of Potash 5 grs. ; Bicarbonate of Potash $7\frac{1}{2}$ grs. ; water to 1 oz. *London.*

Acetate of Potash 20 grs. ; Nitrate of Potash 5 grs. ; Spirit of Nitrous Ether $\frac{1}{2}$ drm. ; Vinegar of Squill 10 mins. ; Solution of Acetate of Ammonia 3 drms. ; Camphor Water to 1 oz. *Royal Chest.*

Mistura Potass. Alkalina et Mist. Potass. Alk. Eff.

Bicarbonate of Potash 22 grs. ; water $\frac{1}{2}$ oz. Neutralised by 15 grs. Tartaric Acid. *Samaritan.*

Mistura Potassæ Bicarbonatis.

Bicarbonate of Potash 30 grs. ; Cinnamon Water 1 oz. *Royal Free.*

Bicarbonate of Potash 30 grs. ; Peppermint Water 1 oz. *Charing Cross.*

Bicarbonate of Potash 20 grs. ; Acetate of Potash 10 grs. ; Camphor Water 1 oz. *St. Mary's.*

Bicarbonate of Potash 20 grs. ; Tincture of Henbane 20 mins. ; Camphor Water to 1 oz. *University.*

Bicarbonate of Potash 20 grs. ; water $\frac{1}{2}$ oz. *King's.*

Mistura Potassæ Chlor.

Chlorate of Potash $7\frac{1}{2}$ grs. ; Hydrochloric Acid 2 mins. ; water 1 oz. *St. Thomas's.*

Chlorate of Potash 6 grs. ; water 1 oz. *Charing Cross.*

Chlorate of Potash 20 grs. ; water 1 oz. *Westminster Ophthalmic.*

- Chlorate of Potash 15 grs. ; Dil. Hydrochloric Acid
15 mins. ; water 1 oz. *Royal Free.*
Chlorate of Potash 10 grs. ; Juice of Conium 1
drm. ; Peppermint Water to 1 oz. *Samaritan.*
Chlorate of Potash 15 grs. ; Treacle 1 drm. ; water
to 1 oz. *Gt. Northern.*

Mistura Potassæ Citratis.

- Bicarbonate of Potash 20 grs. ; Lemon Juice 3
drms. ; water to 1½ oz. *St. Thomas's.*
Bicarbonate of Potash 20 grs. ; Citric Acid 17 grs. ;
water to 1 oz. *London.*
Bicarbonate of Potash 20 grs. ; Citric Acid 18 grs. ;
Syrup 3 drms. ; water to 1½ oz. *King's.*
Bicarbonate of Potash 22 grs. ; Citric Acid 15 grs. ;
water to 1 oz. *University.*
Citrate of Potash 30 grs. ; water 1 oz. *Royal Free.*
Citrate of Potash 30 grs. ; Syrup ½ drm. ; water 1
oz. *Throat.*

Mistura Potassæ Citratis Effervescens.

- Bicarbonate of Potash 20 grs. ; Lemon Juice 3
drms. ; water to 1½ oz. *St. Thomas's.*

Mistura Potassæ Co.

- Vide* Mistura Potassæ Acetat. Co. *London.*

Mistura Potassæ Effervescens.

- Bicarbonate of Potash 20 grs. ; Citric Acid 15 grs. ;
water to 1 oz. *Consumption.*
Bicarbonate of Potash 22 grs. ; Citric Acid 15 grs. ;
water 2 oz. *University.*
Bicarbonate of Potash 15 grs. ; Citric Acid 10 grs. ;
water 1 oz. *Gt. Northern.*
Bicarbonate of Potash 22 grs. ; Tartaric Acid 15
grs. ; water ½ oz. *Samaritan.*

Mistura Potassæ Liquoris.

Solution of Potash 20 mins. ; Compound Tincture of Cardamoms 20 mins. ; Caraway Water 4 drms. ; water to 1 oz. *Consumption.*

Mistura Potassæ Nitratis.

Nitrate of Potash 20 grs. ; Bicarbonate of Potash 30 grs. ; Treacle 30 mins. ; water to 1 oz. *Gt. Northern.*

Nitrate of Potash 10 grs. ; Red Mixture to 1 oz. *London.*

Nitrate of Potash 10 grs. ; Solution of Acetate of Ammonia 1 drm. ; Spirit of Nitrous Ether 15 mins. ; Camphor Water to 1 oz. *St. Mary's.*

Nitrate of Potash 15 grs. ; Spirit of Nitrous Ether 15 mins. ; Syrup of Lemons 40 mins. ; Peppermint Water to 1 oz. For a dose. *Guy's.*

Nitrate of Potash 10 grs. ; Camphor Water 1 oz. *Charing Cross.*

Mistura Potassæ Tart. Efferves.

Bicarbonate of Potash 15 grs. ; water to $\frac{1}{2}$ oz. (taken whilst effervescing with Tartarie Acid 12 grs., in $\frac{1}{2}$ oz of water). *London Ophthalmic.*

Bicarbonate of Potash 20 grs. ; water 1 oz. (taken with Tartarie Acid 15 grs., in $\frac{1}{2}$ oz. of water). *St. Mary's.*

Mistura Potassii Bromidi.

Bromide of Potassium 10 grs. ; Bicarbonate of Potash 4 grs. ; water 1 oz. *Westminster Ophthalmic.*

Bromide of Potassium 20 grs. ; Compound Tincture of Cardamoms 10 mins. ; Cinnamon Water to 1 oz. *Consumption.*

Bromide of Potassium 10 grs. ; Aromatic Spirit of Ammonia 20 mins. ; Camphor Water to 1 oz. *Throat.*

Bromide of Potassium 10 grs. ; Camphor Water 3 drms. ; water to 1 oz. *British Skin.*

Bromide of Potassium 10 grs. ; Carbonate of Ammonia 3 grs. ; Tincture of Calumba 30 mins. ; water 1 oz. *London Ophthalmic.*

Bromide of Potassium 15 grs. ; Peppermint Water 1 oz. *Charing Cross.*

Bromide of Potassium 20 grs. ; water 1 oz. *King's.*

Mistura Potassii Bromidi Co.

Bromide of Potassium 10 grs. ; Ammoniated Tincture of Valerian 10 mins. ; Camphor Water to 1 oz. *Royal Chest.*

Mistura Potassii Iodidi.

Iodide of Potassium 3 grs. ; Comp. Infusion of Gentian 1 oz. *St. Thomas's.*

Iodide of Potassium 3 grs. ; Bicarbonate of Potash 5 grs. ; Syrup of Tolu 20 mins. ; water to 1 oz. *Consumption.*

Iodide of Potassium 5 grs. ; Red Mixture 1 oz. *London.*

Iodide of Potassium 5 grs. ; Carbonate of Ammonia 3 grs. ; Tincture of Calumba 30 mins. ; water to 1 oz. *London Ophthalmic.*

Iodide of Potassium 5 grs. ; water 1 oz. *Westminster Ophthalmic. British Skin.*

Iodide of Potassium 3 to 10 grs. ; Carbonate of Ammonia 5 grs. ; Burnt Sugar 1 min. ; Infusion of Quassia to 1 oz. *Throat.*

Iodide of Potassium 5 grs. ; Infusion of Quassia 1 oz. *King's. (3 grs. University.)*

Iodide of Potassium 5 grs. ; Treacle 30 grs. ; water 1 oz. *Gt. Northern.*

Iodide of Potassium 5 grs. ; Tinct. of Iodine 5 mins. ; water $\frac{1}{2}$ oz. *Samaritan.*

Iodide of Potassium 5 grs. ; Bicarbonate of Potash 10 grs. ; Infusion of Quassia to 1 oz. *Royal Chest.*

Iodide of Potassium 5 grs. ; Carbonate of Ammonia 3 grs. ; Peppermint Water 1 oz. *Charing Cross.*

Iodide of Potassium 3 grs. ; Bicarbonate of Potash 5 grs. ; water 1 oz. *St. Mary's.*

Mistura Potassii Iodidi Alkalina.

Bicarbonate of Potash 15 grs. ; Carbonate of Ammonia 3 grs. ; Iodide of Potassium 3 grs. ; Camphor Water to 1 oz. *Consumption.*

Mistura Potassii Iodidi Aperiens.

Iodide of Potassium 3 grs. ; Sulphate of Magnesia 1 drn. ; Carbonate of Magnesia $\frac{1}{2}$ drn. ; Spirit of Nitrous Ether $\frac{1}{2}$ drn. ; Peppermint Water to 1 oz. *Royal Chest.*

Mistura Potassii Iodidi Co.

Iodide of Potassium 4 grs. ; Iodine $\frac{1}{20}$ gr. ; water 1 oz. *Westminster Ophthalmic.*

Mistura Potassii Iodidi c. Ferro.

Iodide of Potassium 3 grs. ; Bicarbonate of Potash 15 grs. ; Ammonio-Citrate of Iron 15 grs. ; Pimento Water to 1 oz. *Consumption.*

Iodide of Potassium 5 grs. ; Tartarated Iron 5 grs. ; Infusion of Quassia 1 oz. *Gt. Northern.*

Mistura Potassii Iodidi c. Hydrargyro.

Iodide of Potassium 5 grs. ; Solution of Perchloride of Mercury Brit. Pharm. 1 drn. ; Infusion of Calumba 1 oz. *Royal Free.*

Iodide of Potassium 5 grs. ; Red Iodide of Mercury $\frac{1}{8}$ gr. ; Infusion of Yellow Bark 1 oz. *Samaritan.*

Mistura Potassii Iodidi c. Stramonio.

Iodide of Potassium 3 grs. ; Extract of Stramonium $\frac{1}{4}$ gr. ; Extract of Liquorice 2 grs. ; Chloric Ether 5 mins. ; water to 1 oz. *Consumption.*

Mistura Quassiae Acida.

Diluted Nitric Acid 5 mins. ; Diluted Hydrochloric Acid 8 mins. ; Infusion of Quassia $\frac{1}{2}$ oz. *Samaritan.*

Mistura Quassiae c. Ferro.

Ammonio-Citrate of Iron 12 grs. ; Infusion of Quassia to 1 oz. *University.*
Tinct. of Perchloride of Iron 10 mins. ; Infusion of Quassia 1 oz. *Gt. Northern.*

Mistura Quiniæ.

Sulphate of Quinia 1 gr. ; Dil. Sulphuric Acid 2 mins. ; Comp. Tincture of Cardamoms $\frac{1}{2}$ dr. ; water 1 oz. *St. Thomas's.*

Sulphate of Quinia 1 gr. ; Dil. Sulphuric Acid 2 mins. ; water to 1 oz. *London. Royal Chest. British Skin.*

Sulphate of Quinia $1\frac{1}{2}$ gr. ; Dil. Sulphuric Acid 3 mins. ; water 1 oz. *Westminster Ophthalmic.*

Sulphate of Quinia 1 gr. ; Dil. Sulphuric Acid 2 mins. ; water to $\frac{1}{2}$ oz. *Samaritan.*

Sulphate of Quinia 1 gr. ; Dil. Sulphuric Acid $2\frac{1}{2}$ mins. ; water 1 oz. *Throat.*

Sulphate of Quinia 2 grs. ; Dil. Sulphuric Acid $3\frac{1}{2}$ mins. ; Tincture of Orange 10 mins. ; Syrup 30 mins. ; water to 1 oz. For a dose. *Guy's.*

Sulphate of Quinia 2 grs. ; Dil. Sulphuric Acid 2 mins. ; water 1 oz. *Charing Cross. University.*

Sulphate of Quinia 2 grs. ; Dil. Sulphuric Acid 5 mins. ; water 1 oz. *Gt. Northern. Consumption.*

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 5 mins.; water 1 oz. *King's. Royal Free. London Ophthalmic.*

Mistura Quiniæ Acida.

Sulphate of Quinia 1 gr.; Dil. Nitro-hydrochloric Acid 10 mins.; Cinnamon Water 4 drms.; water to 1 oz. *Consumption.*

Mistura Quiniæ Alkalina.

Sulphate of Quinia 2 grs.; Carbonate of Ammonia 2 grs.; Bicarbonate of Potash 20 grs.; Chloroform Water 2 drms.; water to 1 oz. *Charing Cross.*

Mistura Quiniæ c. Cascarillâ.

Sulphate of Quinine 1 gr.; Dil. Sulphuric Acid $2\frac{1}{2}$ mins.; water $\frac{1}{2}$ oz.; Infusion of Cascarilla $\frac{1}{2}$ to 1 oz. *Consumption.*

Mistura Quiniæ Cathartica.

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 5 mins.; Sulphate of Magnesia 60 grs.; water 1 oz. For a dose. *London Ophthalmic.*

Mistura Quiniæ c. Ferro.

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 5 mins.; Sulphate of Iron 1 gr.; water to 1 oz. *London Ophthalmic.*

Sulphate of Quinia $1\frac{1}{2}$ gr.; Solution of Perchloride of Iron 10 mins.; Dil. Sulphuric Acid 3 mins.; water 1 oz. *Westminster Ophthalmic.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 2 grs.; Dil. Sulphuric Acid 2 mins.; water to 1 oz. *Royal Chest.*

Sulphate of Quinia 1 gr. ; Sulphate of Iron 1 gr. ;
Dil. Sulphuric Acid 5 mins. ; Chloroform Water
3 drms. ; water to 1 oz. *Charing Cross.*

Sulphate of Quinia 1 gr. ; Sulphate of Iron 2 grs. ;
Dil. Sulphuric Acid 1 min. ; water 1 oz. *University.*

Sulphate of Quinia 2 grs. ; Sulphate of Iron 1 gr. ;
Dil. Sulphuric Acid 5 mins. ; water to 1 oz.
Consumption.

Sulphate of Quinia 2 grs. ; Dil. Sulphuric Acid 2
mins. ; Sulphate of Iron 1 gr. ; water 1 oz. *St.
Thomas's.*

Mistura Quiniæ et Potassæ Chloratæ.

Sulphate of Quinia 1 gr. ; Chlorate of Potash 10
grs. ; Dil. Hydrochloric Acid 2 mins. ; water to
1 oz. *Royal Chest.*

Mistura Quiniæ c. Valerianâ.

Tincture of Valerian 30 mins. ; Chloric Ether 10
mins. ; Mixture of Quinia to 1 oz. *Consump-
tion.*

Mistura Rhei c. Æthere.

Tincture of Rhubarb 1 drm. ; Sal Volatile 20 mins. ;
Spirit of Chloroform 10 mins. ; water to 1 oz.
Samaritan.

Mistura Rhei Ammoniata.

Rhubarb 4 grs. ; Carbonate of Ammonia 2 grs. ;
Infusion of Quassia $\frac{1}{2}$ oz. ; Peppermint Water
to 1 oz. *King's.*

Mistura Rhei Ammoniata c. Sodâ.

Rhubarb 4 grs. ; Carbonate of Ammonia 3 grs. ;
Bicarbonate of Soda 10 grs. ; Peppermint Water
to 1 oz. *Royal Chest.*

Mistura Rhei Aromat.

Tincture of Rhubarb 1 drm. ; Aromatic Powder of Chalk 8 grs. ; Peppermint Water to 1 oz. *St. Thomas's.*

Mistura Rhei Co.

Rhubarb Powder 4 grs. ; Calumba $8\frac{1}{3}$ grs. ; Bicarbonate of Soda $8\frac{1}{3}$ grs. ; Peppermint Water to 1 oz. For a dose. *Guy's.*

Powdered Rhubarb 3 grs. ; Carbonate of Soda 6 grs. ; Ginger 3 grs. ; water 1 oz. *Westminster Ophthalmic.*

Rhubarb 8 grs. ; Carbonate of Magnesia 15 grs. ; Bicarbonate of Soda 10 grs. ; Ipecacuanha $\frac{1}{4}$ gr. ; Peppermint Water 1 oz. *Charing Cross.*

Mistura Rhei c. Magnesiâ.

Rhubarb 3 grs. ; Light Carbonate of Magnesia 5 grs. ; Spearmint Water 1 oz. *Gt. Northern.*

Rhubarb $7\frac{1}{2}$ grs. ; Carbonate of Magnesia 15 grs. ; Tincture of Ginger 30 mins. ; Peppermint Water to 1 oz. *University.*

Rhubarb 15 grs. ; Carbonate of Magnesia 15 grs. ; Solution of Ammonia 8 mins. ; Caraway Water 1 oz. *St. Mary's.*

Mistura Rhei c. Opio.

Tincture of Rhubarb 2 drms. ; Aromatic Spirit of Ammonia $\frac{1}{2}$ drm. ; Tincture of Ginger 15 mins. ; Tincture of Opium 5 mins. ; Peppermint Water to 1 oz. *St. Thomas's.*

Mistura Rhei c. Potassâ.

Carbonate of Ammonia 3 grs. ; Comp. Rhubarb Mixture $\frac{1}{2}$ oz. ; Bicarbonate of Potash Mixture to 1 oz. *Charing Cross.*

Mistura Rheii c. Sodâ.

Powdered Rhubarb 5 grs. ; Bicarbonate of Soda 10 grs. ; Peppermint Water 1 oz. *St. Thomas's.*

Mistura Rheumatica.

Bicarbonate of Soda 10 grs. ; Bicarbonate of Potash 10 grs. ; Iodide of Potassium 3 grs. ; Spirit of Juniper 1 drm. ; Spirit of Chloroform 10 mins. ; water to 1 oz. *Samaritan.*

Mistura Rosæ Co.

Sulphate of Magnesia 37 grs. ; Pimento Water 2 drms. ; Acid Infusion of Roses to 1 oz. For a dose. *Guy's.*

Mistura Rubra.

Red Solution 20 mins. ; Acacia Mixturo 1 oz. *London.*
Burnt Sugar 5 grs. ; water to 1 oz. *Charing Cross.*

Mistura Sabinæ.

Essential Oil of Savin 1 min. ; Spirit of Nitrous Ether $\frac{1}{2}$ drm. ; Mucilage $\frac{1}{2}$ oz. ; water to 1 oz. *Samaritan.*

Mistura Salina.

Nitrate of Potash 10 grs. ; Burnt Sugar 1 min. ; water 1 oz. *Throat.*

Bicarbonate of Soda 10 grs. ; Tartarated Soda 20 grs. ; water 1 oz. *Gt. Northern.*

Solution of Acetate of Ammonia $2\frac{1}{2}$ drms. ; Nitrate of Potash 10 grs. ; Camphor Water to 1 oz. *St. Thomas's.*

Solution of Acetate of Ammonia $\frac{1}{2}$ oz. ; water $\frac{1}{2}$ oz. *Royal Free.*

Solution of Acetate of Ammonia 1 drm. ; Citrate of Potash 15 grs. ; water 7 drms. *Westminster Ophthalmic.*

Nitrate of Potash 10 grs. ; Treacle 10 grs. ; water 1 oz. *British Skin.*

Solution of Acetate of Ammonia 2 drms. ; water to 1 oz. *London.*

Solution of Acetate of Ammonia 2 drms. ; Nitrate of Potash 5 grs. ; Camphor Water to 1 oz. *Charing Cross.*

Bicarbonate of Potash $13\frac{1}{2}$ grs. ; Lemon Juice 160 mins. ; water to 1 oz. Dose $1\frac{1}{2}$ oz. *Guy's.*

Mistura Salina Anodyna.

Saline Mixture 1 oz. ; Tincture of Opium 15 mins. *St. Thomas's.*

Mistura Salina Aperiens.

Sulphate of Magnesia 1 drm. ; Carbonate of Magnesia 9 grs. ; Peppermint Water 1 oz. *University.*

Sulphate of Magnesia 1 drm. ; Solution of Acetate of Ammonia $\frac{1}{2}$ oz. ; water $\frac{1}{2}$ oz. *Royal Free.*

Mistura Salina Aperiens Fortior.

Sulphate of Magnesia 3 drms. ; Carbonate of Magnesia 30 grs. ; Peppermint Water to 1 oz. *University.*

Mistura Salina Aromatica.

Aromatic Spirit of Ammonia 15 mins. ; Spirit of Nitrous Ether 30 mins. ; Solution of Acetate of Ammonia $\frac{1}{2}$ oz. ; water $\frac{1}{2}$ oz. *Royal Free.*

Mistura Salina Co.

Solution of Acetate of Ammonia 2 drms. ; Nitrate of Potash 5 grs. ; Sweet Spirit of Nitre 30 mins. ; water to 1 oz. *Consumption.*

Solution of Acetate of Ammonia 2 drms. ; Oxymel of Squill 30 mins. ; Ipecacuanha Wine 7 mins. ; Comp. Tincture of Camphor 15 mins. ; Spirit of Nitrous Ether 30 mins. ; water to 1 oz. *Samaritan.*

Mistura Salina c. Ferro.

Sulphate of Magnesia $\frac{1}{2}$ oz. ; Sulphate of Soda $\frac{1}{2}$ oz. ;
 Sulphate of Iron 2 grs. ; tepid water to 40 oz.
 Doso 10 oz. *Guy's.*

Mistura Salina Pot. Tart.

Tartrate of Potash 10 grs. ; Comp. Tragacanth
 Powder 5 grs. ; water to 1 oz. *London.*

Mistura Sarsæ.

Liquid Extraet of Sarsaparilla 2 drms. ; water to
 1 oz. *British Skin.*

Mistura Scillæ.

Vinegar of Squill 40 mins. ; Pimento Water to 1 oz.
London.

Vinegar of Squill $\frac{1}{2}$ dr. ; Dil. Acetic Acid 10
 mins. ; water to 1 oz. *Royal Chest.*

Mistura Scillæ Co.

Oxymel of Squill 30 mins. ; Comp. Tincture of
 Camphor 15 mins. ; Spirit of Nitrous Ether 15
 mins. ; Camphor Water to 1 oz. *St. Mary's.*

Syrup of Squill 30 mins. ; Ipecacuanha Wine 5
 mins. ; Compound Tincture of Camphor 15
 mins. ; water 1 oz. *Westminster Ophthalmic.*

Tincture of Squill 15 mins. ; Spirit of Nitrous
 Ether 30 mins. ; Solution of Acetate of Am-
 monia 1 dr. ; water to 1 oz. *London Oph-
 thalmic.*

Tincture of Squill 20 mins. ; Comp. Tincture of
 Camphor 30 mins. ; Spirit of Nitrous Ether 30
 mins. ; Solution of Acetate of Ammonia 2
 drms. ; Camphor Water to 1 oz. *Consumption.*

Vinegar of Squill 15 mins. ; Ipecacuanha Wine 5
 mins. ; Compound Tincture of Camphor 20
 mins. ; water to 1 oz. *Throat.*

Mistura Scillæ c. Conio.

Tincture of Squill 10 mins.; Solution of Potash 15 mins.; Juice of Hemlock 30 mins.; Camphor Water to 1 oz. *Consumption.*

Tincture of Squill 10 mins.; Solution of Potash 15 mins.; Juice of Hemlock 30 mins.; water to 1 oz. *British Skin.*

Mistura Scillæ Fort. c. Ferro.

Tincture of Perchloride of Iron 15 mins.; Compound Tincture of Camphor 15 mins.; Compound Squill Mixture to 1 oz. *St. Mary's.*

Mistura Scoparii Co.

Acid Tartrate of Potash 30 grs.; Nitrate of Potash 5 grs.; Tincture of Hop 60 mins.; Decoction of Broom to 1½ oz. *St. Thomas's.*

Acetate of Potash 20 grs.; Nitrate of Potash 10 grs.; Spirit of Nitrous Ether 30 mins.; Spirit of Juniper 30 mins.; Decoction of Broom to 1 oz. *Consumption.*

Mistura Sedativa.

Hydrate of Chloral 20 grs.; Bromide of Potassium 15 grs.; Syrup of Tolu 30 mins.; water to 1 oz. *Royal Chest.*

Mistura Senegæ Acida c. Æthere.

Dil. Sulphuric Acid 5 mins.; Ether 20 mins.; Vinegar of Squill 20 mins.; Infusion of Senega to 1 oz. *Royal Chest.*

Mistura Senegæ Ammoniata.

Carbonate of Ammonia 5 grs.; Tincture of Squill 20 mins.; Infusion of Senega to 1 oz. *Royal Chest.*

Carbonate of Ammonia 4 grs.; Infusion of Senega 1 oz. *Throat.*

Mistura Senegæ Co.

Carbonate of Ammonia 5 grs.; Tincture of Squill 20 mins.; Infusion of Senega to 1 oz. *Consumption.*

Carbonate of Ammonia 5 grs.; Spirit of Chloroform 15 mins.; Decoction of Senega 1 oz. *St. Mary's.*

Mistura Sennæ vel Haustus Niger.

Sulphate of Magnesia 60 grs.; Solution of Ammonia 5 mins.; Extract of Liquorice 10 grs.; Infusion of Senna 1 oz. Dose 2 oz. *St. Mary's.*

Mistura Sennæ Co. (Nigra).

Sulphate of Magnesia 120 grs.; Tincture of Senna 2 drms.; Compound Tincture of Cardamoms 30 mins.; Infusion of Senna to 1 oz. *London Ophthalmic.*

Sulphate of Magnesia 60 grs.; Essence of Peppermint 5 mins.; Comp. Infusion of Senna to 1 oz. *St. Thomas's.*

Senna $\frac{1}{4}$ oz.; Ginger 80 grs.; boiling water 20 oz. Infuse one hour and strain, then add Sulphate of Magnesia 4 oz. *Guy's.*

Sulphate of Magnesia $2\frac{2}{3}$ drms.; Infusion of Senna to 1 oz. *London.*

Mistura Serpentariæ c. Ammoniâ.

Carbonate of Ammonia 5 grs.; Infusion of Serpentaria 1 oz. *Royal Free.*

Mistura Sevi.

Suet in slices 1 oz.; water 4 oz.: boil 10 minutes, press through flannel, and add bruised Cinnamon 1 drm., Sugar 1 oz., New Milk 16 oz.; boil again for 10 minutes, and strain. Dose 4 oz. *Guy's.*

Mistura Sodæ Alkalina et Mist. Sodæ Alk. Eff.

Bicarbonate of Soda 18 grs.; water $\frac{1}{2}$ oz. Neutralized by 15 grs. Tartaric Acid. *Samaritan.*

Mistura Sodæ Effervescens.

Bicarbonate of Soda 20 grs.; Citric Acid 15 grs.; water to 1 oz. *Consumption.*

Mistura Sodæ (Tartratis) Effervescens.

Bicarbonate of Soda 20 grs., with water 1 oz. (Tartaric Acid 18 grs.; water $\frac{1}{2}$ oz.). *St. Mary's.*

Mistura Sodæ Hypophosphitis.

Hypophosphite of Soda 5 to 10 grs.; water 1 oz. *Throat.*

Mistura Sodæ et Pot. Tart.

Tartarated Soda 90 grs.; Tartrate of Potash 60 grs.; Tincture of Senna $1\frac{1}{2}$ drm.; water to 1 oz. *Consumption.*

Mistura Sodæ Sulphitis.

Sulphite of Soda 20 grs.; Infusion of Calumba 1 oz. *Royal Chest.*

Mistura Sodæ Sulphocarboulatis.

Sulphocarbonate of Soda 20 grs.; Camphor Water 1 oz. *Royal Chest.*

Mistura Sodæ Tartaratae.

Tartarated Soda 2 drms.; Bicarbonate of Soda 15 grs.; Infusion of Senna $\frac{1}{2}$ oz.; Peppermint Water to 1 oz. *Charing Cross.*

Mistura Sodæ Tartratis Effervescens (Seidlitz).

Tartarated Soda 2 drms.; Carbonate of Soda 40 grs.: dissolve in water 5 oz., then add Tartaric Acid 35 grs., dissolved in water 1 oz. Taken during effervescence. *Guy's.*

Mistura Sodii Bromidi.

Bromide of Sodium 10 grs.; Compound Tincture of Lavender 4 mins.; water 1 oz. *Westminster Ophthalmic.*

Mistura Stomachica.

Rhubarb $1\frac{1}{4}$ gr; Ginger $\frac{3}{4}$ gr.; Gentian $4\frac{1}{2}$ grs.; Bicarbonate of Soda 9 grs.; cold water 1 oz.: macerate for 24 hours. *City Chest.*

Gentian $4\frac{1}{2}$ grs.; Orange Peel $1\frac{1}{2}$ gr.; Rhubarb 1 gr.; Ginger $\frac{3}{4}$ gr. (all bruised); boiling water 1 oz.: infuse 2 hours. *London. Throat.*

Rhubarb 5 grs.; Sal Volatile 30 mins.; Comp. Tincture of Gentian 30 mins.; Peppermint Water 1 oz. *Samaritan.*

Bruised Rhubarb $1\frac{1}{8}$ gr.; Bicarbonate of Soda 9 grs.; Sliced Gentian $4\frac{1}{2}$ grs.; Ginger $\frac{3}{4}$ gr.; cold water 1 oz.: digest for 15 hours. *St. Thomas's.*

Bicarbonate of Soda $\frac{1}{2}$ oz.; Gentian Root 3 drms.; Rhubarb Root 40 grs.; Ginger $\frac{1}{2}$ drm.; boiling water 20 oz. *Royal Free.*

Gentian sliced 6 oz.; Rhubarb sliced $1\frac{1}{2}$ oz.; Ginger bruised 1 oz.; Bicarbonate of Soda 8 oz.; boiling water 4 gals.: macerate for 4 hours and strain. Dose 1 to $1\frac{1}{2}$ oz. *Gt. Northern.*

Mistura Stramonii Ætheris et Opii.

Tincture of Stramonium $\frac{1}{2}$ drm.; Ether $\frac{1}{2}$ drm.; Tincture of Opium 5 mins.; Camphor Water to 1 oz. *Royal Chest.*

Mistura Strychniæ.

Liquor Strychniæ 5 mins. ; Dil. Hydrochloric Acid 10 mins. ; water to 1 oz. *Royal Chest.*

Liquor Strychniæ 5 mins. ; Dil. Hydrochloric Acid 10 mins. ; Infusion of Chiretta to 1 oz. *Charing Cross.*

Liquor Strychniæ 4 mins. ; Infusion of Gentian 1 oz. *St. Mary's.*

Mistura Strychniæ c. Ferro.

Liquor Strychniæ 5 mins. ; Dil. Nitro-hydrochloric Acid 10 mins. ; Liquor Ferri Perchloridi 10 mins. ; Chloroform Water $\frac{1}{2}$ oz. ; water to 1 oz. *Charing Cross.*

Mistura Taraxaci.

Juice of Taraxacum 1 drm. ; Dil. Nitro-hydrochloric Acid 10 mins. ; Tincture of Hop 30 mins. ; water to 1 oz. *Consumption.*

Juice of Taraxacum 1 drm. ; Dil. Nitric Acid 5 mins. ; water to 1 oz. *British Skin.*

Mistura Taraxaci Acida.

Juice of Dandelion 1 drm. ; Dil. Nitro-hydrochloric Acid 10 mins. ; Tincture of Calumba 24 mins. ; Infusion of Calumba to 1 oz. *University.*

Mistura Terebinth.

Oil of Turpentine 20 mins. ; Tincture of Capsicum 20 mins. ; Compound Tincture of Lavender to 2 drms. *Samaritan.*

Oil of Turpentine 10 mins. ; Mucilage 1 drm. ; Cinnamon Water to 1 oz. *King's.*

Oil of Turpentine 10 mins. ; Powdered Acacia 20 grs. ; Cassia Water 1 oz. *London.*

Oil of Turpentine 15 mins. ; Mucilage 60 mins. ;
Peppermint Water 2 oz. *St. Mary's.*

Oil of Turpentine 20 mins. ; Mucilage 3 drms. ;
Cinnamon Water to 1 oz. *Consumption.*

Mistura Terebinth. Purgans.

Oil of Turpentine 4 drms. ; Powdered Acacia 30
grs. ; Castor Oil 2 drms. ; water to 1½ oz. For
a dose. *St. Mary's.*

Mistura Tinct. Camph. Co.

Comp. Tincture of Camphor 15 mins. ; Ipecacuanha
Wine 3 mins. ; Tincture of Henbane 12 mins. ;
water to 1 oz. *University.*

Mistura Tolutana.

Tincture of Tolu 10 mins. ; Comp. Tincture of
Camphor 30 mins. ; Mucilage 30 mins. ; Ani-
seed Water to 1 oz. *Consumption.*

Mistura Tragacanth. Co.

Comp. Powder of Tragacanth 15 grs. ; Chloric
Ether 10 mins. ; water to 1 oz. *Consump-
tion.*

Mistura pro Tussi.

Nitrate of Potash 4 grs. ; Spirit of Nitrous Ether ½
drm. ; Tincture of Opium 4 mins. ; Vinegar of
Squill 15 mins. ; Treacle 10 mins. ; water to 1
oz. *Royal Free.*

Solution of Hydrochlorate of Morphia 10 mins. ;
Ipecacuanha Wine 5 mins. ; water to 1 drm.
Samaritan.

Ipecacuanha Wine 15 mins. ; Tincture of Opium 5
mins. ; Nitrate of Potash 10 grs. ; Mucilage 2
drms. ; water to 1 oz. *St. Thomas's.*

Ipecacuanha Wine 5 mins. ; Solution of Hydrochlorate of Morphia 10 mins. ; water to 1 drm. *Samaritan.*

Mistura Uvæ-Ursi.

Powdered Bearberry Leaves 10 grs. ; Bicarbonate of Soda 10 grs. ; Acacia Mixture 1 oz. *London.*

Mistura Valerian.

Ammoniated Tincture of Valerian 30 mins. ; Camphor Water 1 oz. *London.*

Mistura Valerian. Co.

Compound Tincture of Valerian 24 mins. ; Spirit of Chloroform 18 mins. ; Comp. Decoction of Aloes 114 mins. ; Infusion of Valerian to 1 oz. *St. George's.*

Ammoniated Tincture of Valerian 30 mins. ; Oil of Cajuput 2 mins. ; Camphor Water to 1 oz. *Consumption.*

Mistura Zinci Sulphatis.

Sulphate of Zinc 1 gr. ; water 1 oz. *British Skin.*

NITRE-PAPER.

See also CHARTA.

Nitre-Paper.

Dissolve 4 oz. Nitrate of Potash in $\frac{1}{2}$ pint of boiling water ; pour out into a tray. Draw sheets of best white blotting-paper through the solution, and hang up to dry. About 8 inches square to be burnt for a dose. *Middlesex.*

OLEUM CARBOLATUM.

Oleum Carbolatum.

Carbolic Acid liquefied by heat 48 mins. ; Olive Oil
4 oz. *St. Bartholomew's. Middlesex.*

Carbolic Acid 12 grs. ; Olive Oil 1 drn. *Westminster.*

PASTA.

Pasta Amyli Iodidi.

Iodido of Starch 1 drn. ; Glycerine of Starch to 1
oz. *Middlesex.*

Pasta Caustica.

Chloride of Zinc 1 oz. ; Flour 2 drms. or *q. s.* ;
Tincture of Opium 1 oz. *Women.*

Chlorido of Zinc 8 drms. ; Flour 3 drms. ; Sedative
Solution of Opium or Water 1 oz. : mix, and
apply the heat of a water-bath for a few
minutes *only*, until a paste is formed. *Middlesex.*

Pasta Iodi et Amyli.

Starch 1 oz. ; Glycerine 2 oz. ; water 6 oz. : boil
together, and when nearly cold add Solution of
Iodine 1 oz. *University. London Ophthalmic.*

Pasta Londinensis.

Caustic Soda, Unslaked Lime, equal parts reduced
to a fine powder, and kept in a well-stopped
bottle. To be made into a paste with water
when required. *Throat.*

Pasta pro Tactu.

Soft Soap 2 oz. ; Glycerine 2 oz. ; Carbolic Acid 1 dr. : mix and strain, and add Rectified Spirit 3 drms. *Women.*

Pasta Zinci Chloridi.

Chloride of Zinc 1, 2, or 4 pts. ; Starch in Powder 6 pts. ; Prepared Lard 1 pt. ; Glycerine of Starch a sufficiency. *University.*

Pasta Zinci Chloridi Co.

Chloride of Zinc Paste 1, 2, or 4 pts. ; Extract of Opium 20 grs. ; water 10 mins. *University.*

PESSI.

See also SUPPOSITORIA.

Massa pro Pessis.

Gelatine 1, softened by steeping in water ; Glycerine 4 : melt together in a water-bath. *Women.*

Pessus Acidi Tannici.

Tannic Acid 20 grs. ; Gelatine (water *q. s.*) 4 grs. ; Glycerine 16 mins. *British Skin.*

Tannic Acid 10 grs. ; Oil of Theobroma 1 dr. For 1 pessary. *London.*

Tannic Acid 20 grs. ; Mass 20 grs. : mix. *Women.*

Pessus Aluminis.

Alum 15 grs. ; Oil of Theobroma 2 drms. *Westminster.*

Pessus Aluminis et Zinci.

Dried Alum 5 grs. ; Sulphate of Zinc 5 grs. ; Opium in powder 2 grs. Oil of Theobroma 1 dr. *London.*

Pessus Atropiæ.

Atropia $\frac{1}{20}$ gr. ; Prepared Suet $\frac{1}{2}$ dr. ; Oil of Theobroma $1\frac{1}{2}$ dr. *Charing Cross.*

Pessus Atropiæ et Morphicæ.

Sulphate of Atropia $\frac{1}{20}$ gr.; Acetate of Morphia $\frac{1}{2}$ gr.; Mass 25 grs.: mix. *Women.*

Pessus Belladonnæ.

Extract of Belladonna 2 grs.; Mass 20 grs.: mix. *Women.*

Pessus Bismuthi.

Carbonate of Bismuth 15 grs.; Prepared Suet $\frac{1}{2}$ drn.; Oil of Theobroma to 2 drms. *Charing Cross.*

Pessus Conii.

Extract of Conium 10 grs.; Mass 20 grs.: mix. *Women.*

Pessus Hydrargyri.

Mercurial Ointment 30 grs.; Oil of Theobroma to 2 drms. *Westminster.*

Mercurial Ointment 10 grs.; Mass 20 grs.: mix. *Women.*

Pessus Morphiæ.

Hydrochlorate of Morphia $\frac{1}{2}$ gr.; Oil of Theobroma 70 grs. *London.*

Hydrochlorate of Morphia 1 gr.; Prepared Suet $\frac{1}{2}$ drn.; Oil of Theobroma $1\frac{1}{2}$ drn. *Charing Cross.*

Acetate of Morphia $\frac{1}{3}$ gr.; Gelatine (water *q. s.*) 5 grs.; Glycerine 20 mins. *British Skin.*

Acetate of Morphia $\frac{1}{3}$ gr.; Mass 25 grs. *Women.*

Pessus Plumbi Iodidi.

Iodide of Lead 5 grs.; Prepared Suet 25 grs.; Oil of Theobroma $1\frac{1}{2}$ drn. *Charing Cross.*

Pessus Plumbi Iodidi et Atropiæ.

Iodide of Lead 10 grs. ; Sulphate of Atropia $\frac{1}{18}$ gr. ;
Oil of Theobroma 1 drm. *London.*

Pessus Plumbi c. Iodo.

Acetate of Lead 6 grs. ; Iodine 1 gr. ; Mass 20 grs. :
mix. *Women.*

Pessus Potassii Bromidi et Belladonnæ.

Bromide of Potassium 10 grs. ; Extract of Bella-
donna 1 gr. ; Theobroma Oil 20 grs. *Women.*

Pessus Zinci.

Oxide of Zinc 15 grs. ; Mass 20 grs. : mix. *Women.*

Pessus Zinci et Atropiæ.

Dried Sulphate of Zinc 10 grs. ; Sulphate of Atropia
 $\frac{1}{18}$ gr. ; Oil of Theobroma 1 drm. *London.*

PIGMENTA.

Pigmentum Acidi Carbolici.

Carbolic Acid 1 drm. ; Linseed Oil 7 drms. *Royal*
Free.

Carbolic Acid $\frac{1}{2}$ oz. ; Glycerine $\frac{1}{2}$ oz. *British Skin.*

Pigmentum Acidi Carbolici Mitius.

Carbolic Acid 1 drm. ; Glycerine to 1 oz. *King's.*
Carbolic Acid $\frac{1}{2}$ drm. ; water 1 oz. *Throat.*

Pigmentum Acidi Tannici.

Tannic Acid 3 drms. ; Glycerine 6 drms. *British*
Skin.

Pigmentum Aloes.

Extract of Barbadoes Aloes 3 drms.; Glycerine 6 drms. *British Skin.*

Pigmentum Aluminii Chloridi.

15 mins. of a Solution Sp. G. 1250; water 1 oz. *Throat.*

Pigmentum Argenti Nitratis.

Nitrate of Silver 10 grs.; Spirit of Nitrous Ether 1 oz. *Middlesex.*

Crystals of Nitrate of Silver 60 grs.; water 1 oz. *Throat.*

Pigmentum Belladonnæ.

Extract of Belladonna 2 drms.; Glycerine 2 drms.; water 1 drm. *Westminster. Westminster Ophthalmic.*

Pigmentum Benzolis.

(Benzino). *British Skin.*

Pigmentum Cupri Sulphatis.

Crystals of Sulphate of Copper 15 grs.; water 1 oz. *Throat.*

Pigmentum Ferri Perchloridi.

Solution of Perchloride of Iron $\frac{1}{2}$ oz.; Glycerine to 1 oz. *King's.*

Pigmentum Ferri Perchloridi Dilutum.

Crystallized Perchloride of Iron 1 drm.; water 1 oz. *Throat.*

Pigmentum Ferri Perchloridi Forte.

Crystallized Perchloride of Iron 2 drms.; water 1 oz. *Throat.*

Pigmentum Ferri Sulphatis.

Sulphate of Iron 1 drm.; water 1½ oz. *Throat.*

Pigmentum Ferro-Aluminis.

Iron Alum 60 grs.; water 1 oz. *Throat.*

Pigmentum Glycerini.

Glycerine ½ oz.; Rectified Spirit ½ oz. *British Skin.*

Pigmentum Guttæ Perchæ.

Gutta Percha 90 grs.; Chloroform 1 oz. *Fever.*

Pigmentum Hydrargyri.

Blue Pill 1 drm.; Glycerine sufficient. *Westminster.*

Pigmentum Hydrargyri Perchloridi.

Perchloride of Mercury 2 grs.; Glycerine 2 drms.; Rectified Spirit 1 oz. *British Skin.*

Pigmentum Iodi.

Iodine 1 drm.; Spirit of Wine 1 oz. *King's.*

Iodine 1 oz.; Iodide of Potassium 1 oz.; Rectified Spirit 2 oz.; water to 4 oz. *Royal Free.*

Iodine 30 grs.; Iodide of Potassium 30 grs.; Rectified Spirit to 1 oz. *Middlesex.*

Iodine 40 grs.; Iodide of Potassium 20 grs.; Rectified Spirit 1½ oz. *London.*

Iodine 80 grs.; Iodide of Potassium 40 grs.; Rectified Spirit 1 oz. *Fever. Consumption.*

Liniment of Iodine 2 drms.; Rectified Spirit 6 drms. *Westminster. Westminster Ophthalmic.*

Iodine ½ oz.; Iodide of Potassium 2 drms.; Glycerine 1 oz. *British Skin.*

Linimentum Iodi P. B. *Throat.*

Pigmentum Iodi et Olei Picis.

Iodine 2 drms.; Light Oil of Wood Tar 1 oz.: mix carefully, apply heat if necessary; after ebullition preserve for use. *University.*

Pigmentum Olei Cadi.

Empyreumatic Juniper Oil (Huile de Cade) *q. s.*
British Skin.

Pigmentum Olei Ricini.

Castor Oil 3 drms.; Rectified Spirit 6 drms. *British Skin.*

Pigmentum Olei Ricini c. Collodio.

Collodion 4 drms.; Castor Oil to 1½ oz. *Fever.*
Collodion 4 drms.; Castor Oil to 1 oz. *King's.*

Pigmentum Ovi.

The Whites of 2 Eggs; Rectified Spirit 1 oz. *Fever.*

Pigmentum Picis Fortius v. Picis.

Tar ½ oz.; Rectified Spirit to 1 oz. *King's. Royal Free.*

Pigmentum Picis c. Iodo.

Iodine 2 drms.; Rectified Oil of Tar 1 oz. *British Skin.*

Pigmentum Picis Liquidæ.

Tar ½ oz.; Rectified Spirit ½ oz. *British Skin.*

Pigmentum Picis Mitius.

Tar 1 drms.; Rectified Spirit 7 drms. *King's.*

Pigmentum Plumbi.

(Plumbi Subacetatis Glyeerinum).

The Plumbi Subacetatis Liquor made with Glycerine in place of water. *British Skin.*

Pigmentum Sulphuris.

Precipitated Sulphur, Carbonate of Potash, Glycerine, Rectified Spirit, equal parts. *King's.*

Pigmentum Zinci Chloridi Dilutum.

Chloride of Zinc 15 grs.; water 1 oz. *Throat.*

Pigmentum Zinci Chloridi Forte.

Chloride of Zinc $\frac{1}{2}$ drn.; water 1 oz. *Throat.*

Pigmentum Zinci Sulphatis.

Sulphate of Zinc 1 drn.; water 1 oz. *Throat.*

PILULÆ.

Pilula Acidi Arseniosi.

Arsenious Acid $\frac{1}{12}$ gr.; Black Pepper $\frac{1}{2}$ gr.; Extract of Gentian 2 grs. *British Skin.*

Pilula Acidi Gallici.

Gallic Acid $3\frac{1}{2}$ grs.; Extract of Gentian $1\frac{1}{2}$ gr.: in one pill. Dose 1 to 2. *Consumption.*

Gallic Acid $2\frac{1}{2}$ grs.; Extract of Henbane 1 gr. *Royal Chest.*

Gallic Acid 3 grs.; Extract of Rhatany 2 grs.; Glycerine *q. s.*: in one pill. *Samaritan.*

Gallic Acid 4 grs.; Confection of Roses *q. s.*: in one pill. *City Chest.*

Pilula Acidi Gallici c. Morph.

Gallic Acid $3\frac{1}{2}$ grs.; Hydrochlorate of Morphia $\frac{1}{8}$ gr.; Extract of Gentian *q. s.*: in one pill. Dose 1 to 2. *Consumption.*

Pilula Acidi Gallici et Opii.

Gallic Acid 4 grs.; Extract of Opium $\frac{1}{4}$ gr.;
Confection of Roses *q. s.*: in one pill. *City Chest.*

Pilula Acidi Tannici c. Opio.

Tannic Acid 5 grs.; Powder of Opium $\frac{1}{4}$ gr.; Mu-
cilage to form one pill. *St. Thomas's.*

Tannic Acid 4 grs.; Opium $\frac{1}{4}$ gr.; Mucilage of
Tragacanth *q. s.*: in one pill. *City Chest.*

Pilula Aconiti et Belladonnæ.

Extract of Aconite $\frac{1}{6}$ gr.; Extract of Belladonna $\frac{1}{6}$
gr.; Sugar of Milk 2 grs.; Treacle *q. s.* *London Ophthalmic.*

Pilula Aloes et Assafoetidæ c. Ferro.

Sulphate of Iron 1 gr.; Pill of Aloes and Assafoetida
4 grs. *Women. British Skin.*

Pilula Aloes c. Belladonnâ.

Socotrine Aloes $1\frac{1}{2}$ gr.; Extract of Belladonna $\frac{1}{4}$ gr.
Consumption.

Extract of Aloes 1 gr.; Extract of Belladonna $\frac{1}{3}$ gr.
St. Mary's.

Pilula Aloes c. Ferro.

Socotrine Aloes 1 gr.; Sulphate of Iron 1 gr.;
Extract of Gentian 2 grs.; Capsicum $\frac{1}{3}$ gr.;
Treacle *q. s.*: for one pill. *Westminster Oph-
thalmic.*

Aloes 1 gr.; Dried Sulphate of Iron 1 gr.; Extract
of Gentian 2 grs.; Treacle *q. s.*: in one pill.
London. Throat.

Pill of Aloes and Assafoetida 4 grs.; Sulphate of
Iron 1 gr. *Fever.*

Socotrine Aloes 1 gr.; Dried Sulphate of Iron 1 gr.;
 Extract of Gentian 2 grs. *London.*
 Aloes 2 grs.; Sulphate of Iron 1 gr.; Hard Soap 2
 grs. *Gt. Northern.*

Pilula Aloes c. Ipecacuanhâ.

Extract of Socotrine Aloes 1 gr.; Ipecacuanha $\frac{1}{2}$ gr.;
 Extract of Gentian $1\frac{1}{2}$ gr. : in one pill. Dose
 1 to 2. *Consumption.*
 Pill of Aloes and Myrrh $4\frac{3}{4}$ grs.; Ipecacuanha $\frac{1}{4}$ gr.
Charing Cross.

Pilula Aloes c. Myrrhâ.

Aloes 2 grs.; Myrrh 1 gr.; Soap 1 gr.; water *q. s.* :
 in one pill. *London.*

Pilula Aloes c. Nuce Vomica.

Extract of Nux Vomica $\frac{1}{4}$ gr. : Extract of Aloes 1
 gr.; Myrrh 2 grs.; Soap *q. s.* : in one pill.
City Chest.
 Extract of Nux Vomica $\frac{1}{4}$ gr.; Pill of Barbadoes
 Aloes 4 grs. *Royal Chest.*
 Pill of Barbadoes Aloes $4\frac{1}{2}$ grs.; Extract of Nux
 Vomica $\frac{1}{4}$ gr.; Treacle *q. s.* : for one pill. *St.*
Bartholomew's.
 Extract of Socotrine Aloes 2 grs.; Extract of Nux
 Vomica $\frac{1}{4}$ gr. *Consumption.*
 Extract of Socotrine Aloes 1 gr.; Extract of Hen-
 bane 1 gr.; Extract of Nux Vomica $\frac{1}{2}$ gr.; Soap
 $1\frac{1}{2}$ gr. : to make one pill. *St. Thomas's.*
 Extract of Aloes 1 gr.; Extract of Henbane 2 grs. :
 Extract of Nux Vomica $\frac{1}{4}$ gr. *Women.*
 Extract of Socotrine Aloes 1 gr.; Extract of Hen-
 bane 2 grs.; Extract of Nux Vomica $\frac{1}{4}$ gr.;
 Hard Soap $1\frac{3}{4}$ grs. *Middlesex.*
 Extract of Aloes $1\frac{1}{2}$ gr.; Extract of Nux Vomica
 $\frac{1}{2}$ gr.; Extract of Belladonna $\frac{1}{3}$ gr.; Powdered
 Liquorice 2 grs.; Glycyrine of Tragacanth
q. s. : for one pill. *University.*

Extract of Barbadoes Aloes 2 grs.; Extract of Hyoseyamus 1 gr.; Extract of Nux Vomica $\frac{1}{4}$ gr. *Westminster.*

Extract of Aloes 1 gr.; Extract of Nux Vomica $\frac{1}{3}$ gr.; Soap *q. s.* *St. Mary's.*

Pilula Aloes c. Sapone.

Cape Aloes 2 grs.; Hard Soap 2 grs.; water *q. s.*: form one pill. *St. Bartholomew's.*

Pilula Aloes Socotrinæ.

Extract of Socotrine Aloes 1 gr.; Ginger 1 gr.; Extract of Gentian 2 grs. *London.*

Pilula Alterativa.

Colocynth and Henbano Pill 3 grs.; Blue Pill $1\frac{1}{2}$ gr.; Ipecacuanha $\frac{1}{4}$ gr.; Acetic Extract of Colchicum $\frac{1}{4}$ gr.: for one pill. *London.*

Compound Extract of Colocynth 1 gr.; Extract of Henbano 1 gr.; Blue Pill 1 gr.; Ipecacuanha $\frac{1}{4}$ gr.: in one pill. *Samritan.*

Pilula Antimon. Opiat.

Tartar Emetic $\frac{1}{4}$ gr.; Opium $\frac{1}{2}$ gr.; Treacle *q. s.*: in one pill. *Guy's.*

Pilula Antimon. Opiat. Fort.

Tartar Emetic $\frac{1}{4}$ gr.; Opium 1 gr.; Treacle *q. s.*: in one pill. *Guy's.*

Pilula Aperiens.

Barbadoes Aloes, Scammony, Jalap, Ginger, of each 1 gr.; Treacle sufficient to make one pill. *London Ophthalmic. Westminster Ophthalmic.*

Pilula Aperiens Fortior.

Socotrine Aloes 2 grs.; Colocynth 1 gr.; Gamboge 1 gr.; Oil of Cassia $\frac{1}{2}$ min.; Compound Decoction of Aloes *q. s.*: in one pill. *City Chest.*

Pilula Aperiens vel "Pil. 70."

Gamboge 120 grs.; Soft Soap 1 oz.; Barbadoes
Aloes 4 oz.; Jalap 4 oz.; Colocynth $1\frac{1}{2}$ oz.;
Ginger 60 grs.; Olive Oil 2 drms.; Oil of Cloves
1 drm.; Treacle *q. s.*: mix. Dose 5 to 10 grs.
Gt. Northern.

Pilula Argenti Nitr.

Nitrate of Silver $\frac{1}{2}$ gr.; Extract of Gentian $1\frac{2}{3}$ gr.;
Flour $1\frac{2}{3}$ gr.: in one pill. *London.*
Nitrate of Silver $\frac{1}{6}$ gr.; Dover's Powder 2 grs.;
Mucilage *q. s.*: in one pill. *City Chest.*
Nitrate of Silver $\frac{1}{4}$ gr.; water *q. s.*; Flour 2 grs.:
in one pill. Dose 1 to 2. *Consumption.*
Nitrate of Silver $\frac{1}{2}$ gr.; Opium $\frac{1}{4}$ gr.; Extract of
Henbane 1 gr. *Fever.*
Nitrate of Silver $\frac{1}{6}$ gr.; Bread Mass *q. s.* *Royal*
Chest.

Pilula Argenti Oxid.

Oxide of Silver $\frac{1}{2}$ gr.; Powdered Ginger $\frac{1}{2}$ gr.;
Flour $2\frac{1}{2}$ grs.; Treacle *q. s.*: in one pill.
London.
Oxide of Silver $\frac{1}{2}$ gr.; Extract of Hops 2 grs.: in
one pill. *City Chest.*

Pilula Argenti Oxidi et Opii.

Oxide of Silver $\frac{1}{2}$ gr.; Opium $\frac{1}{2}$ gr.; Mucilage *q. s.*
City Chest.

Pilula Assafoetidæ c. Ferro.

Comp. Assafoetida Pill 4 grs.; Dried Sulphate of
Iron 1 gr.: in one pill. *London.*
Assafoetida 2 grs.; Sulphate of Iron 1 gr.; Extract
of Gentian 1 gr. *Consumption.*
Comp. Assafoetida Pill 4 grs.; Sulphate of Iron 1
gr.: in one pill. *City Chest.*

Pilula Assafoetidæ c. Zinci Sulphate.

Sulphate of Zinc 1 gr.; Comp. Assafoetida Pill 4 grs.: for one pill. *City Chest.*

Pilula Atropiæ et Morphine.

Sulphate of Atropine $\frac{1}{40}$ gr.; Hydrochlorate of Morphine $\frac{1}{4}$ gr.; Capsicum 1 gr.; Pill of Aloes and Myrrh 3 grs. *City Chest.*

Pilula Atropiæ Sulphatis.

Sulphate of Atropine $\frac{1}{30}$, $\frac{1}{15}$, $\frac{1}{10}$ gr.: in one pill. *City Chest.*

Pilula Belladonnæ.

Extract of Belladonna $\frac{1}{4}$ to $\frac{1}{2}$ gr.; Extract of Gentian $1\frac{1}{2}$ gr.; Cinnamon *q. s.* *Consumption.*

Extract of Belladonna $\frac{1}{4}$ gr.: in one pill. *City Chest.*

Extract of Belladonna $\frac{1}{4}$ gr.; Extract of Gentian 1 grs. *Royal Chest.*

Pilula Belladon. c. Ipecac.

Extract of Belladonna $\frac{1}{4}$ gr.; Ipecacuanha $\frac{1}{2}$ gr.; Extract of Taraxacum 3 grs.: in one pill. *Consumption.*

Pilula Belladonnæ et Zinci Sulph.

Extract of Belladonna $\frac{1}{8}$ gr.; Sulphate of Zinc 1 gr.; Sugar of Milk 1 gr.; Treacle *q. s.* *London Ophthalmic.*

Pilula Bismuthi.

Subnitrate of Bismuth 5 grs.; Mucilage *q. s.*: in one pill. *City Chest.*

Pilula Bismuthi et Conii.

Subnitrate of Bismuth 4 grs.; Extract of Conium 2 grs.: in one pill. *City Chest.*

Pilula Bismuthi et Hyoscyami.

Subnitrate of Bismuth 4 grs. ; Extract of Henbane 2 grs. : in one pill. *City Chest.*

Pilula Calcii Sulphidi.

Sulphide of Calcium $\frac{1}{3}$ gr. ; Compound Tragacanth Powder 1 gr. ; water *q. s.* (varnished). *Univ.-sity.*

Pilula Calomelanos. *Vide* Pil. Hydr. Subchlor.

Pilula Cambogiæ Aloes et Rhei.

Rhubarb $\frac{1}{2}$ gr. ; Aloes $\frac{3}{4}$ gr. ; Gamboge $\frac{1}{4}$ gr. ; Ginger 1 gr. ; Treacle *q. s.* *Royal Chest.*

Pilula Cambogiæ Comp.

Gamboge $\frac{1}{2}$ gr. ; Comp. Extract of Colocynth $2\frac{1}{2}$ grs. ; Extract of Henbane 2 grs. *Samaritan.*

Pilula Camphor. Co.

Camphor 3 grs. ; Extract of Henbane 2 grs. ; Spirit of Wine 1 drop : in one pill. *London.*

Pilula Camphor. et Hyoscyam.

Camphor $2\frac{1}{2}$ grs. ; Extract of Henbane $2\frac{1}{2}$ grs. ; Rectified Spirit *q. s.* : in one pill. *Westminster.*

Camphor 2 grs. ; Extract of Henbane 3 grs. : in one pill. *Middlesex. Consumption. Fever. City Chest. Guy's.*

Camphor $2\frac{1}{2}$ grs. ; Extract of Henbane $2\frac{1}{2}$ grs. *St. Bartholomew's. Gt. Northern. Westminster Ophthalmic.*

Pilula Camphor. c. Opio.

Camphor 2 grs. ; Opium $\frac{1}{2}$ gr. : in one pill. *St. Bartholomew's.*

Camphor 2 grs. ; Opium $\frac{1}{4}$ gr. ; Extract of Henbane 3 grs. ; Rectified Spirit *q. s.* *Royal Free.*

Camphor 1 gr. ; Opium 1 gr. ; Extract of Hops sufficient : in one pill. *Consumption.*

Pilula Cannab. Ind.

Extract of Indian Hemp $\frac{1}{2}$ gr. ; Liquorice and Mucilage of each sufficient : in one pill. Dose 1 to 2. *Consumption.*

Extract of Indian Hemp $\frac{1}{4}$ gr. ; Extract of Gentian 2 grs. ; Broad Mass 1 gr. *Royal Chest.*

Extract of Indian Hemp $\frac{1}{4}$ gr. ; Sugar of Milk 2 grs. ; Treacle *q. s.* *London Ophthalmic.*

Pilula Cathartica.

Calomel 1 gr. ; Comp. Extract of Colocynth 3 grs. ; Extract of Henbane 1 gr. : for one pill. *London Ophthalmic.*

Calomel 8 grs. ; Scammony 8 grs. ; Colocynth Pulp 8 grs. ; Gamboge 8 grs. ; Barbadoes Aloes 12 grs. ; Jalap 16 grs. ; Croton Oil 1 drop ; Oil of Peppermint 2 drops ; Glycerine and Treacle *q. s.* : divide into 16 pills. Dose 5 to 10 grs. *Royal Free.*

Aloes 1 gr. ; Jalap 3 grs. ; Gamboge 1 gr. ; Oil of Cloves $\frac{1}{3}$ min. ; water *q. s.* : in one pill. *London Throat.*

Pilula Cathartica c. Hydr. Subchlor.

Aloes 1 gr. ; Jalap 3 grs. ; Calomel $\frac{1}{2}$ gr. ; water *q. s.* : in one pill. *London.*

Pilula Corii Oxalatis.

Oxalate of Cerium 3 grs. ; Extract of Gentian *q. s.* *City Chest.*

Pilula Colchici Acetici.

Acetic Extract of Colchicum $1\frac{1}{2}$ gr. ; Heavy Carbonate of Magnesia *q. s.* : in one pill. *St. Mary's.*

Pilula Colchici c. Belladon.

Acetic Extract of Colchicum 1 gr.; Extract of Belladonna $\frac{1}{2}$ gr.; Extract of Chamomile 2 grs. : in one pill. *St. Thomas's.*

Pilula Colchici Co.

Acetic Extract of Colchicum 2 grs.; Dover's Powder 3 grs. : in one pill. *Middlesex.*

Acetic Extract of Colchicum 1 gr.; Compound Powder of Ipecacuanha 4 grs. : in one pill. *City Chest.*

Acetic Extract of Colchicum 1 gr.; Blue Pill 2 grs.; Extract of Gentian 2 grs. *Charing Cross.*

Extract of Colchicum $\frac{1}{2}$ gr.; Calomel 1 gr.; Compound Powder of Ipecacuanha $2\frac{1}{2}$ grs. *University.*

Pilula Colchici c. Ipecac. Co.

Acetic Extract of Colchicum $\frac{1}{2}$ gr.; Dover's Powder 4 grs.; Treacle *q. s.* : in one pill. *London.*

Pilula Colchici c. Opio.

Acetic Extract of Colchicum 2 grs.; Dover's Powder 5 grs. : in two pills. *St. George's.*

Pilula Colchici c. Quinia.

Acetic Extract of Colchicum 1 gr.; Sulphate of Quinia 1 gr. *London Ophthalmic.*

Pilula Colocynthis.

Compound Extract of Colocynth 5 grs. *London.*

Pilula Colocynth. c. Assafoetidâ.

Compound Colocynth Pill 2 grs.; Compound Assafoetida Pill 3 grs. : in one pill. Dose 1 to 2 pills. *Consumption.*

Pilula Colocynth. c. Hydrargyro.

Compound Colocynth Pill 3 grs.; Blue Pill 2 grs. : in one pill. *London Ophthalmic. University.*

Comp. Extract of Colocynth 2 grs.; Ipecacuanha $\frac{1}{6}$ gr.; Blue Pill 2 grs.; Extract of Hyoscyamus 1 gr. *Westminster.*

Comp. Extract of Colocynth $2\frac{1}{2}$ grs.; Blue Pill $2\frac{1}{2}$ grs.: in one pill. *Middlesex. London. St. George's.*

Colocynth and Hyoscyamus Pill $3\frac{1}{2}$ grs.; Blue Pill $1\frac{1}{2}$ gr.: in one pill. Dose 1 to 2 pills. *Consumption.*

Comp. Extract of Colocynth 2 grs.; Blue Pill 1 gr.; Extract of Henbane 2 grs. *St. Mary's.*

Pilula Colocynth. c. Hydr. Subchlor.

Comp. Colocynth Pill 3 grs.; Calomel 1 gr. *University.*

Comp. Colocynth Pill 4 grs.; Calomel 1 gr.: in one pill. *London. Westminster Ophthalmic. Guy's. Women. St. Thomas's, with Comp. Ext.*

Comp. Extract of Colocynth 7 grs.; Calomel 3 grs.: in two pills. *St. George's.*

Extract of Colocynth 3 grs.; Calomel 2 grs. *St. Mary's.*

Pilula Colocynth. c. Hyoscyamo.

Comp. Colocynth Pill 3 grs.; Extract of Henbane 2 grs. *Westminster Ophthalmic.*

Comp. Colocynth Pill $2\frac{1}{2}$ grs.; Extract of Henbane $2\frac{1}{2}$ grs. *London. Guy's.*

Pilula Colocynth. c. Ipecac. vel Pil. Aperients.

Comp. Colocynth Pill 2 grs.; Blue Pill $1\frac{1}{2}$ gr.; Ipecacuanha $\frac{1}{3}$ gr.; Extract of Henbane 1 gr.: in one pill. *University.*

Pilula Colocynth. c. Oleo Crotonis.

Comp. Colocynth Pill 4 grs.; Capsicum $\frac{1}{4}$ gr.; Oil of Croton $\frac{1}{2}$ min.: in one pill. *Consumption.*

Comp. Colocynth Pill 4 grs.; Oil of Croton $\frac{1}{2}$ min. *King's.*

Pilula Colocynth. c. Opio.

Opium Pill (now Comp. Soap Pill) 5 grs.; Comp.
Extract of Colocynth 5 grs.: into two pills.
St. George's.

Pilula Colocynth. c. Rheo.

Compound Colocynth Pill 2 grs.; Compound Rhu-
barb Pill 3 grs. *University.*
Compound Ext. of Colocynth $2\frac{1}{2}$ grs.; Compound
Rhubarb Pills $2\frac{1}{2}$ grs. *Women.*

Pilula Colocynth. Scam. et Rhei.

Comp. Extract of Colocynth 3 grs.; Scammony 1
gr.; Extract of Rhubarb 1 gr.; Oil of Cinna-
mon $\frac{1}{2}$ drop. *St. Thomas's.*

Pilula Conii.

Extract of Conium 5 grs.: in one pill. *London.*

Pilula Conii c. Acid. Benz.

Extract of Conium 2 grs.; Benzoic Acid 3 grs.
Guy's.

Pilula Conii c. Bismuth.

Extract of Conium $2\frac{1}{2}$ grs.; Nitrate of Bismuth 5
grs.: in one pill. *Guy's.*

Pilula Conii Co.

Extract of Conium 4 grs.; Powder of Ipecacuanha
1 gr. *Guy's.*

Extract of Conium 300 grs.; Ipecacuanha 60 grs.;
Treacle *q. s.*: divide into 78 pills. *St. George's.*

Pilula Conii c. Hydr.

Extract of Conium $4\frac{1}{8}$ grs.; Blue Pill 1 gr. *Guy's.*

Pilula Conii c. Ipecac.

Extract of Conium 4 grs.; Ipecacuanha $\frac{1}{2}$ gr.;
Magnesia $\frac{1}{2}$ gr.: in one pill. *Women.*

Pilula Conii et Ipecac. Comp.

Extract of Conium, Ipecacuanha, Extract of Henbane, Comp. Squill Pill, of each 1 gr. *Royal Chest.*

Pilula Conii c. Morphiâ.

Hydrochlorate of Morphia $\frac{1}{6}$ gr.; Compound Pill of Conium to 5 grs. *Charing Cross.*

Extract of Conium 4 grs.; Ipecacuanha $\frac{1}{2}$ gr.;
Hydrochlorate of Morphia $\frac{1}{8}$ gr.: in one pill.
Consumption. Royal Chest. Gt. Northern.

Hydrochlorate of Morphia $\frac{1}{8}$ gr.; Extract of Conium 4 grs. *Westminster.*

Compound Pill of Conium 5 grs.; Hydrochlorate of Morphia $\frac{1}{4}$ gr.: in one pill. *Middlesex.*

Pilula Conii et Zinci.

Sulphate of Zinc 2 grs.; Extract of Conium 3 grs.:
in one pill. *City Chest.*

Pilula Creasoti.

Creasote 1 min.; Crumb of Bread *q. s.*: for one pill. *St. Bartholomew's. City Chest.*

Pilula Creasoti c. Assafoetidâ.

Creasote 1 min.; Comp. Assafoetida Pill 2 grs.;
Comp. Rhubarb Pill 2 grs.: in one pill. *St. Bartholomew's.*

Pilula Crotonis.

Croton Oil $\frac{1}{4}$ min.; Comp. Extract of Colocynth 5 grs. *British Skin.*

Croton Oil 1 min.; Hard Soap 5 grs.: in one pill.
London.

Croton Oil $\frac{1}{2}$ min.; Hard Soap 2 grs.; Comp. Extract of Colocynth $2\frac{1}{2}$ grs. *Charing Cross.*

Pilula Crotonis Co.

Croton Oil $\frac{1}{2}$ min.; Comp. Pill of Colocynth 4 grs.: in one pill. *Westminster Ophthalmic.*

Oil of Croton 1 min.; Comp. Extract of Colocynth 30 grs.: divided into six pills. *Women.*

Pilula Cupri Co.

Sulphate of Copper $\frac{1}{4}$ gr.; Opium $\frac{1}{6}$ gr.; Liquorice Powder $2\frac{1}{2}$ grs.; Treacle to 5 grs.: in one pill.
Middlesex.

Sulphate of Copper $\frac{1}{4}$ gr.; Opium $\frac{1}{4}$ gr.; Confection of Roses *q. s.* *Fever.*

Pilula Cupri Sulph.

Sulphate of Copper $\frac{1}{4}$ gr.; Opium in powder $\frac{1}{2}$ gr.; Confection of Hips *q. s.*: for one pill. *Guy's.*

Pilula Cupri Sulph. c. Opio.

Sulphate of Copper $\frac{1}{4}$ gr.; Opium $\frac{1}{2}$ gr.; Extract of Gentian 2 grs.: in one pill. Dose 1 to 2 pills. *Consumption.*

Sulphate of Copper $\frac{1}{2}$ gr.; Opium $\frac{1}{4}$ gr.; Extract of Gentian *q. s.* *Royal Chest. London.*

Sulphate of Copper $\frac{1}{2}$ gr.; Extract of Opium $\frac{1}{2}$ gr. *Royal Free.*

Sulphate of Copper $\frac{1}{4}$ gr.; Extract of Opium $\frac{1}{4}$ gr.; Confection of Roses *q. s.*: in one pill. *City Chest.*

Pilula Digitalis.

Digitalis $\frac{1}{2}$ gr.; Sulphate of Iron $\frac{1}{2}$ gr.; Capsicum $\frac{1}{4}$ gr.; Comp. Rhubarb Pill $1\frac{1}{2}$ grs.: in one pill.
Samaritan.

Pilula Digitalis Co.

Digitalis Powder $\frac{1}{2}$ gr.; Squill 1 gr.; Blue Pill 3 grs. : in one pill. *St. George's.*

Digitalis Powder $\frac{1}{2}$ gr.; Squill 1 gr.; Blue Pill 1 gr.; Liquorice Powder 1 gr.; Treacle to 5 grs. : in one pill. *Middlesex.*

Pilula Digitalis c. Hydrarg.

Digitalis Powder 1 gr.; Squill 2 grs.; Blue Pill 2 grs. : in one pill. *Consumption.*

Pilula Digitalis c. Scillâ.

Digitalis Powder $\frac{1}{2}$ gr.; Compound Squill Pill $4\frac{1}{2}$ grs. : in one pill. *Middlesex.*

Pilula Diuretica c. Hydr. Subchlor.

Calomel 1 gr.; Squill 1 gr.; Digitalis Powder 1 gr.; Extract of Henbane $1\frac{2}{3}$ gr. *Guy's.*

Pilula Doveri et Hydrargyri.

Dover's Powder 4 grs.; Blue Pill 1 gr. : in one pill. *City Chest.*

Pilula Doveri et Hydrargyri cum Cretâ.

Dover's Powder $2\frac{1}{2}$ grs.; Grey Powder $2\frac{1}{2}$ grs.; Mucilage *q. s.* : in one pill. *City Chest.*

Pilula Doveri et Hyoscyami.

Extract of Henbane $2\frac{1}{2}$ grs.; Dover's Powder $2\frac{1}{2}$ grs. : in one pill. *City Chest.*

Pilula Doveri et Hyoscyami et Scillæ.

Dover's Powder 2 grs.; Extract of Henbane 2 grs.; Squill 1 gr. : in one pill. *City Chest.*

Pilula Doveri et Hyoscyami et Zinci.

Dover's Powder 2 grs.; Extract of Henbane 2 grs.;
Oxide of Zinc 1 gr.: in one pill. *City Chest.*

Pilula Doveri et Papaveris.

Extract of Poppies $2\frac{1}{2}$ grs.; Dover's Powder $2\frac{1}{2}$ grs.: in one pill. *City Chest.*

Pilula Doveri et Scillæ et Digitalis.

Dover's Powder 2 grs.; Squill 1 gr.; Digitalis 1 gr.; Confection of Roses *q. s.*: in one pill.
City Chest.

Pilula Elaterii.

Elaterium $\frac{1}{12}$ gr.; Extract of Henbane 4 grs.: in one pill. *St. Mary's.*

Elaterium $\frac{1}{6}$ gr.; Extract of Belladonna $\frac{1}{4}$ gr.; Capsicum 1 gr.; Extract of Jalap $3\frac{1}{2}$ grs.
Charing Cross.

Elaterium $\frac{1}{4}$ gr.; Calomel $\frac{1}{2}$ gr.; Capsicum 1 gr.; Extract of Poppies 1 gr.: in one pill. *Samaritan.*

Pilula Elaterii Co.

Elaterium $\frac{1}{6}$ gr.; Extract of Aloes $1\frac{1}{2}$ gr.: Extract of Henbane 3 grs.: in one pill. *Middlesex.*

Elaterium $\frac{1}{12}$ gr.; Comp. Gamboge Pill $2\frac{1}{2}$ grs.; Compound Colocynth Pill $2\frac{1}{2}$ grs.; Oil of Cassia $\frac{1}{2}$ min.: in one pill. *City Chest.*

Elaterium $\frac{1}{6}$ gr.; Extract of Socotrine Aloes 1 gr.; Extract of Henbane 3 grs. *Women.*

Elaterium $\frac{1}{4}$ gr.; Comp. Extract of Colocynth 2 grs.; Calomel $1\frac{1}{2}$ gr.; Capsicum $\frac{1}{2}$ gr.; Treacle *q. s.*: in one pill. *St. Thomas's. St. Bartholomew's.*

Pilula Ergotæ et Opii.

Extract of Ergot 1 gr.; Tannic Acid 2 grs.; Extract of Opium $\frac{1}{4}$ gr.: in one pill. *City Chest.*

Pilula Expectorans.

Guaiacum 1 gr.; Ipecacuanha $\frac{1}{2}$ gr.; Opium $\frac{1}{2}$ gr.;
Comp. Squill Pill 2 grs.: in one pill. *City Chest.*

Squill $1\frac{1}{2}$ gr.; Ipecacuanha $\frac{3}{4}$ gr.; Opium $\frac{1}{4}$ gr.;
Hard Soap $1\frac{1}{2}$ gr.; Glycerine *q. s.* *Royal Free.*

Ipecacuanha $\frac{1}{2}$ gr.; Extract of Conium 2 grs.;
Powder of Squill $1\frac{1}{2}$ gr.; Tartar Emetic $\frac{1}{4}$ gr.: in one pill. *Samaritan.*

Pilula Ferri. *Vide Pilula Ferri Redacti.*

Pilula Ferri et Aloes.

Sulphato of Iron 1 gr.; Aloes and Myrrh Pill 4 grs.: in one pill. *St. George's.*

Pilula Ferri Arseniatis.

Arseniate of Iron $\frac{1}{16}$ gr.; Extract of Gentian *q. s.*:
in one pill. Dose 1 to 2 pills. *Consumption.*

Pilula Ferri Co.

Sulphate of Iron 1 gr.; Carbonate of Soda 1 gr.;
Treacle 1 gr.; Myrrh 2 grs.: in one pill.
London. City Chest.

Pilula Ferri Foetida.

Sulphato of Iron 1 gr.; Assafoetida 4 grs.: in one pill. *Middlesex.*

Saccharated Carbonate of Iron 3 grs.; Comp. Assafoetida Pill 2 grs.; Treacle *q. s.*: in one pill.
St. Bartholomew's.

Pilula Ferri et Gentianæ.

Sulphate of Iron $1\frac{1}{2}$ gr.; Extract of Gentian $1\frac{1}{2}$ gr.;
Ginger $1\frac{1}{2}$ gr.: in one pill. *King's.*

Pilula Ferri Phosphatis.

Phosphate of Iron 1 gr.; Extract of Coloeynth 1 gr.; Extract of Hyoseyamus 1 gr.; Bread Crumbs 2 grs. *Charing Cross.*

Pilula Ferri et Potassæ Carbonatis.

Sulphate of Iron $2\frac{1}{2}$ grs.; Carbonate of Potash $2\frac{1}{2}$ grs.; Mucilage of Tragacanth *q. s.*: in one pill. *City Chest.*

Pilula Ferri et Quiniæ.

Sulphate of Iron 1 gr.; Sulphate of Quinia 1 gr.
Extract of Chamomile 1 gr. *Royal Chest.*
Sulphate of Iron 1 gr.; Sulphate of Quinia 1 gr.;
Rhubarb $\frac{3}{4}$ gr.; Ginger $\frac{1}{2}$ gr. *Samaritan.*

Pilula Ferri Quiniæ et Aloes.

Sulphate of Iron 1 gr.; Sulphate of Quinia 1 gr.;
Extract of Aloes $\frac{1}{3}$ gr.; Extract of Chamomile
1 gr. *Royal Chest.*

Pilula Ferri et Quiniæ Co.

Sulphate of Iron $\frac{1}{2}$ gr.; Sulphate of Quinia $\frac{1}{2}$ gr.;
Ipccaeuanha 1 gr.; Comp. Squill Pill 1 gr.;
Extract of Hemlock 1 gr. *Royal Chest.*

Pilula Ferri Redacti.

Reduced Iron 3 grs.; Balsam of Peru $\frac{1}{2}$ min.;
Starch *q. s.*: in one pill. *St. Bartholomew's.*

Pilula Ferri Sulph.

Dried Sulphate of Iron 1 gr.; Ginger 1 gr.; Ex-
tract of Gentian 3 grs.: in one pill. *St. Bar-
tholomew's. Gt. Northern.*
Dried Sulphate of Iron 5 grs.; Syrup 1 min. *Uni-
versity.*

Pilula Ferri Sulphat. Exsicc.

Dried Sulphate of Iron 4 grs. ; Bread Crumb and
Treacle of each *q. s.* : in one pill. *City Chest.*

Pilula Ferri c. Tiglio.

Sulphate of Iron 1 gr. ; Croton Oil $\frac{1}{12}$ min. ; Rhubarb Pill $1\frac{2}{3}$ gr. : in one pill. *Samaritan.*

Pil. Ferri et Valerian.

Sulphate of Iron 15 grs. ; Strychnia 1 gr. : Extract of Rhubarb 40 grs. ; Valerianate of Quinia 15 grs. Mix and divide into 30 pills. *Samaritan.*

Pilula Ferri Valerianatis.

Valerianate of Iron 2 grs. ; Acacia 1 gr. ; Extract of Henbane 1 gr. *Women.*

Pilula Ferri Valerianatis et Aloes.

Valerianate of Iron 1 gr. ; Extract of Aloes $\frac{1}{2}$ gr. ; Extract of Gentian 2 grs. : in one pill. *City Chest.*

Pilula Ferri et Zinci.

Sulphate of Iron 1 gr. ; Sulphate of Zinc 1 gr. ; Ipecacuanha 1 gr. ; Extract of Conium 2 grs. : in one pill. *City Chest.*

Pilula Fœtida c. Ferro. See Pilula Ferri Fœtida.**Pilula Galbani Co.**

Ph. Lond. *St. George's.*

Pilula Galbani et Rhei.

Comp. Galbanum Pill $2\frac{1}{2}$ grs. ; Comp. Rhubarb Pill $2\frac{1}{2}$ grs. : into one pill. *St. George's.*

Pilula Gentianæ et Ferri.

Extract of Gentian 3 grs. ; Sulphate of Iron 1 gr.
Guy's.

Pilula Gentianæ c. Zinco.

Extract of Gentian 3 grs. ; Sulphate of Zinc 1 gr. ;
Calumba in powder *q. s.* : for one pill. *Guy's.*

Pilula Hydrargyri et Aloes.

Mercurial Pill $2\frac{1}{2}$ grs. ; Barbadoes Aloes Pill $2\frac{1}{2}$ grs.
Charing Cross.

Pilula Hydrarg. Bichlor. c. Opio.

Perchloride of Mercury $\frac{1}{12}$ gr. ; Powder of Opium $\frac{1}{8}$
gr. ; Confection of Roses *q. s.* : in one pill.
Samaritan.

Pilula Hydrargyri Bromidi.

Bromide of Mercury $\frac{1}{2}$ gr. ; Confection of Roses *q. s.*
Women.

Pilula Hydr. c. Coloc.

Blue Pill 1 gr. ; Comp. Extract of Colocynth 4 grs. :
in one pill. *Samaritan.*

Blue Pill $2\frac{1}{2}$ grs. ; Comp. Pill of Colocynth $2\frac{1}{2}$ grs.
Royal Free.

Blue Pill 2 grs. ; Comp. Pill of Colocynth 3 grs. : in
one pill. *London Ophthalmic. Westminster*
Ophthalmic.

Blue Pill 1 gr. ; Extract of Colocynth 2 grs. ; Ex-
tract of Henbane 2 grs. Dose 1 to 2 pills. *St.*
Mary's.

Blue Pill 2 grs. ; Colocynth Pill with Henbane 3
grs. *Women. British Skin.*

Pilula Hydrargyri Co.

Mercurial Pill 2 grs. ; Powder of Ipecacuanha and
Opium 3 grs. *Fever.*

Pilula Hydr. c. Cretâ Co.

Grey Powder $2\frac{1}{2}$ grs.; Dover's Powder $2\frac{1}{2}$ grs.;
Treaelo *q. s.*: in one pill. *St. Bartholomew's.*
Middlesex. Westminster Ophthalmic.

Pilula Hydr. c. Cretâ et Pulv. Ipecac. Co.

(See also Pil. Doveri et Hydrarg. c. Cretâ.)

Grey Powder $2\frac{1}{2}$ grs.; Dover's Powder $2\frac{1}{2}$ grs.;
Confection of Hips *q. s.*: for one pill. *University.*
Grey Powder 2 grs.; Dover's Powder 3 grs.; Mu-
cilage *q. s.* *London Ophthalmic.*

Pilula Hydr. c. Cretâ et Rheo.

Grey Powder $2\frac{1}{2}$ grs.; Rhubarb $2\frac{1}{2}$ grs.; Treacle
q. s.: in one pill. *St. Bartholomew's.*

Pilula Hydrargyri Cyanidi.

Cyanide of Mercury $\frac{1}{10}$ gr.; Sugar of Milk $\frac{3}{4}$ gr.;
Mucilage *q. s.*: for one varnished pill. *Throat.*

Pilula Hydrargyri Diuretica.

Blue Pill 1 gr.; Digitalis 1 gr.; Squill 2 grs.: in
one pill. Dose 1 to 2 pills. *St. Mary's.*
Blue Pill 2 grs.; Squill 2 grs.; Digitalis 1 gr.
Charing Cross.

Pilula Hydr. c. Hyosecyamo.

Blue Pill $1\frac{1}{2}$ gr.; Extract of Henbane 2 grs.; Ex-
tract of Aloes $1\frac{1}{2}$ gr.: in one pill. *Middlesex.*
Blue Pill 3 grs.; Extract of Henbane 2 grs.: for
one pill. *Gt. Northern.*
Blue Pill $2\frac{1}{2}$ grs.; Extract of Henbane $2\frac{1}{2}$ grs.: in
one pill. *London.*

Pilula Hydr. Iod. c. Opio.

Green Iodide of Mercury 1 gr.; Powder of Opium
 $\frac{1}{4}$ gr.; Confection of Roses *q. s.* *Women.*

Green Iodide of Mercury 1 gr.; Extract of Opium $\frac{1}{2}$ gr.; Extract of Gentian 1 gr.; Confection of Roses *q. s.* *Royal Free.*

Pilula Hydrarg. Iodid. Virid.

Green Iodide of Mercury $\frac{1}{2}$ gr.; Powdered Opium $\frac{1}{4}$ gr.; Extract of Gentian 2 grs. *British Skin.*

Pilula Hydr. c. Opio.

Blue Pill 4 grs.; Opium $\frac{1}{4}$ gr.: in one pill. *Guy's.*

Blue Pill $4\frac{1}{2}$ grs.; Opium $\frac{1}{2}$ gr.: in one pill. *St. George's.*

Blue Pill 5 grs.; Opium $\frac{1}{2}$ gr. *London Ophthalmic. University, No. 3.*

Blue Pill 3 grs.; Opium $\frac{1}{4}$ gr.: in one pill. *King's. University, No. 2. Royal Free.*

Blue Pill 2 grs.; Opium $\frac{1}{8}$ gr. *University, No. 1.*

Blue Pill 5 grs.; Opium $\frac{1}{3}$ gr.: in one pill. *Westminster Ophthalmic.*

Pilula Hydr. Perchlor. c. Belladonnâ.

Perechloride of Mercury $\frac{1}{12}$ gr.; Extract of Belladonna $\frac{1}{8}$ gr.; Extract of Gentian 4 grs.: in one pill. *St. Bartholomew's.*

Pilula Hydr. c. Pulv. Ipecac. Co.

Blue Pill 2 grs.; Dover's Powder 3 grs.; Mucilage *q. s.*: in one pill. *Consumption.*

Blue Pill $2\frac{1}{2}$ grs.; Dover's Powder $2\frac{1}{2}$ grs. *London.*

Pilula Hydr. c. Quiniâ et Ferro.

Blue Pill 1 gr.; Sulphate of Quinia 1 gr.; Sulphate of Iron 2 grs.; Treacle *q. s.*: in one pill. *Westminster Ophthalmic.*

Pilula Hydr. c. Rheo.

Blue Pill $1\frac{1}{2}$ gr.; Rhubarb 3 grs.; Ipecacuanha $\frac{1}{2}$ gr.; Treacle *q. s.*: in one pill. *Middlesex.*

Blue Pill $1\frac{1}{2}$ gr. ; Comp. Rhubarb Pill 3 grs. : in one pill. Dose 1 to 2 pills. *Consumption.*

Blue Pill 2 grs. ; Compound Rhubarb Pill 3 grs. *Women.*

Blue Pill $2\frac{1}{2}$ grs. ; Comp. Rhubarb Pill $2\frac{1}{2}$ grs. *London. Guy's. St. Thomas's. London Ophthalmic. St. George's. Royal Free. Westminster Ophthalmic.*

Pilula Hydr. c. Scillâ.

Blue Pill 2 grs. ; Squill 2 grs. : in one pill. *City Chest.*

Blue Pill $2\frac{1}{2}$ grs. ; Squill Pill $2\frac{1}{2}$ grs. : in one pill. *London.*

Blue Pill 1 gr. ; Comp. Squill Pill 4 grs. *Consumption.*

Blue Pill 3 grs. ; Squill $1\frac{1}{2}$ gr. : in one pill. *St. Bartholomew's.*

Blue Pill 1 gr. ; Comp. Squill Pill 2 grs. ; Extract of Henbane 2 grs. *Charing Cross.*

Pilula Hydrarg. Scillæ et Digitalis.

Blue Pill $1\frac{1}{2}$ gr. ; Squill $1\frac{1}{2}$ gr. ; Digitalis $\frac{1}{2}$ gr. *Westminster. Royal Chest.*

Mercurial Pill $1\frac{1}{2}$ gr. ; Squill $1\frac{1}{2}$ gr. ; Digitalis $\frac{1}{2}$ gr. *Royal Chest.*

Pilula Hydr. Subchlor.

Calomel 1 gr. ; Flour 4 grs. ; Treacle *q. s.* : in one pill. *London.*

Pilula Hydr. Subchlor. c. Coloc.

Calomel 1 gr. ; Comp. Extract of Colocynth $3\frac{1}{2}$ grs. ; Ipecacuanha $\frac{1}{2}$ gr. : in one pill. *Middlesex.*

- Calomel $\frac{1}{2}$ gr.; Ipecacuanha $\frac{1}{2}$ gr.; Comp. Pill of Colocynth 4 grs. *Royal Chest.*
- Calomel 1 gr.; Comp. Colocynth Pill 4 grs.: in one pill. *Westminster Ophthalmie.*
- Calomel $1\frac{1}{2}$ gr.; Comp. Colocynth Pill 3 grs.; Capsicum $\frac{1}{8}$ gr.: for one pill. Dose 1 to 2 pills. *Consumption.*
- Calomel $1\frac{1}{2}$ gr.; Comp. Colocynth Pill $2\frac{1}{2}$ grs.; Extract of Henbane $\frac{1}{2}$ gr.: in one pill. *Samaritan.*
- Calomel 1 gr.; Comp. Colocynth Pill 4 grs. *Women. King's. Royal Free* (with Oil of Caraway $\frac{1}{4}$ drop).
- Calomel 1 gr.; Comp. Extract of Colocynth 4 grs.: in one pill. *St. Bartholomew's. St. Thomas's.*
- Calomel 2 grs.; Comp. Extract of Colocynth 3 grs. *Charing Cross. Westminster.*
- Calomel $\frac{1}{2}$ gr.; Ipecacuanha $\frac{1}{2}$ gr.; Comp. Extract of Colocynth 4 grs. *Royal Chest.*
- Calomel 1 gr.; Comp. Extract of Colocynth 3 grs.; Extract of Henbane 1 gr. *London Ophthalmie.*

Pilula Hydr. Subchlor. c. Jalapâ.

- Calomel 1 gr.; Jalap 4 grs.; Treacle *q. s.*: in one pill. *St. Bartholomew's.*

Pilula Hydr. Subchlor. c. Opio.

- Calomel 2 grs.; Extract of Opium $\frac{1}{4}$ gr.; Treacle *q. s.*: in one pill. *City Chest.*
- Calomel 1 gr.; Opium $\frac{1}{4}$ gr.; Comp. Powder of Tragacanth 1 gr.; Glycerine of Tragacanth *q. s.* *University.*
- Calomel 1 gr.; Opium $\frac{1}{4}$ gr.; Wheaten Flour 1 gr.; Confection of Roses *q. s.* *London Ophthalmic.*
- Calomel 2 grs.; Opium 1 gr.; Confection of Roses *q. s.* *Westminster Ophthalmic, No. 2.*
- Calomel 2 grs.; Opium $\frac{1}{2}$ gr.; Extract of Liquorice $2\frac{1}{2}$ grs.: in one pill. *St. Thomas's.*
- Calomel 2 grs.; Opium $\frac{1}{3}$ gr.; Confection of Roses *q. s.* *Fever.*
- Calomel 1 gr.; Opium $\frac{1}{4}$ gr. *Gt. Northern.*

Calomel 1 gr.; Opium $\frac{1}{3}$ gr.; Confection of Roses *q. s.* :
in one pill. *Westminster Ophthalmic. No. 1.*

Calomel 1 gr.; Opium $\frac{1}{4}$ gr.; Confection of Hips
q. s. King's. Royal Free.

Pilula Hydr. Subchlor. c. Pulv. Ipecac. Co.

Calomel 1 gr.; Dover's Powder 4 grs.; Mucilage
q. s. London Ophthalmic.

Pilula Hydr. Subchlor. c. Rheo.

Calomel 1 gr.; Rhubarb 4 grs.; Treacle *q. s.* : in
one pill. *St. Bartholomew's.*

Calomel $1\frac{1}{2}$ gr.; Comp. Rhubarb Pill 3 grs. : in one
pill. *Consumption.*

Pilula Hydr. Subchlor. c. Seam.

Calomel 1 gr.; Seammony 3 grs.; Treacle *q. s.* : in
one pill. *St. Bartholomew's.*

Pilula Hydrargyri Suboxidi et Digitalis et Scillæ.

Suboxide of Mercury 1 gr.; Squill 1 gr.; Digitalis
1 gr.; Extract of Henbane 2 grs. : in one pill.
City Chest.

Pilula Hyoseyami.

Extract of Henbane 5 grs. : in one pill. *London.*

Extract of Henbane 4 grs. : in one pill. *City Chest.*

Pilula Hyoseyami c. Camphorâ.

Extract of Henbane $2\frac{1}{2}$ grs.; Camphor $2\frac{1}{2}$ grs. *Gt.*
Northern.

Extract of Henbane $1\frac{1}{2}$ gr.; Camphor 2 grs.; Muci-
lage *q. s.* : in one pill. *Samaritan.*

Pilula Hyoseyam. et Pulv. Ipecac. Co.

Extract of Henbane 2 grs.; Dover's Powder 2 grs. :
in one pill. *St. Thomas's.*

Pilula Hyoscyam. c. Scillâ.

Extraet of Henbane 2 grs. ; Comp. Squill Pill 2 grs. ; Ipeeaeuanha $\frac{1}{2}$ gr. : in one pill. *London.*

Pilula Hyoscyami et Stramonii.

Extraet of Henbane 4 grs. ; Extraet of Stramonium $\frac{1}{2}$ gr. : in one pill. *City Chest.*

Pilula Ipecac. Co.

Dover's Powder 5 grs. ; Treacle *q. s.* : for one pill. *London.*

Pilula Ipecac. Co. c. Hydr. See Pilula Hydr. c. Pulv. Ipecac. Co.**Pilula Ipecac. Co. c. Scillâ.**

Dover's Powder $2\frac{1}{2}$ grs. ; Squill Pill $2\frac{1}{2}$ grs. : in one pill. *London.*

Powder of Ipeeaeuanha and Opium 3 grs. ; Squill $\frac{1}{2}$ gr. ; Extraet of Conium $1\frac{1}{2}$ gr. *Fever.*

Pilula Ipecac. Opiata c. Scillâ.

Ipeeacuanha $\frac{1}{2}$ gr. ; Comp. Squill Pill 1 gr. ; Dover's Powder 2 grs. ; Extraet of Aloes $\frac{1}{6}$ gr. : in one pill. *Royal Chest.*

Pilula Ipecac. c. Opio.

Ipeeaeuanha $\frac{1}{2}$ gr. ; Opium $\frac{1}{2}$ gr. ; Confection of Roses 2 grs. *Consumption.*

Pilula Ipecac. et Rhei.

Ipeeaeuanha 1 gr. ; Comp. Rhubarb Pill 4 grs. *Westminster.*

Pilula Lactucæ c. Hyoscyamo.

Extraet of Lettuee 2 grs. ; Extract of Henbane 2 grs. : in one pill. Dose 1 to 2. *Consumption.*

Pilula Morphiæ.

Hydrochlorate of Morphia $\frac{1}{4}$ gr. ; Flour 4 grs. ,
Treacle *q. s.* : for one pill. *London.*

Hydrochlorate of Morphia $\frac{1}{4}$, $\frac{1}{3}$, or $\frac{1}{2}$ gr. : in one
pill. *Consumption.*

Pilula Morphiæ Acet.

Acetate of Morphia from $\frac{1}{12}$ to $\frac{1}{2}$ gr. ; Confection of
Roses *q. s.* : in one pill. *St. Mary's.*

Pilula Morphiæ et Glycyrrhizæ.

Hydrochlorate of Morphia $\frac{1}{32}$ gr. ; Extract of Li-
quorice 3 grs. ; Comp. Tragacanth Powder 5
grs. *Royal Chest.*

Pilula Morph. Hydrochloratis.

Hydrochlorate of Morphia $\frac{1}{8}$ to 1 gr. in each pill.
Royal Chest.

Hydrochlorato of Morphia from $\frac{1}{12}$ to $\frac{1}{2}$ gr. ; Con-
fection of Roses *q. s.* : in one pill. *St.*
Mary's.

Pilula Morph. c. Hyosecyamo.

Hydrochlorate of Morphia $\frac{1}{4}$ gr. ; Extract of Hen-
bano 3 grs. : in one pill. *St. Thomas's. City*
Chest.

Pilula Morphiæ et Hyosecyami et Ipecacuanhæ.

Hydrochlorate of Morphia $\frac{1}{4}$ gr. ; Ipecacuanha 1
gr. ; Extract of Henbane 3 grs. : in one pill.
City Chest.

Pilula Morph. et Hyosecyam. et Stramon.

Hydrochlorate of Morphia $\frac{1}{4}$ gr. ; Extract of Stra-
monium $\frac{1}{2}$ gr. ; Extract of Henbane 3 grs. : in
one pill. *City Chest.*

Pilula Morph. et Hyoscyam. et Zinci.

Hydrochlorate of Morphia $\frac{1}{4}$ gr. ; Oxide of Zinc 2 grs. ; Extract of Henbane 3 grs. : in one pill. *City Chest.*

Pilula Morph. c. Lupulo.

Hydrochlorate of Morphia $\frac{1}{12}$ gr. ; Ipecacuanha $\frac{1}{4}$ gr. ; Extract of Hops 2 grs. : in one pill. Dose 1 to 2 pills. *Consumption.*

Pilula Narcot. c. Ipecac.

Extract of Conium 2 grs. ; Extract of Henbane 2 grs. ; Ipecacuanha 1 gr. : in one pill. *London.*

Pilula Nucis Vomicae.

Extract of Nux Vomica $\frac{1}{4}$ gr. ; Extract of Gentian 2 grs. : in one pill. *Consumption.*

Extract of Nux Vomica $\frac{1}{2}$ gr. ; Extract of Gentian 4 grs. : in one pill. *London.*

Extract of Nux Vomica $\frac{1}{2}$ gr. ; Capsicum $\frac{1}{4}$ gr. ; Comp. Rhubarb Pill 3 grs. : in one pill. *Samaritan.*

Extract of Nux Vomica $\frac{1}{4}$ gr. ; Compound Extract of Colocynth 3 grs. ; Hard Soap $1\frac{3}{4}$ gr. *Charing Cross.*

Pilula Nucis Vomicae Cathartica.

Extract of Nux Vomica $\frac{1}{4}$ gr. ; Comp. Extract of Colocynth 1 gr. ; Extract of Henbane 1 gr. ; Comp. Rhubarb Pill 1 gr. : in one pill. *London.*

Extract of Nux Vomica $\frac{1}{4}$ gr. ; Comp. Extract of Colocynth $1\frac{1}{4}$ gr. ; Extract of Henbane $1\frac{1}{4}$ gr. ; Comp. Rhubarb Pill $1\frac{1}{4}$ gr. : in one pill. *Throat.*

Pilula Nucis Vomicae et Rhei.

Extract of Nux Vomica $\frac{1}{4}$ gr.; Extract of Henbane
1 gr.; Comp. Rhubarb Pill 4 grs.: in one pill.
City Chest.

Pilula Opii.

Powdered Opium $\frac{1}{4}$ to 1 gr. each. *Royal Chest.*

Pilula Opii et Conii.

Extract of Conium 1 gr.; Compound Soap Pill
2 grs. *British Skin.*

Pilula Papaver. c. Ipecac.

Extract of Poppies 4 grs.; Ipecacuanha 1 gr.: in
one pill. *Guy's.*

Pilula Pepsinae et Quininae.

Pepsino 3 grs.; Sulphate of Quinia $\frac{3}{4}$ gr.; Extract
of Belladonna $\frac{1}{4}$ gr.; Glycerine *q. s.*: in one
pill. *City Chest.*

Pilula Picis.

Tar 2 grs.; Magnesia *q. s.* *Consumption.*
Tar 2 grs.; Lycopodium 1 gr.; Liquorice Powder
q. s.: in one pill. *City Chest.*

Pilula Picis Co.

Tar $2\frac{1}{2}$ grs.; Liquorice Powder $2\frac{1}{2}$ grs.: in one pill.
St. Thomas's.

Pilula Plumbi Acet.

Acetato of Lead 2 grs.; Opium $\frac{1}{4}$ gr.; Extract of
Henbane 2 grs. *Gt. Northern.*

Pilula Plumbi c. Opio.

Acetate of Lead 1 gr.; Opium $\frac{1}{6}$ gr.; Flour 3 grs.;
Trecalc *q. s.*: in one pill. *London.*

Pilula Podophylli.

Resin of Podophyllum $\frac{1}{2}$ gr.; Comp. Extract of
Colocynth $3\frac{1}{4}$ grs.; Capsicum 1 gr.; Extract of
Belladonna $\frac{1}{4}$ gr. *Charing Cross.*

Resin of Podophyllum $\frac{1}{4}$ gr.; Barbadoes Aloes 1 gr.;
Capsicum $\frac{1}{2}$ gr.; Extract of Belladonna $\frac{1}{4}$ gr.;
Glycerine of Tragacanth *q. s.* *University.*

Resin of Podophyllum $\frac{1}{4}$ gr.; Extract of Hyoscyamus 4 grs.: in one pill. *London.*

Resin of Podophyllum $\frac{1}{6}$ gr.; Extract of Hyoscyamus 2 grs.; Soap *q. s.* *St. Mary's.*

Resin of Podophyllum $\frac{1}{6}$ gr.; Extract of Henbane $1\frac{1}{2}$ gr.; Comp. Rhubarb Pill $1\frac{1}{2}$ gr.; Capsicum $\frac{1}{2}$ gr.: in one pill. *Throat.*

Resin of Podophyllum $\frac{1}{6}$ gr.; Extract of Henbane 1 gr.; Soap 3 grs. *Gt. Northern.*

Resin of Podophyllum $\frac{1}{4}$ gr.; Extract of Hyoscyamus sufficient. *Westminster.*

Pilula Podophylli c. Colocynthide.

Resin of Podophyllum $\frac{1}{4}$ gr.; Comp. Extract of Colocynth 3 grs.; Extract of Henbane 2 grs. *Gt. Northern.*

Pilula Podophylli Co.

Resin of Podophyllum $\frac{1}{3}$ gr.; Extract of Barbadoes Aloes 2 grs.; Extract of Belladonna $\frac{1}{4}$ gr.; Hard Soap 1 gr. *Gt. Northern.*

Resin of Podophyllum $\frac{1}{6}$ gr.; Extract of Henbane 2 grs.; Comp. Powder of Cinnamon *q. s.* *Women.*

Pilula Podophylli et Creasoti.

Resin of Podophyllum $\frac{1}{8}$ gr.; Creasote $\frac{1}{2}$ min.; Extract of Henbane $2\frac{1}{2}$ grs.; Comp. Rhubarb Pill $2\frac{1}{2}$ grs.: in one pill. *City Chest.*

Pilula Podophylli et Extracti Colocynthidis.

Resin of Podophyllum $\frac{1}{4}$ to $\frac{1}{2}$ gr.; Comp. Extract of Colocynth $2\frac{1}{2}$ to 5 grs. : in one pill. *City Chest.*

Pilula Podophylli et Hyoseyami.

Resin of Podophyllum $\frac{1}{4}$, $\frac{1}{3}$, or $\frac{1}{2}$ gr.; Extract of Henbane 2 grs. : in one pill. *City Chest.*

Pilula Podophylli cum Nuce Vomica.

Resin of Podophyllum $\frac{1}{6}$ gr.; Extract of Nux Vomica $\frac{1}{4}$ gr.; Extract of Gentian 2 grs. *British Skin.*

Pilula Podophylli et Rhei.

Resin of Podophyllum $\frac{1}{2}$ gr.; Comp. Rhubarb Pill 4 grs. : in one pill. *City Chest.*

Pilula Podophylli c. Rheo.

Resin of Podophyllum $\frac{1}{3}$ gr.; Comp. Rhubarb Pill 4 grs. *Royal Chest.*

Pilula Purgans.

Extract of Barbadoes Aloes $1\frac{1}{2}$ gr.; Comp. Extract of Colocynth 2 grs.; Extract of Jalap $1\frac{1}{2}$ gr.; Caraway Oil *q. s.* *Charing Cross.*

Pilula Quiniæ.

Sulphate of Quinia 1 gr.; Flour 3 grs.; Treacle *q. s.* : in one pill. *London.*

Sulphate of Quinia 1 to 2 grs.; Extract of Gentian *q. s.* : in one pill. Dose 1 to 2. *Consumption.*

Pilula Quiniæ c. Digitale.

Sulphate of Quinia 2 grs.; Digitalis $\frac{1}{2}$ gr.; Extract of Hops sufficient. *Consumption.*

Pilula Quiniæ, Digitalis, et Opii.

Sulphato of Quinia 2 grs.; Digitalis 1 gr.; Opium $\frac{1}{4}$ gr.; Confection of Roses *q. s.* *City Chest.*

Pilula Quiniæ c. Ferro.

Sulphato of Quinia 1 gr.; Sulphate of Iron 1 gr.;
Extract of Hemlock 3 grs. *Fever.*

Sulphate of Quinia 2 grs.; Sulphate of Iron 1 gr.;
Treacle *q. s.*: in one pill. *City Chest.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 1 gr.;
Liquorice $1\frac{1}{2}$ gr.; Treacle $1\frac{1}{2}$ gr.: in one pill.
Middlesex.

Sulphate of Quinia 1 gr.; Sulphate of Iron 1 gr.;
Extract of Gentian 3 grs.: in one pill. *Con-*
sumption.

Sulphate of Quinia 2 grs.; Sulphate of Iron 2 grs.;
Extract of Gentian 1 gr.: in one pill. *St.*
Thomas's.

Pilula Rhei c. Hydr.

Comp. Rhubarb Pill $3\frac{1}{2}$ grs.; Blue Pill 1 gr. *Royal*
Chest.

Comp. Rhubarb Pill 3 grs.; Blue Pill 2 grs.: in one
pill. *City Chest.*

Comp. Rhubarb Pill 3 grs.; Blue Pill $1\frac{1}{2}$ gr.; Ipe-
cacuanha $\frac{1}{2}$ gr. *Charing Cross.*

Comp. Rhubarb Pill 4 grs.; Mercurial Pill 1 gr.
Fever.

Pilula Rhei c. Nuce Vomica.

Comp. Rhubarb Pill $3\frac{3}{4}$ grs.; Extract of Nux Vo-
mica $\frac{1}{4}$ gr.; Extract of Henbane 1 gr.: in one
pill. *St. Thomas's.*

Comp. Rhubarb Pill 4 grs.; Extract of Nux Vo-
mica $\frac{1}{4}$ gr.; Extract of Henbane 1 gr.: in one
pill. *City Chest.*

Pilula Scillæ c. Conio.

Extract of Conium 3 grs.; Compound Squill Pill
2 grs. *Consumption.*

Pilula Scillæ c. Digitale.

Powdered Squill 2 grs.; Extract of Conium 2 grs.;
Powdered Digitalis 1 gr.: in one pill. *Consumption.*

Pilula Scillæ c. Hydr.

Comp. Squill Pill 4 grs.; Grey Oxide of Mercury
 $\frac{1}{3}$ gr.: in one pill. *Guy's.*

Comp. Squill Pill 4 grs.; Blue Pill 1 gr.: in one
pill. *Consumption.*

Pilula Scillæ c. Ipecac.

Comp. Squill Pill $4\frac{1}{2}$ grs.; Ipecacuanha $\frac{1}{2}$ gr.: for
one pill. *St. George's.*

Pilula Scillæ c. Morph.

Powdered Squill 2 grs.; Hydrochlorate of Morphia
 $\frac{1}{8}$ gr.; Ipecacuanha $\frac{1}{2}$ gr.; Oil of Aniseed
 $\frac{1}{4}$ min.: in one pill. Dose 1 to 2. *Consumption.*

Pilula Scillæ Opiat.

Comp. Squill Pill 4 grs.; Comp. Soap Pill 1 gr.:
in one pill. *Middlesex.*

Pilula Scillæ c. Opio.

Squill $\frac{1}{2}$ gr.; Socotrine Aloes 2 grs.; Opium $\frac{1}{2}$ gr.;
Canella $\frac{1}{2}$ gr.; Tartar Emetic $\frac{1}{4}$ gr.; Treacle
q. s.: in one pill. *St. Thomas's.*

Comp. Squill Pill 4 grs.; Opium $\frac{1}{3}$ gr.: in one pill.
Guy's.

Pilula Sodæ Arseniatis.

Arseniate of Soda $\frac{1}{16}$ gr.; Sugar of Milk 1 gr.; Ex-
tract of Hop 3 grs. *London Ophthalmic.*

Pilula Stramonii.

Extract of Stramonium $\frac{1}{4}$ to $\frac{1}{2}$ gr.; Extract of Gentian and Liquorice Powder of each *q. s.* : in one pill. *Consumption.*

Extract of Stramonium $\frac{1}{2}$ gr.; Extract of Hop 2 grs.: in one pill. *City Chest.*

Extract of Stramonium $\frac{1}{4}$ gr.; Camphor 1 gr.; Squill 2 grs.; Syrup *q. s.* : in one pill. *St. Mary's.*

Extract of Stramonium $\frac{1}{4}$ gr.; Assafoetida 1 gr.; Camphor $\frac{1}{2}$ gr.; Ipecacuanha $\frac{1}{2}$ gr.; Rectified Spirit *q. s.*; Syrup of Red Poppy *q. s.* *Royal Free.*

Pilula Stramonii Co.

Extract of Stramonium $\frac{1}{2}$ gr.; Pill of Ipecacuanha and Squill 4 grs. *Royal Chest.*

Pilula Terebinthinæ.

Chian Turpentine 5 grs.: in one pill. *Westminster Ophthalmic.*

Pilula Terebinth. Co.

Chian Turpentine 3 grs.; Rhubarb 2 grs.: in one pill. *St. Thomas's.*

Pilula Terebinth. c. Zinco.

Chian Turpentine 4 grs.; Sulphate of Zinc 1 gr.: in one pill. *London.*

Pilula Trium Sulphatum.

Sulphate of Quinia, Sulphate of Iron, Sulphate of Zinc, of each 1 gr.; Extract of Gentian 2 grs. *Women.*

Pilula Valerianæ et Belladonnæ.

Valerianate of Zinc 2 grs.; Sulphate of Quinia 1 gr.; Extract of Belladonna $\frac{1}{4}$ gr.; Confection of Roses $1\frac{3}{4}$. *Charing Cross.*

Pilula Zinci c. Hyoseyamo.

Sulphate of Zinc 2 grs. ; Extract of Henbane 3 grs. :
in one pill. *Middlesex.*

Oxide of Zinc 2 grs. ; Extract of Henbane 2 grs. :
in one pill. *City Chest.*

Pilula Zinci Oxid.

Oxide of Zinc 3 grs. ; Extract of Henbane 2 grs.
Royal Chest. Charing Cross.

Oxide of Zinc 4 grs. ; Mucilage of Tragacanth *q. s.* :
in one pill. *City Chest.*

Oxide of Zinc 1, 2, or 3 grs. ; Confection of Roses
q. s. : in each pill. *St. Mary's.*

Oxide of Zinc $2\frac{1}{2}$ grs. ; Extract of Gentian 2 grs. :
in one pill. Dose 1 to 2. *Consumption.*

Oxide of Zinc 3 grs. ; Extract of Conium 2 grs.
Westminster.

Oxide of Zinc 2 grs. ; Extract of Belladonna $\frac{1}{2}$ gr. ;
Glycerine of Tragacanth a sufficiency. *University.*

Pilula Zinci Oxid. c. Hyoseyamo.

Oxide of Zinc $3\frac{1}{2}$ grs. ; Extract of Henbane $1\frac{1}{2}$ gr. :
in one pill. Dose 1 to 2. *Consumption.*

Pilula Zinci Oxid. c. Morph.

Oxide of Zinc $2\frac{1}{2}$ grs. ; Hydrochlorate of Morphia
 $\frac{1}{8}$ gr. ; Extract of Hop 2 grs. : in one pill.
Dose 1 to 3. *Consumption.*

Pilula Zinci Sulph.

Sulphate of Zinc 2 grs. ; Mucilage of Tragacanth
q. s. : in one pill. *City Chest.*

Sulphate of Zinc 1, 2, or 3 grs. ; Confection of
Roses *q. s.* : in one pill. *St. Mary's.*

Pilula Zinci Valer.

Valerianate of Zinc 1, 2, or 3 grs. ; Confection of
Roses *q. s.* : in each pill. *St. Mary's.*

Valerianate of Zinc 2 grs.; Confection of Roses
q. s. Women.

Valerianate of Zinc 1 gr.; Compound Pill of Assa-
foetida 2 grs.: in each pill. Dose 1 or 2 pills.
Throat.

Valerianate of Zinc 2 grs.; Confection of Hips 2
grs. *British Skin.*

Pilula Zinci Valer. Co.

Valerianate of Zinc $\frac{1}{2}$ gr.; Sulphate of Quinia $\frac{1}{3}$
gr.; Comp. Rhubarb Pill 1 gr.; Extract of
Gentian 2 grs.: in one pill. *London.*

POTASSA CUM CALCE.

Potassa c. Calce.

Caustic Potash, Lime, equal parts; Glycerine *q. s.*
St. Bartholomew's.

Caustic Potash and recently burnt Lime equal
parts; Rectified Spirit *q. s.*: to make a paste.
Middlesex.

POTUS.

Potus Acidi Phosphorici.

Chlorate of Potash 1 drm.; Diluted Phosphoric
Acid 1 drm.; Decoction of Barley 20 oz.
Women.

Potus Chlori.

Solution of Chlorine 1 oz.; Syrup 1 oz.; water to
20 oz. *Middlesex.*

Potus Imperialis.

Acid Tartrate of Potash 2 drs.; Potus Limonis 20
oz. *Women.*

Potus Limonis.

The Juice and yellow Rind of one Lemon ; White Sugar 2 drms. ; boiling water 20 oz. *Women.*

Potus Potassæ Chloratis.

Chlorate of Potash 60 grs. ; boiling water 20 oz
St. Bartholomew's.

Potus Potassæ Tartratis Acidæ.

Acid Tartrate of Potash 1 drm. ; half the Peel of a fresh Lemon ; boiling water 20 oz. : dissolve the salt and infuse in a covered vessel. *St. Bartholomew's.*

PULVERES.

Pulvis Ærugin. Co.

Verdigris 1 drm. ; Powdered Savin 1 drm. *Royal Free.*

Pulvis Alterativus.

Grey Powder 1 gr. ; Rhubarb 3 grs. ; Bicarbonate of Soda 2 grs. *London Ophthalmic.*

Grey Powder 1 gr. ; Rhubarb 2 grs. ; Carbonate of Magnesia 2 grs. ; Comp. Powder of Cinnamon 1 gr. *St. Thomas's.*

Grey Powder 1 gr. ; Rhubarb 1 gr. ; Bicarbonate of Soda 3 grs. *Gt. Northern.*

Mercury with Chalk 2 grs. ; Dried Carbonate of Soda 2 grs. ; Rhubarb 6 grs. For medium dose. *London.*

Pulvis Aluminis c. Amylo.

Alum in Powder, Starch in Powder, equal parts.
Throat. University.

Pulvis Aluminis Comp.

Alum 3 drms.; Sulphate of Zinc 1 drm. (90 grs. to 20 oz. for a lotion.) *Samaritan.*

Pulvis Aluminis c. Cubebâ.

Alum in Powder 10 grs.; Cubebs in Powder 60 grs. *Gt. Northern.*

Pulvis Amyli et Creasoti.

Kaolin 1 oz.; Creasote 16 mins. *University.*

Pulvis Aromaticus.

Cinnamon 4 grs.; Pimento 4 grs.; Ginger 4 grs. For medium dose. *London.*

Pulvis Bismuthi.

White Bismuth 5 grs.; Compound Powder of Tragacanth 10 grs. *Guy's.*

Pulvis Bismuthi c. Carbone.

Carbonate of Bismuth 10 grs.; Powdered Wood Charecoal 10 grs.; Bicarbonate of Soda 5 grs. For a dose. *University.*

Pulvis Bismuthi Co.

Carbonate of Bismuth 5 grs.; Carbonate of Magnesia 3 grs.; Powdered Acacia 2 grs. *Consumption.*

Subnitrate of Bismuth 6 drms.; Chromate of Lead 10 grs.; Carmino 5 grs.; Vermilion 5 grs. *British Skin.*

Subnitrate of Bismuth 10 grs.; Comp. Tragacanth Powder 5 grs. *Middlesex.*

Subnitrate of Bismuth 10 grs.; Comp. Tragacanth Powder 5 grs.; Comp. Cinnamon Powder 10 grs. *Charing Cross.*

Pulvis Bismuthi et Ferri.

Subnitrate of Bismuth 6 grs. ; Saccharated Carbonate of Iron 6 grs. For medium dose. *London.*

Pulvis Bismuthi et Opii.

Carbonate of Bismuth 10 grs. ; Compound Powder of Ipecacuanha 10 grs. *University.*

Subnitrate of Bismuth 5 grs. ; Compound Powder of Chalk and Opium 5 grs. *Westminster.*

Pulvis Bismuthi c. Rheo.

Subnitrate of Bismuth 15 grs. ; Comp. Rhubarb Powder 8 grs. ; Dried Carbonate of Soda 5 grs. ; Dover's Powder 2 grs. *Charing Cross.*

Pulvis Bismuthi Sedativus.

White Bismuth 8 grs. ; Dried Carbonate of Soda 8 grs. ; Hydrochlorate of Morphia $\frac{1}{10}$ gr. *Guy's.*

Pulvis Bismuthi et Sodæ.

Carbonate of Bismuth 10 grs. ; Bicarbonate of Soda 10 grs. *University.*

Pulvis Calomel. Co. *Vide* Hydr. Subchlor. Co.Pulvis Calomel. et Jalap. *Vide* Pulvis Hydr. Subchlor. c. Jalapâ.Pulvis Calomel. et Opii. *Vide* Pulvis Hydr. Subchlor. et Opii.Pulvis Calomel. et Rheo. *Vide* Pulvis Hydr. Subchlor. c. Rheo.

Pulvis Calomel. et. Scam. *Vide* Pulvis Hydr.
Subchlor. c. Scammonio.

Pulvis Calumbæ Co.

Calumba, Rhubarb, of each 12 grs.; Cinnamon 6
grs.; Ginger 4 grs.; Gum Acacia, White Bis-
muth, Bicarbonate of Soda, of each 20 grs.
Dose 10 to 30 grs. *St. George's.*

Pulvis Canellæ Aromaticus.

Canella, Ginger, Long Pepper, equal parts. Dose
5 to 10 grs. *St. George's.*

Pulvis Carminativus.

Rhubarb 12 grs.; Prepared Chalk 6 grs.; Oil of
Dill 1 min. *St. Thomas's.*

Pulvis Cathart. c. Calomel.

Jalap 5 grs.; Rhubarb 5 grs.; Scammony 5 grs.;
Calomel 3 grs.; Ginger in Powder 2 grs. *Gt.
Northern.*

Pulvis Cimoliæ.

Pulvis Terra Cimoliæ (Fuller's Earth) *q.s.* *British
Skin.*

Pulvis Cinchonæ Co.

Yellow Bark in powder 15 grs.; Bicarbonate of
Soda 9 grs.; Aromatic Powder of Canella 3 grs.
St. George's.

Pulvis Cinchon. et Rhei.

Comp. Cinchona Powder 15 grs.; Rhubarb 5 grs.
St. George's.

Cinchona 15 grs.; Rhubarb 10 grs.; Bicarbonate of
Soda 10 grs. Dose 6, 9, or 12 grs. *West-
minster Ophthalmic.*

Pulvis Cinchon. et Sodæ.

Cinchona 5 grs.; Bicarbonate of Soda 5 grs. Dose
10 to 20 grs. *King's. London Ophthalmic.*

Pulvis Cretæ Aromaticus.

Prepared Chalk 6 grs.; Aromatic Powder 6 grs.;
Acacia 2 grs. For a medium dose. *London.*

Pulvis Cretæ Aromaticus c. Rheo.

Aromatic Powder of Chalk 20 grs.; Rhubarb 10 grs.
St. Bartholomew's.

Pulvis Elaterii Co.

Extract of Elaterium 4 grs.; Acid Tartrate of
Potash 100 grs.; Ginger 20 grs.; Dose 5 to
30 grs. *Guy's.*

Pulvis Emeticus.

Ipecacuanha 20 grs.; Tartar Emetic $\frac{1}{2}$ gr. *St. Bar-*
tholomew's. Guy's.

Ipecacuanha 19 grs.; Tartar Emetic 1 gr. *St.*
Mary's. City Chest.

Ipecacuanha 20 grs.; Tartar Emetic 1 gr. *St.*
George's. London.

Ipecacuanha 15 grs.; Tartar Emetic 1 gr. *Con-*
sumption. St. Thomas's.

Sulphate of Zinc 20 grs.; warm water *ad lib.*
Throat.

Pulvis Ferri et Sodæ Bicarb.

Saccharated Carbonate of Iron 10 grs.; Bicarbonate
of Soda 10 grs.; Ginger 5 grs. *Royal Chest.*

Pulvis Guaiaci Co.

Powdered Guaiacum Resin 15 grs.; Precipitated
Sulphur 15 grs.; Carbonate of Magnesia 15
grs.; Gum Arabic 15 grs.; Bicarbonate of
Potash 22 grs. Dose $\frac{1}{2}$ to 1 dr. *St. George's.*

Pulvis Guaiaci et Sulphuris.

Resin of Guaiacum $7\frac{1}{2}$ grs.; Sublimed Sulphur $7\frac{1}{2}$ grs.; Carbonate of Magnesia 15 grs.: for one dose. *City Chest.*

Pulvis Hydrargyri et Bismuthi.

Grey Powder 2 grs.; Subnitrate of Bismuth 2 grs.; Pulv. Rhei et Sodæ 6 grs. *Westminster.*

Pulvis Hydr. c. Cretâ et Belladonnâ.

Grey Powder 2 grs.; Powder of Belladonna Leaves 1 gr.; Sugar 2 grs. *University. London Ophthalmic.*

Pulvis Hydr. c. Cretâ Co.

Grey Powder 3 grs.; Dover's Powder 3 grs. *Gt. Northern. Westminster.*

Pulvis Hydr. c. Cretâ et Cretâ Aromat.

Grey Powder 1 gr.; Aromatic Powder of Chalk 3 grs. *Gt. Northern.*

Pulvis Hydr. c. Cretâ et Rheo.

Grey Powder 1 gr.; Comp. Cinnamon Powder 1 gr.; Carbonate of Magnesia 2 grs.; Rhubarb 2 grs. *City Chest.*

Grey Powder 2 grs.; Rhubarb 4 grs. *London Ophthalmic.*

Grey Powder 2 grs.; Rhubarb 5 grs. *Guy's.*

Pulvis Hydr. c. Cretâ et Sacch.

Grey Powder 2 grs.; Sugar 8 grs. *King's.*

Grey Powder $1\frac{1}{2}$ gr.; Sugar $13\frac{1}{2}$ grs. *University.*

Pulvis Hydrargyri et Jalapæ.

Grey Powder 1 part; Compound Jalap Powder 2 parts: mix. Dose 6, 8, or 10 grs. *Westminster Ophthalmic.*

Pulvis Hydr. et Opii.

Grey Powder 5 grs.; Dover's Powder 5 grs. *St. George's. Gt. Northern.*

Pulvis Hydrargyri et Quiniæ.

Grey Powder 3 grs.; Sulphate of Quinia 1 gr. *Westminster Ophthalmic.*

Pulvis Hydr. c. Rheo.

Grey Powder 2 grs.; Bicarbonate of Soda 2 grs.; Powdered Rhubarb 4 grs. *Westminster Ophthalmic.*

Grey Powder 2 grs.; Pulvis Rhei et Sodæ 8 grs. *Westminster.*

Grey Powder 3 grs.; Bicarbonate of Soda 5 grs.; Powdered Rhubarb 12 grs. *Consumption.*

Pulvis Hydr. Subchlor. c. Jalapâ.

Calomel 2 grs.; Jalap 4 grs. Dose 15 grs. *St. Mary's.*

Calomel 3 grs.; Jalap 9 grs. *City Chest.*

Calomel 2 grs.; Jalap 8 grs.; Aromatic Powder of Canella 2 grs. *St. George's.*

Calomel 2 grs.; Jalap 8 grs.; Ginger 2 grs. *London Ophthalmic. Middlesex. St. Thomas's. London.*

Calomel 5 grs.; Comp. Powder of Jalap 40 grs. *Royal Free.*

Pulvis Hydr. Subchlor. et Opii.

Calomel 3 grs.; Dover's Powder 7 grs. *St. George's.*

Pulvis Hydr. Subchlor. c. Rheo.

Calomel 2 grs.; Rhubarb 8 grs.; Ginger 2 grs. *London Ophthalmic. London. Guy's. Westminster Ophthalmic.*

Calomel 2 grs. ; Rhubarb 8 grs. ; Comp. Cinnamon Powder 2 grs. *City Chest.*

Calomel 2 grs. ; Rhubarb 8 grs. ; Aromatic Powder of Canela 2 grs. *St. George's.*

Calomel $\frac{1}{4}$ gr. ; Rhubarb 5 grs. *Royal Chest.*

Pulvis Hydr. Subchlor. c. Scammonio.

Calomel $\frac{1}{2}$ gr. ; Comp. Powder of Scammony 4 grs. *Royal Chest.*

Calomel 2 grs. ; Comp. Scammon. Powder 10 grs. *City Chest.*

Calomel 2 grs. ; Scammony 4 grs. ; Sugar 2 grs. *Guy's. St. George's.*

Calomel 1 gr. ; Scammony in Powder 3 grs. *Samaritan.*

Calomel 2 grs. ; Scammony 8 grs. *St. Thomas's.*

Calomel 2 grs. ; Scammony 8 grs. ; Ginger 2 grs. *London Ophthalmic. London.*

Pulvis Hydrarg. Subchlor. et Sodæ.

Calomel 1 gr. ; Comp. Cinnamon Powder 5 grs. ; Dried Carbonate of Soda 5 grs. *City Chest.*

Pulvis Iodoformi c. Calaminâ.

Iodoform 30 grs. ; Calamine 1 drn. ; Starch to 1 oz. *University.*

Pulvis Ipecac. c. Antim.

Vide Pulvis Emeticus. St. Mary's.

Pulvis Ipecac. c. Antim. Fortior.

Ipecacuanha 20 grs. ; Tartarated Antimony 2 grs. *Fever.*

Pulvis Ipecac. c. Antim. Mitior.

Ipecacuanha 12 grs. ; Tartarated Antimony $\frac{1}{2}$ gr. *Fever.*

Pulvis Ipecac. c. Ant. Tart.

Vide Pulvis Emeticus. Consumption.

Pulvis Ipécac. Co. c. Bismutho.

Subnitrate of Bismuth 15 grs.; Dover's Powder 5 grs. *Consumption.*

Pulvis Jalapæ c. Calomel. *Vide Pulvis Hydr. Subchlor. c. Jalapâ.*

Pulvis Jalapæ c. Hydr.

(*Vide Pulvis Hydr. Subchlor. c. Jalapâ.*)

Comp. Jalap Powder 6 grs.; Grey Powder 3 grs. *Westminster Ophthalmic.*

Pulvis Jalapæ c. Hydr. Subchlorido.

Jalap 8 grs.; Ginger 1 gr.; Calomel 1 gr. *Fever.*

Jalap 8 grs.; Ginger 2 grs.; Calomel 2 grs. *London. Middlesex.*

Pulvis Jalapæ c. Rheo.

Jalap 10 grs.; Rhubarb 5 grs. *London Ophthalmic.*

Pulvis Jalapæ c. Scam.

Jalap 3 grs.; Scammony 7 grs. *Westminster Ophthalmic.*

Pulvis Laxans.

Precipitated Sulphur $\frac{1}{2}$ drm.; Acid Tartrate of Potash $\frac{1}{2}$ drm. *Royal Free.*

Sublimed Sulphur, Acid Tartrate of Potash, equal parts. *Gt. Northern.*

Pulvis Magnesiae Compositus.

Sulphate of Magnesia 90 grs.; Sulphate of Soda 30 grs.; Carbonate of Magnesia 15 grs.; Ginger 5 grs. *Consumption.*

Pulvis Magnes. c. Rheo. *Vide* Pulv. Rhei c. Magnesiâ.

Pulvis Potassæ Sodæ et Calumbæ.

Bicarbonate of Potash 10 grs. ; Bicarbonate of Soda 10 grs. ; Calumba 5 grs. ; Ginger 5 grs. *Royal Chest.*

Pulvis Quiniæ c. Potassæ Bitartrate.

Sulphate of Quinia 1 gr. ; Acid Tartrate of Potash 20 grs. *Samaritan.*

Pulvis Rhei c. Calomel. *Vide* Pulvis Hydr. Subchlor. c. Rheo.

Pulvis Rhei c. Calumbâ.

Rhubarb 5 grs. ; Calumba 10 grs. ; Bicarbonate of Soda $7\frac{1}{2}$ grs. ; Aromatic Powder 5 grs. For a dose. *London.*

Rhubarb 20 grs. ; Calumba 40 grs. ; Bicarbonate of Soda 20 grs. ; Cinnamon Powder 20 grs. Dose 10 to 30 grs. *Middlesex.*

Pulvis Rhei Co. c. Hydr.

Comp. Powder of Rhubarb 8 grs. ; Grey Powder 2 grs. *King's.*

Pulvis Rhei c. Hydr.

Rhubarb 20 grs. ; Grey Powder 10 grs. ; Aromatic Powder of Chalk 5 grs. *Royal Chest.*

Rhubarb 12 grs. ; Grey Powder 3 grs. ; Bicarbonate of Soda 5 grs. Dose 5 to 20 grs. *Consumption.*

Rhubarb 4 grs. ; Calomel 1 gr. ; Ginger 1 gr. *St. Thomas's.*

Rhubarb 5 grs. ; Grey Powder 2 grs. *Guy's.*

Rhubarb 4 grs. ; Grey Powder 2 grs. ; Bicarbonate of Soda 4 grs. ; Ginger 2 grs. *Westminster.*

Pulvis Rhei c. Hydr. et Cretâ. *Vide* Pulvis Hydr. c. Cretâ et Rheo.

Pulvis Rhei c. Hydr. et Ipecac.

Rhubarb 5 grs.; Grey Powder 2 grs.; Ipecacuanha 1 gr. *Guy's.*

Pulvis Rhei c. Jalapâ.

Rhubarb and Jalap equal parts. *City Chest.*

Rhubarb 3 grs.; Jalap 2 grs.; Ipecacuanha $\frac{1}{4}$ gr. *Charing Cross.*

Pulvis Rhei c. Magnesiâ.

Rhubarb 10 grs.; Carbonate of Magnesia 20 grs. *London Ophthalmic.*

Carbonate of Magnesia 30 grs.; Rhubarb 10 grs.; Aromatic Powder of Canela 5 grs. Dose 20 to 30 grs. *St. George's.*

Pulvis Rhei et Magnesiae Sulphatis.

Comp. Rhubarb Powder 1 drm.; Sulphate of Magnesia 2 drms. *Charing Cross.*

Pulvis Rhei Opiatus.

Rhubarb 15 grs.; Aromatic Chalk Powder with Opium 10 grs. *Guy's.*

Pulvis Rhei c. Potassæ Sulph.

Rhubarb 10 grs.; Sulphate of Potash 30 grs. *St. Bartholomew's.*

Rhubarb 20 grs.; Sulphate of Potash 40 grs. *St. Thomas's. City Chest.*

Rhubarb $2\frac{1}{2}$ grs.; Sulphate of Potash 7 grs.; Ginger $\frac{1}{2}$ gr. *Westminster.*

Pulvis Rhei Salinus.

Rhubarb 10 grs. ; Sulphate of Potash 20 grs. *Guy's.*

Rhubarb 10 grs. ; Sulphate of Potash 30 grs. *London.*

Pulvis Rhei c. Sodâ.

Rhubarb 10 grs. ; Bicarbonate of Soda 10 grs. ;
Ginger $2\frac{1}{2}$ grs. *Throat.*

Rhubarb 6 grs. ; Ginger 2 grs. ; Bicarbonate of
Soda 12 grs. *Consumption.*

Rhubarb 20 grs. ; Bicarbonate of Soda 20 grs.
Dose 10 to 20 grs. *London Ophthalmic.*

Rhubarb 10 grs. ; Dried Carbonate of Soda 10 grs.
Gt. Northern.

Rhubarb 20 grs ; Bicarbonate of Soda 40 grs. *St.
Thomas's.*

Rhubarb 5 grs. ; Bicarbonate of Soda 5 grs. ; Comp.
Powder of Cinnamon 5 grs. *Samaritan.*

Rhubarb 4 grs. ; Bicarbonate of Soda 4 grs. ; Gin-
ger 2 grs. *Westminster.*

Pulvis Salinus.

Sulphate of Magnesia 1 oz. ; Nitrate of Potash 1
drm. ; Rhubarb $\frac{1}{2}$ drm. *Royal Free.*

Pulvis Salis Thermarum Carolinensium (Carls-
bad Salt).

Chloride of Sodium 1 drm. ; Bicarbonate of Soda 2
drms. ; Sulphate of Soda $\frac{1}{2}$ oz. Dose 1 to 2
drms. in $\frac{1}{2}$ pint of tepid water. *City Chest.*

Pulvis Scammonii Compositus c. Hydrarg.

Jalap 5 grs. ; Compound Powder of Scammony 5
grs. ; Rhubarb 5 grs. ; Grey Powder 3 grs. ;
Ginger 2 grs. Dose 10 to 20 grs. *Consump-
tion.*

Pulvis Scammon. c. Hydr. *Vide Pulvis Hydr.*
Subchlor. c. Scammonio.

Pulvis Scammon. c. Hydr. Subchlor. *Vide*
Pulvis Hydr. Subchlor. c. Scammonio.

Pulvis Sennæ Comp.

Senna 12 grs.; Liquorice 12 grs.; Sublimed Sulphur 6 grs.; Compound Powder of Cinnamon 6 grs.; Sugar 24 grs. Dose 1 drn. *Consumption.*

Same as Pulvis Liquiritiæ Co. German Pharmacopœia. *London Ophthalmic.*

Pulvis Sodæ Aromat.

Dried Carbonate of Soda 20 grs.; Aromatic Powder of Canella 5 grs. *St. George's.*

Pulvis Sodæ c. Hydrarg.

Bicarbonato of Soda 4 grs.; Aromatic Powder of Chalk 4 grs.; Grey Powder 2 grs. *Middlesex.*

Dried Carbonato of Soda $2\frac{1}{2}$ grs.; Calomel $\frac{1}{2}$ gr.; Aromatic Chalk Powder 5 grs. *Guy's.*

Pulvis Sodæ c. Jalapâ.

Bicarbonato of Soda $\frac{1}{2}$ oz.; Jalap 1 drn. Dose $\frac{1}{12}$ part. *Royal Free.*

Pulvis Sodæ c. Opio.

Bicarbonato of Soda $\frac{1}{2}$ oz.; Opium 3 grs. Dose $\frac{1}{12}$ part. *Royal Free.*

Pulvis Stomachicus.

White Bismuth 8 grs.; Carbonate of Magnesia 10 grs.; Rhubarb 3 grs.; mix. *Gt. Northern.*

Pulvis Sulph. Co.

Precipitated Sulphur, Tartrate of Soda and Potash, equal parts. *St. George's.*

Sulphur 30 grs.; Bitartrate of Potash 30 grs.;
Ginger Powder 5 grs. *Samaritan.*

Sublimed Sulphur 1 oz.; Sulphurated Antimony 1
drm.; Nitrate of Potash 2 drms. Dose 40 grs.
Royal Free.

Carbonate of Magnesia 20 grs.; Senna 2 drms.;
Sublimed Sulphur $\frac{1}{2}$ oz.; Acid Tartrate of
Potash 1 oz.; Ginger $\frac{1}{2}$ drm. Dose 1 drm.
City Chest.

Pulvis Tartaratus Co.

Acid Tartrate of Potash 220 grs.; Jalap 20 grs.;
Ginger 3 grs. *St. Thomas's.*

Pulvis Zinci et Amyli.

Oxide of Zine 1 oz.; Starch 2 oz.: mix. *West-
minster.*

Pulvis Zinci Oxidi.

Oxide of Zine 1 oz.; Starch 2 oz. *Fever.*

Pulvis Zinci Oxidi et Aluminis.

Oxide of Zine $\frac{1}{2}$ drm.; Alum $\frac{1}{2}$ drm.: Powdered
Orris Root $\frac{1}{2}$ drm.; Starch 1 oz. *British Skin.*

Pulvis Zinci Oxidi et Calamini.

Oxide of Zine $\frac{1}{2}$ oz.; Prepared Calamine $\frac{1}{2}$ oz.
British Skin.

Pulvis Zingiberis c. Capsico.

Ginger 1 oz.; Capsicum $\frac{1}{2}$ oz.: mix. 30 to 60 grs.
to be used for each poultice. *Middlesex.*

SAPO DURUS CUM GLYCERINO.

Brand "F. A. Sarg" (of Vienna). *British Skin.*

SOLUTIONES.

Solutio Argenti Nitratis.

Nitrate of Silver 60 grs.; Distilled Water 1 oz.,
No. 1. Nitrate of Silver 20 grs.; Distilled
Water 1 oz., No. 2. Nitrate of Silver 1 gr.
Distilled Water 1 oz., No. 3. *Samaritan.*

Nitrate of Silver 1 drms.; water 1 oz.: dissolve. *Women.*

Solutio Cantharidis Aceti.

Vinegar of Cantharides 6 drms.; Spirit of Cam-
phor 2 drms. *Consumption.*

Solutio Chlorig.

Chlorate of Potash 20 grs.; Hydrochloric Acid 160
mins.: mix in a 2 oz. phial, and suspend it in a
40 oz. wide-mouthed stoppered bottle, contain-
ing 20 oz. of Distilled Water; at the expiration
of four hours remove the phial with its con-
tents, agitate the solution of gas thoroughly,
and preserve in a stoppered bottle. Dose 40
to 80 mins. *Middlesex.*

Solutio Fehling.

Sulphate of Copper $90\frac{1}{2}$ grs.; Distilled Water to 1 oz.:
dissolve and keep separate. Tartrate of Potash
364 grs.; Solution of Caustic Soda, sp. gr. 1.12,
4 oz.; water to 5 oz.: dissolve and keep separate.
One volume of the Copper Solution, mixed
with five volumes of the Soda Solution, and
gently warmed, makes the test for grape sugar.
University.

Solutio Ferri Perchloridi et Glycerini.

Perchloride of Iron, Glycerine, equal parts. *Sa-
maritan.*

Solutio Iodi Caustic. vel Pigmentum Iodi.

Iodine 4 drms.; Iodide of Potassium 2 drms.;
Rectified Spirit to 2 oz. *Consumption.*

SPIRITUS.

Spiritus Ammoniae Aromaticus.

Carbonate of Ammonia 8 oz.; Strong Solution of Ammonia 4 oz.; Oil of Lemon 2 drms.; Rectified Spirit 5 pints; Distilled Water to 7 pints: dissolve. Same strength as Br. Ph. *St. Bartholomew's.*

Spiritus Ammoniae Foetidus.

Tincture of Assafoetida 6 oz.; Rectified Spirit 3 oz.; Strong Solution of Ammonia 1 oz.: mix. Same strength as Br. Ph. *St. Bartholomew's.*

Spiritus Carui.

Oil of Caraway 30 mins.; Rectified Spirit to 10 drms. *St. Bartholomew's.*

Spiritus Caryophylli.

Oil of Cloves 30 mins.; Rectified Spirit to 10 drms. *St. Bartholomew's.*

Spiritus Cassiae.

Oil of Cassia 30 mins.; Rectified Spirit to 10 drms. *St. Bartholomew's.*

Spiritus Menth. Pip.

Oil of Peppermint 30 mins.; Rectified Spirit to 10 drms. *St. Bartholomew's.*

Spiritus Menth. Vir.

Oil of Spearmint 30 mins.; Rectified Spirit to 10 drms. *St. Bartholomew's.*

Spiritus Saponis Mollis.

Best Soft Soap 1 oz.; Rectified Spirit $\frac{1}{2}$ oz. *British Skin.*

SUPPOSITORIA.

See also PESSI.

Suppositorium Acidi Tannici et Belladonnæ.

Tannic Acid 3 grs. ; Extract of Belladonna 2 grs. ;
Oil of Theobroma to 15 grs. *Westminster.*

Suppositorium Acidi Tannici et Morphiæ.

Tannic Acid 5 grs. ; Hydrochlorate of Morphia $\frac{1}{2}$
gr. ; Oil of Theobroma to 15 grs. *Westminster.*

Tannic Acid 5 grs. ; Hydrochlorate of Morphia $\frac{1}{4}$
gr. ; Oil of Theobroma to 20 grs. *Middlesex.*

Suppositorium Acidi Tannici c. Opio.

Tannic Acid 15 grs. ; Powdered Opium 1 gr. ; Gly-
cerino 2 mins. ; Hard Soap, 8 grs. *British Skin.*

Suppositorium Belladonnæ.

Extract of Belladonna 2 grs. ; Oil of Theobroma to
15 grs. *Westminster.*

Extract of Belladonna $\frac{1}{2}$ gr. ; Oil of Theobroma 20
grs. *Middlesex.* (*University, Oil of Theo-
broma, 15 grs.*)

Suppositorium Gallæ Co.

Galls in powder 3 grs. ; Opium 1 gr. ; Oil of Theo-
broma to 20 grs. *Middlesex.*

Suppositorium Iodoformi.

Iodoform $1\frac{1}{2}$ gr. ; Oil of Theobroma 15 grs. *West-
minster.*

Suppositorium Opii.

Opium 1 gr. ; Oil of Theobroma to 20 grs. *Middle-
sex.* (*University, Oil of Theobroma 15 grs.*)

Comp. Soap Pill 10 grs. *Fever.*

Comp. Soap Pill 12 grs. *St. Bartholomew's.*

SYRUP.

Syrupus Croton Chloral.

Croton Chloral 16 grs. ; Glycerine 80 mins. ; Syrup of Orange to 1 oz. Dose 1 dr. *Consumption.*

Syrupus Morph. Hydrochloratis.

Hydrochlorate of Morphia $\frac{1}{2}$ gr. ; Spirit of Nutmeg 16 mins. ; Syrup $\frac{1}{2}$ oz. ; water to 1 oz. Dose 1 to 2 drms. *Consumption.*

Syrupus Morphiæ Hydrochloratis Fort.

Hydrochlorate of Morphia 1 gr. ; Syrup of Red Poppies $\frac{1}{2}$ oz. ; Spirit of Chloroform 40 mins. ; water to 1 oz. Dose 1 dr. *Consumption.*

Syrupus Morphiæ c. Potassæ Chlorate.

Acetate of Morphia $\frac{2}{3}$ gr. ; Chlorate of Potash 16 grs. ; Glycerine 80 mins. ; Syrup of Mulberries to 1 oz. *Consumption.*

Syrupus Papaveris.

Made with Treacle instead of Sugar. Same strength as Br. Ph. *St. Bartholomew's.*
 Extract of Poppies 8 grs. ; Simple Syrup 1 oz. Dose 1 dr. *Middlesex.*

Syrupus Rhœados.

Dried Petals 13 oz. ; Treacle $5\frac{1}{4}$ lbs. ; Boiling Distilled Water $5\frac{1}{2}$ pints : infuse the petals in the water for 12 hours, strain, and add the treacle. *St. Bartholomew's.*

Syrupus Scillæ c. Morphiâ.

Oxymel of Squill $\frac{1}{2}$ oz. ; Muriate of Morphia $\frac{1}{2}$ gr. ; Dil. Hydrocyanic Acid 16 mins. ; water to 1 oz. Dose 1 to 2 drms. *Consumption.*

TINCTURÆ.

Tinctura Chloro-Morphiæ.

Chloroform 6 drms.; Hydrochlorate of Morphia 16 grs.; Dil. Hydrocyanic Acid 3 drms.; Oil of Peppermint 1 drm.; Rectified Spirit 3 oz.; Treacle to 8 oz. Dose 15 to 30 mins. *City Chest.*

Tinctura Cuspariæ.

Cusparia bruised $\frac{1}{2}$ drm.; Proof Spirit 1 oz. *St. George's.*

Tinctura Ferri Sesquichloridi.

Sesquioxide of Iron $1\frac{1}{2}$ oz.; Hydrochloric Acid 5 oz.; Rectified Spirit 15 oz.; mix the Sesquioxide with the Acid, and digest in a sand-bath, stirring occasionally till the iron is dissolved; add the Spirit to the solution when cold, and strain. *St. George's.*

Tinctura Gentianæ.

Gentian sliced $\frac{1}{2}$ drm.; Canella $22\frac{1}{2}$ grs.; Proof Spirit 1 oz. *St. George's.*

Tinctura Guaiaci Ammoniata.

Guaiacum 9 oz.; Rectified Spirit $37\frac{1}{2}$ oz.; Distilled Water 10 oz.; Strong Solution of Ammonia $2\frac{1}{2}$ oz.; Carbonate of Ammonia 480 grs.; dissolve the Carbonate in the water, add the Ammonia and the Spirit, lastly the Guaiacum, and macerate 3 days, then filter. Dose $\frac{1}{2}$ to 1 drm. *London.*

Tinctura Sennæ Co.

Senna 60 grs.; Jalap $7\frac{1}{2}$ grs.; Ginger $3\frac{5}{4}$ grs.; Proof Spirit 1 oz. *St. George's.*

Tinctura Valerianæ Ammoniata.

Valerian Root $6\frac{1}{2}$ oz. ; Rectified Spirit $37\frac{1}{2}$ oz. ; Distilled Water 15 oz. ; Strong Solution of Ammonia $2\frac{1}{2}$ oz. ; Carbonate of Ammonia 480 grs. : dissolve the Carbonate in the water, add the Ammonia and Spirit, and lastly the Valerian Root ; macerate 7 days, then filter. *London.*

TROCHISCI.

N.B. Lozenges of the Consumption Hospital are made with Acacia Paste.

Lozenges of the London Hospital are made with Black Currant Paste.

Lozenges of the Throat Hospital are made with both Black Currant and Red Currant Paste. The formulæ for these are omitted, as they are now made and sold by the lozenge manufacturers.

Trochisci Acaciæ.

Consumption.

Trochisci Acidi Benzoici.

About $\frac{1}{2}$ gr. each. One every 4 hours as a stimulant and voice lozenge. *Throat.*

Trochisci Acidi Carbolic.

About 1 gr. each. One 4 or 5 times a day. Antiseptic and stimulant. *Throat.*

Trochisci Acidi Tannici.

1 gr. each. *London.*

$1\frac{1}{2}$ gr. each. One every 3 or 4 hours. Strongly astringent. *Throat.*

Trochisci Althææ.

One every half-hour or hour. Emollient. *Throat.*

Trochisci Catechu.

2 grs. each. One every 3 hours. Astringent.
Throat.

Trochisci Cubebæ.

About $\frac{1}{2}$ gr. each. One every 3 or 4 hours. Useful
in bronchitis. *Throat.*

Closely resembles Brown's Bronchial Troches.

Trochisci Glycyrrhizæ.

Extract 3 grs., Oil of Aniseed $\frac{1}{2}$ min., in each.
Consumption.

Trochisci Guaiaci.

4 grs. in each. *London.*

2 grs. each. One every 2 hours in acute inflammation, and 3 times a day in chronic affections.
Throat.

Trochisci Gummi Rubri.

Red Gum $2\frac{1}{2}$ grs., Tincture of Capsicum $\frac{1}{3}$ min., in each. *London.*

Trochisci Hæmatoxyli.

2 grs. Ext. in each. One every 3 or 4 hours.
Mildly astringent. *Throat.*

Trochisci Kino.

2 grs. each. One every 3 or 4 hours. Astringent.
Throat.

Trochisci Krameria.

3 grs. Ext. in each. One every 3 or 4 hours.
Astringent, and less constipating than Catechu.
Throat.

Trochisci Lactucæ.

1 gr. Ext. in each. One every hour or two. Soothing. *Throat.*

Trochisci Opii et Ipecacuanhæ.

Extract of Opium $\frac{1}{10}$ gr., Ipecacuanha $\frac{1}{3}$ gr., Oil of Aniseed $\frac{1}{2}$ min., in each. *Consumption.*

Trochisci Potassæ Chloratis.

3 grs. each. *London.*

3 grs. each. One every 3 or 4 hours. Stimulant and antiseptic: useful in thrush and aphthous ulceration. *Throat.*

Trochisci Potassæ Chloratis Acidæ.

Chlorate of Potash 3 grs., Tartaric Acid $1\frac{1}{2}$ gr., in each: flavoured with Essence of Lemon. *Consumption.*

Trochisci Potassæ Citratis.

3 grs. each. One every 3 or 4 hours. Topical Sialogogue. *Throat.*

Trochisci Potassæ Tartrat. Acidæ.

3 grs. each. One every 2 or 3 hours. Topical Sialogogue. *Throat.*

Trochisci Pyrethri.

1 gr. each. One every 2 or 3 hours. A valuable Sialogogue. *Throat.*

Trochisci Sedativi.

Contains $\frac{1}{10}$ gr. of Extract of Opium. One every 3 or 4 hours. Sedative for irritative coughs. *Throat.*

UNGUENTA.

The London Ophthalmic Hospital gives the following directions:—All the ointments may be made with Paraffine Ointment. In commerce the substances known as Vaseline and Cosmolino (Unguent. Petrolei) may be taken as representing it.

Cerates are included in this group under the head of Ointments.

Unguentum Acidi Boracici.

Boracic Acid 1 drn.; Lard 1 oz.: mix. *British Skin.*

Boracic Acid (in fine powder) 2 parts; White Wax 1 part; Paraffine 2 parts; Almond Oil 4 parts; Prepared Lard 3 parts: dissolve and mix. *University.*

Unguentum Acidi Chrysophanici.

Chrysophanic Acid 10 grs.; Lard 1 oz. *St. Mary's.*

Chrysophanic Acid 2 drms.; Lard 1 oz.: heat together in a water bath for half an hour; when set mix with pestle and mortar. *British Skin.*

Unguentum Acidi Pyrogallici.

Pyrogallic Acid 10 grs.; Lard 1 oz.: mix. *British Skin.*

Unguentum Acidi Salicylici.

Salicylic Acid $\frac{1}{2}$ drn.; Lard 1 oz.: mix. *British Skin.*

Unguentum Acidi Tannici c. Opio.

Tannic Acid $\frac{1}{2}$ drn.; Powdered Opium $\frac{1}{2}$ drn.; Lard 1 oz.: mix. *British Skin.*

Unguentum Æruginis.

Verdigris 60 grs. ; Lard 1 oz. *Guy's.*

Verdigris 1 drn. ; Resin Ointment 15 drms. : melt together with a gentle heat. *London.*

Unguentum Album.

See Ung. Hydrarg. Ammoniat. Dil. *St. Mary's.*

Unguentum Alizarini.

Alizarini Factitii 1 drn. ; Lard 1 oz. : mix. *British Skin.*

Unguentum Amyli Iodidi.

Iodide of Starch 1 drn. ; Lard 1 oz. *Middlesex.*

Unguentum Arsenici.

Arsenious Acid 40 grs. ; Lard 1 oz. *Guy's.*

Unguentum Arsenici Causticum.

Arsenious Acid 30 grs. ; Lard 1 oz. *St. Mary's.*

Unguentum Balsami Peruv.

Balsam of Peru 1 drn. ; Lard 1 oz. *Middlesex.*

Balsam of Peru 1 oz. ; Castor Oil 2 oz. *Fever.*

Unguentum Belladonnæ.

Extract of Belladonna 80 grs. ; Glycerine 1 drn. ; Prepared Lard 1 oz. *Fever.*

Unguentum Belladonnæ Co.

Extract of Belladonna 80 grs. ; water *q. s.* to form a paste ; Ammoniated Mercury 40 grs. ; Benzoated Lard 360 grs. *London Ophthalmic.*

Extract of Belladonna and Ointment of Iodide of Potassium equal parts. *Middlesex.*

Unguentum Belladonnæ c. Hydrargyro.

Extract of Belladonna 10 grs. ; Ammoniated Mercury 5 grs. ; Lard 1 drn. *King's.*

Unguentum Bismuthi.

White Bismuth 1 drn. ; Lard 1 oz. *St. George's.*
British Skin.

Unguentum Calaminæ.

Calamine 3 drms. ; White Wax 3 drms. ; Olive Oil 1 oz. *St. George's.*

Calamine 120 grs. ; Yellow Wax 60 grs. ; Olive Oil 2 drms. ; Lard to 1 oz. *St. Mary's.*

Prepared Calamine 2 drms. ; Lard 1 oz. *British Skin.*

Unguentum Camphor.

Camphor $\frac{1}{2}$ drn. ; Lard 1 oz. *British Skin.*

Unguentum Citrinum.

Citrine Ointment 1 drn. ; Lard 7 drms. *Westminster Ophthalmic, No. 1.*

Citrine Ointment 2 drms. ; Lard 6 drms. *Westminster Ophthalmic, No. 2.*

Unguentum Commune.

Lard 1 oz. ; Yellow Wax 1 oz. ; Olive Oil 4 oz. *Middlesex.*

Unguentum Creasoti.

Creasote 6 mins. ; Nitrate of Mercury Ointment $\frac{1}{2}$ drn. ; Lard 1 oz. *Charing Cross.*

Unguentum Creasoti Forte.

Creasote 6 drms. ; White Wax 3 drms. : melt with heat. *British Skin.*

Used in squamous and vesicular affections.

Unguentum Cretæ.

Prepared Chalk 6 drms.; Lard 4 drms. *Middlesex.*

Unguentum Cretæ Co.

Prepared Chalk 2 drms.; Olive Oil 1 oz.; Vinegar
90 mins.; Lead Plaster $1\frac{1}{2}$ oz. *St. George's.*

Unguentum Diachyli.

Lead Plaster $\frac{1}{2}$ oz.; Vascline $\frac{1}{2}$ oz.: melt with heat.
British Skin.

Unguentum Diachylon (Hebra's Formula).

Olive Oil 15 oz.; Litharge $3\frac{3}{4}$ oz.: boil to a soft
ointment, and add Oil of Lavender 2 drms.
King's.

Unguentum Flavum.

Yellow Oxide of Mercury 8 grs.; Lard 8 drms.
Westminster Ophthalmic.

Unguentum Hydr. Ammon. Comp.

Ammoniated Mercury 40 grs.; Oxide of Zinc 40
grs.; Red Oxide of Mercury 5 grs.; Lard 1
oz. *Middlesex.*

Unguentum Hydr. Ammoniati Dil.

Ammoniated Mercury 8 grs.; Simple Ointment 1
oz. *London Ophthalmic.*

Ammoniated Mercury 15 grs.; Glycerine 1 drm.;
Simple Ointment 1 oz. *St. Mary's.*

Ammoniated Mercury 12 grs.; Olive Oil 12 mins.;
Lard 1 oz. *University.*

Unguentum Hydr. Ammon c. Sulphure.

Ammoniated Mercury 6 grs.; Sublimed Sulphur
30 grs.; Benzoated Lard 1 oz. *London Oph-
thalmic.*

Unguentum Hydr. c. Belladonnâ.

Belladonna Ointment, Mercurial Ointment, equal parts. *Middlesex.*

Extract of Belladonna 1 drm.; Mercurial Ointment to 1 oz. *London.*

Extract of Belladonna 40 grs.; Mercurial Ointment 1 oz. *Gt. Northern.*

Extract of Belladonna 2 drms.; water *q. s.* to form a paste; Ointment of Mercury 6 drms. *London Ophthalmic.*

Unguentum Hydr. Bibromidi.

Bibromide of Mercury 4 grs.; Simple Ointment 1 oz. *Women.*

Unguentum Hydr. Camph.

Camphor 1 drm.; Proof Spirit *q. s.*; Mercurial Ointment 1 oz. *St. George's.*

Unguentum Hydr. Co.

Mercurial Ointment 2 oz.; Soap Cerate Plaster 2 oz.; Camphor $\frac{1}{2}$ oz. *London.*

Unguentum Hydr. c. Conio.

Mercurial Ointment 1 oz.; Extract of Conium 1 drm. *Gt. Northern.*

Unguentum Hydr. c. Iodo.

Iodine 10 grs.; Spirit of Wine *q. s.*; Mercurial Ointment 1 oz. *Middlesex.*

Mercurial Ointment, Iodine Ointment, equal parts. *St. George's.*

Unguentum Hydr. Iodidi Album.

Corrosive Sublimate 6 grs.; Iodide of Potassium 20 grs.; Prepared Lard 1 oz.; water *q. s.* *St. George's.*

Unguentum Hydr. Iodidi Rubri.

Red Iodide of Mercury 1 drn. ; Simple Ointment 9 drms. : mix. This is three times the strength of the Br. Ph., and is used for bronchocele. *Throat.*

Unguentum Hydr. Iodidi Rubri Forte.

Red Iodide of Mercury 1 drn. ; Lard 1 oz. : mix. *British Skin.*

Unguentum Hydr. Mitius.

Mercurial Ointment $\frac{1}{2}$ oz. ; Lard 1 oz. *London. Middlesex.*

Strong Mercurial Ointment 2 drms. ; Camphor 10 grs. ; Spirit of Wine *q. s.* ; Lard to 1 oz. *King's.*

Unguentum Hydr. Nitrat. Dilut.

Nitrate of Mercury Ointment $1\frac{1}{2}$ drn. ; Lard $6\frac{1}{2}$ drms. *Westminster.*

Unguentum Hydr. Nitrat. Mite.

Ointment of Nitrate of Mercury 1 drn. ; Paraffine Ointment (Vaseline) to 1 oz. *London Ophthalmic.*

Unguentum Hydr. Nitrat. Mitius.

Ointment of Nitrate of Mercury 1 drn. ; Paraffine Ointment (Vaseline) to 12 drms. *London Ophthalmic.*

Ointment of Nitrate of Mercury 1 drn. ; Lard 7 drms. *Middlesex.*

Ointment of Nitrate of Mercury 1 drn. ; Simple Ointment 7 drms. *St. George's.*

Ointment of Nitrate of Mercury $\frac{1}{2}$ oz. ; Lard 1 oz. *London.*

Unguentum Hydrargyri Oleatis.

Oleate of Mercury (10 p. c.) 2 drms. ; Lard 1 oz. :
mix. *British Skin.*

Unguentum Hydr. Oleatis (20 per cent.).

Yellow Oxide of Mercury 2 drms. ; Oleic Acid 10
drms. For mode of preparation see Linimentum
Hydr. Oleatis. *Throat.*

Unguentum Hydr. c. Opio.

Opium 1 drm. ; Mercurial Ointment 7 drms. *Middlesex. Gt. Northern.*

Opium 1 drm. ; Mercurial Ointment 11 drms.
Westminster Ophthalmic.

Unguentum Hydr. Ox. Cinerei.

Black Oxide of Mercury 1 drm. ; Lard 1 oz. *St. George's.*

Unguentum Hydr. Ox. Flavi.

Yellow Oxide of Mercury 15 grs. ; Lard 1 oz. : mix.
British Skin.

Yellow Oxide of Mercury 8 grs. ; Olive Oil $\frac{1}{2}$ drm. ;
Benzoated Lard to 1 oz. *Middlesex.*

Yellow Oxide of Mercury 8 grs. ; Paraffino Ointment
1 oz. *London Ophthalmic.*

Unguentum Hydr. Ox. Rubri.

Eye Ointments.

No. 1. 1 oxide to 7 of Lard.

„ 2. 1 „ „ 16 „

„ 3. 1 „ „ 60 „ *University.*

Unguentum Hydr. Ox. Rubri Dilut.

Red Oxide of Mercury Ointment 1 drm. ; Paraffine
Ointment 7 drms. *London Ophthalmic. Westminster.*

Unguentum Hydr. Ox. Rubr. Mitius.

Ointment of Red Oxide of Mercury 2 drms. ; Lard
6 drms. *Middlesex. King's.*

Unguentum Hydr. Perchloridi.

Corrosive Sublimate 8 grs.; Lard 1 oz.: mix.
British Skin.

Perchloride of Mercury 2 grs.; Lard 1 oz. *Charing Cross.*

Perchloride of Mercury 3 grs.; Lard 1 oz. *St. Mary's.*

Unguentum Hydr. Rubr.

Ointment of Red Oxide of Mercury 1 drm.; Lard 7 drms. *Westminster Ophthalmic.*

Bisulphuret of Mercury 6 grs.; Red Oxide of Mercury 6 grs.; Creasote 2 mins.; Lard 1 oz. *St. Mary's. Samaritan.*

Unguentum Hydr. Subchloridi.

Calomel 1 drm.; Lard 1 oz. *St. Mary's.*

Unguentum Iodoformi.

Iodoform 1 drm.; Lard 1 oz.: mix. *British Skin.*

Unguentum Metallorum.

Zinc Ointment, Nitrate of Mercury Ointment, Subacetate of Lead Ointment, equal parts. *Guy's.*

Unguentum Olei Betulæ.

Oil of Birch 5 drms.; Yellow Wax 2 drms.: melt. *British Skin.*

Unguentum Olei Staphisagriæ.

Oil of Stavesacre 1 drm.; Lard 1 oz.: mix. *British Skin.*

Unguentum Opii.

Opium 20 grs.; Spermaceti Ointment 1 oz. *St. George's.*

Opium $\frac{1}{4}$ oz.; Lard to 2 oz. *Middlesex.*

Extract of Opium 30 grs.; Lard to 1 oz. *Guy's.*

Unguentum Picis Co.

Tar Ointment, Zinc Ointment, and Comp. Subacetate of Lead Ointment, equal parts. *St. Mary's.*

Unguentum Picis c. Hydrarg.

Tar Ointment, White Precipitate Ointment, equal parts. *Samaritan.*

Unguentum Picis c. Hydr. Nitr.

Tar 2 drms.; Ointment of Nitrate of Mercury 4 drms.; Lard 8 drms. *Middlesex.*

Unguentum Picis Juniperi.

Juniper Tar 2 drms.; Lard 1 oz. *University.*

Unguentum Picis c. Plumbo.

Tar Ointment and Ointment of Acetate of Lead equal parts. *St. Bartholomew's.*

Unguentum Picis c. Sulphure.

Sublimed Sulphur 2 drms.; Tar 2 drms.; Prepared Chalk 1 drn.; Lard 2 drms. *Middlesex.*

Unguentum Plumbi c. Calamin.

Calamine Ointment $\frac{1}{2}$ oz.; Lead Plaster to 1 oz. *St. George's.*

Unguentum Plumbi Glycerini.

Glycerine of Subacetate of Lead $\frac{1}{2}$ drn.; Vaseline 1 oz.; mix. *British Skin.*

Unguentum Plumbi Iodidi.

Iodide of Lead 1 drn.; Lard to 1 oz. *St. George's.*

Unguentum Plumbi Oleatis.

Lead Plaster, Olive Oil, equal weights. *University.*

Unguentum Plumbi Opiatum.

Solution of Diaacetate of Lead 1 drm.; Tincture of Opium 1 drm.; Simple Ointment 1 oz. *St. George's.*

Unguentum Plumbi Oxidi.

Lead Plaster 2 oz.; Olive Oil $2\frac{1}{2}$ oz.: mix by a gentle heat. *Middlesex.*

Unguentum Plumbi Subacetatis.

Solution of Subacetate of Lead 1 drm.; Lard 2 oz. *London.*

Unguentum Plumbi Subacetatis c. Paraffine.

Glycerole of Lead $4\frac{1}{2}$ oz.; Paraffine Ointment, 18 oz.; Paraffine Wax 6 oz.: melt the wax and ointment together, add the glycerole, and stir till cold. *London Ophthalmic.*

Unguentum Resinæ.

Resin, Yellow Wax, Olive Oil, equal parts. *London.*

Unguentum Rubrum.

Vide Unguentum Hydrarg. Rubri. Westminster Ophthalmic. St. Mary's. Samaritan.

Unguentum Rubrum Mitius.

Red Ointment $\frac{1}{2}$ oz.; Lard $\frac{1}{2}$ oz. *Samaritan.*

Unguentum Sambuci.

Elder Leaves 4 drms.; water *q. s.*; Lard 5 drms. Boil till leaves are crisp, and strain with pressure. *St. George's.*

Unguentum Saponis c. Hydrargyro.

Mercurial Ointment 1 oz. ; Soap Cerate 1 oz. ; Yellow Wax 1 oz. ; Camphor $1\frac{1}{2}$ drms. *Samaritan.*

Unguentum Simplex.

White Wax $\frac{1}{2}$ oz. ; Lard 1 oz. *London Ophthalmic.*

Unguentum Staphisagriæ.

Stavesacre 1 oz. ; Olive Oil 1 oz. ; Lard 2 oz. Melt the lard in a water bath, add the oil and stavesacre, maintain the heat for a quarter of an hour, then remove and stir till cold. *London Ophthalmic.*

Stavesacre in powder 1 oz. ; Lard 4 oz. : heat for 1 hour, and strain. *Middlesex.* (2 hours) *University.*

Oil of Stavesacre 1 drms. ; Lard 1 oz. *St. Mary's.*

Unguentum Stramonii.

Fresh Stramonium Leaves 1 ; Lard 4 : heat till friable, and strain. *Middlesex.*

Unguentum Styracis.

Prepared Storax 2 drms. ; Lard 1 oz. : mix. *British Skin.*

Unguentum Sulph. Co.

Carbonate of Potash 1 drms. ; Sulphur 2 drms. ; Lard 1 oz. *Samaritan.*

Sublimed Sulphur 4 drms. ; White Hellebore 1 drms. ; Nitrate of Potash $\frac{1}{2}$ gr. ; Soft Soap 4 drms. ; Prepared Lard 2 oz. *London.*

Sublimed Sulphur 40 grs. ; Ammoniated Mercury 5 grs. ; Creasote 3 mins. ; Olive Oil 2 drms. ; Lard 1 oz. *Charing Cross.*

Unguentum Sulph. c. Hydrarg.

Sublimed Sulphur $\frac{1}{2}$ drn.; Ammoniated Mercury 5 grs.; Olive Oil 8 mins.; Lard 1 oz. *University.*

Sulphur 4 oz.; Ammoniated Mercury $\frac{1}{4}$ oz.; Æthiops Mineral $\frac{1}{4}$ oz.; Olive Oil 2 oz.; Lard 8 oz.; Creasote 10 mins. *Samaritan.*

Unguentum Sulph. Hypochlor.

Hypochloride of Sulphur 1 drn.; Lard 7 drms. *Middlesex. St. George's.*

Unguentum Sulph. Iodid.

Iodide of Sulphur 30 grs.; Prepared Lard 1 oz. *St. George's.*

Unguentum Sulphuris c. Potassâ.

Precipitated Sulphur 2 drms.; Carbonate of Potash 1 drn.; Vermilion 2 grs.; Oil of Bergamot 2 mins.; Lard 1 oz.: mix. *British Skin.*

Unguentum Thymolis.

Thymol 10 grs.; Lard 1 oz. *University.*

Unguentum Viride.

Elemi Ointment 1 oz.; Elder Leaf Ointment 1 drn.; Copaiba $1\frac{1}{2}$ drn. *St. George's.*

Unguentum Vulgare. *Vide* Unguentum Commune.

Unguentum Zinci.

Oxide of Zinc 1 drn.; Lard to 2 oz. *London.*

Unguentum Zinci c. Acido Carbolico.

Carbolic Acid 30 grs.; Zinc Ointment 1 oz. *Middlesex.*

Unguentum Zinci Co.

Zinc Ointment and Comp. Ointment of Subacetate of Lead equal parts. *London Ophthalmic.*

Carbonate of Lead 1 drn.; Zinc Ointment to 1 oz. *St. Mary's.*

Zinc Ointment and Chalk Ointment equal parts. *Middlesex.*

Unguentum Zinci c. Hydr.

Zinc Ointment 6 drms.; Ointment of Nitrate of Mercury 1 drn. *St. Thomas's.*

Unguentum Zinci Oleatis.

Oleate of Zinc 2 drms.; Lard 1 oz.; mix. *British Skin.*
Oxide of Zinc 1 oz.; Oleic Acid 6 oz.; heat together till dissolved, and add Lard 14 oz.; mix. *University.*

Oxide of Zinc 1 oz.; Oleic Acid 8 oz.; mix and set aside for 6 hours; then apply heat to liquefy, and form a perfect solution: to this add Paraffine Ointment (Vaseline) 9 oz.; dissolve, and stir till cold. *London Ophthalmic.*

VAPORES—INHALATIONES.

Inhalations prescribed in the Throat Hospital are of five kinds, as follows:—

Hot: steam, impregnated with volatile matter; temp. 130° to 150° F.

Cold: temp. 60° to 100° F.

Dry: volatile matters vaporized by heat.

Atomized: *i.e.* inhalations of atomized fluids.

Fuming: *i.e.* inhalations of the smoke of ignited nitrated papers.

For full particulars respecting these the reader is referred to the Pharmacopœia of the Hospital for Disease of the Throat.

Vapor Acidi Acetici.

Glacial Acetic Acid and Acetic Acid equal parts:
mix. *Throat.*

2 teaspoonfuls in a pint of water at 140° F. for
each inhalation.

Antiseptic; used for inflammatory sore throat of
scarlet fever.

Vapor Acidi Carbolici.

Liquefied Carbolic Acid 30 mins.; boiling water 20
oz. *Royal Chest.*

Carbolic Acid 20 grs.; hot water 1 pint. *City Chest.*

Carbolic Acid Crystals 7 drms.; water 1 drm.: dis-
solve. *Throat.*

For hot moist air inhalation:—20 drops in a pint
of water at 140° F. for each inhalation.

For hot dry inhalation:—A teaspoonful to be poured
into the apparatus for dry inhalation, and the
vapour inhaled.

For cold inhalation:—2 teaspoonfuls in a pint of
water at 80° to 100° F.

Antiseptic; useful in syphilitic ulcerations.

Vapor Acidi Carbolici (Spray).

Carbolic Acid 30 grs.; Distilled Water 10 oz.
Throat.

Vapor Acidi Hydrocyanici.

Diluted Hydrocyanic Acid 1 drm.; water to 1 oz.:
mix. *Throat.*

A teaspoonful in a pint of water at 80° F. for each
inhalation.

Sedative; useful in cough of laryngeal phthisis.

Vapor Acidi Lactici.

Lactic Acid 20 mins.; water 1 oz.: for atomized in-
halation. *Throat.*

Vapor Acidi Sulphurosi (Cold).

Sulphurous Acid 1 drm.; water (from 60° to 100° F.) 20 oz. for each inhalation. *Throat.*
Stimulant.

Vapor Acidi Sulphurosi (Spray).

Sulphurous Acid 5 mins.; water 1 oz.: for atomized inhalation. *Throat.*

Vapor Acidi Tannici.

Tannic Acid 5 to 20 grs.; water 1 oz.: for atomized inhalation. *Throat.*

Vapor Ætheris.

Ether, Rectified Spirit, equal parts: mix. *Throat.*
A teaspoonful in a pint of water at 80° F. for each inhalation.
Sedative and antispasmodic.

Vapor Ætheris Acetici.

Acetic Ether, Rectified Spirit, equal parts: mix. *Throat.*
A teaspoonful in a pint of water at 140° F. for each inhalation.
This inhalation may be used as a cold inhalation at 80° F.
Sedative; often useful in irritation of the larynx.

Vapor Æther. Chlor. c. Hyoseyam.

Chloric Ether 30 mins.; Tincture of Henbane 30 mins.; Hot Infusion of Hop, or water, 8 oz.
Consumption.

Vapor Aldehydi.

Diluted Aldehyde 80 mins.; water to 1 oz.: mix. *Throat.*

A teaspoonful in a pint of water at 140° F. for each inhalation.

Sedative in recent catarrhal congestions; it is contra-indicated in cases of asthma.

Vapor Aluminium Chloridi.

Solution of Chloride of Aluminium 3 mins.; water 1 oz.; for atomized inhalation. *Throat.*

Vapor Aluminis.

Alum 8 grs.; water 1 oz.; for atomized inhalation. *Throat.*

Vapor Ammoniae.

Solution of Ammonia. water, equal parts: mix. *Throat.*

A teaspoonful in a pint of water at 80° F. for each inhalation.

Stimulant; useful in chronic laryngitis and functional aphonia.

Vapor Amyl Nitritis.

Nitrite of Amyl 24 mins.; water to 3 oz.: mix. *Throat.*

A teaspoonful in 20 oz. of water at 100° F. for each inhalation.

Antispasmodic; valuable in asthma and spasm of the glottis.

Vapor Anisi.

Oil of Aniseed 6 mins.; Light Carbonate of Magnesia 3 grs.; water to 1 oz.: mix. *Throat.*

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

Mildly stimulant.

Vapor Benzoini.

Add 1 drm. Comp. Tincture of Benzoin to 10 oz. of hot water, and let the vapour be inhaled. *London.*

Comp. Tincture of Benzoin 1 drm. to 20 oz. of water at 140° F.

A most valuable sedative inhalation for acute inflammation of the pharynx and larynx. *Throat.*

Compound Tincture of Benzoin 1 drm.; hot water 1 pint. *City Chest.*

Vapor Cajuputi.

Oil of Cajuput 8 mins.; Light Carbonate of Magnesia 4 grs.; water to 1 oz.: mix. *Throat.*

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

Stimulant; useful when the pharyngeal secretion is excessive.

Vapor Calami Aromatici.

Oil of Sweet Flag 5 mins.; Light Carbonate of Magnesia $2\frac{1}{2}$ grs.; water to 1 oz.: mix. *Throat.*

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

A powerful stimulant in cases of chronic congestion of the larynx.

Vapor Calcis.

Lime Water for atomized inhalation in diphtheria. *Throat.*

Vapor Camphoræ.

Spirit of Camphor 10 mins.; Rectified Spirit 20 mins.; water to 1 drm.; to be added to a pint of boiling water. *Chest.*

Spirit of Camphor 2 drms.; hot water 1 pint. *City Chest.*

Spirit of Camphor 1 drm.; Rectified Spirit 3 drms.; water to 1 oz.: mix. *Throat.*

A teaspoonful in a pint of water at 140° F. for each inhalation. To be inhaled slowly.

Stimulant.

Vapor Carui.

Oil of Caraway 6 mins.; Light Carbonate of Magnesia 5 grs.; water to 1 oz.: mix. *Throat.*

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

Stimulant.

Vapor Caryophylli.

Oil of Cloves 10 mins.; Light Carbonate of Magnesia 5 grs.; water to 1 oz.: mix. *Throat.*

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

Powerful stimulant.

Vapor Cassiæ.

Oil of Cassia 6 mins.; Light Carbonate of Magnesia 3 grs.; water to 1 oz.: mix. *Throat.*

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

Mild stimulant.

Vapor Chloroformi.

Chloroform, Rectified Spirit, of each $\frac{1}{2}$ oz.: mix. *Throat.*

A teaspoonful in 20 oz. of water under 100° F., and another teaspoonful may be added in 5 minutes during the inhalation.

Sedative in hay fever and in spasmodic affection of the larynx.

Vapor Chloroformi Compositus.

Chloroform 10 mins.; Conium Juice 1 drm.; Glycerine of Carbolic Acid to 2 drms.; boiling water 8 oz. *Consumption.*

Vapor Cinnamomi.

Oil of Cinnamon 6 mins.; Light Carbonate of Magnesia 3 grs.; water to 1 oz.: mix. *Throat.*

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

Stimulant.

Vapor Conii.

Dried Carbonate of Soda 20 grs.; water 20 oz. at 140° F.; dissolve, and add Juice of Conium 2 drms.; for an inhalation. *Throat.*

Sedative.

Vapor Conii c. Ammoniâ.

Juice of Conium 2 drms.; Solution of Ammonia 10 mins.; boiling water 20 oz. *Royal Chest.*

Vapor Creasoti.

Creasote 10 mins.; Light Carbonate of Magnesia 2 grs.; water to 1 drm.; to be added to a pint of boiling water. *Royal Chest.*

Creasote $\frac{1}{2}$ drm.; Mucilage $\frac{1}{2}$ drm.; hot water 10 oz. *London.*

Creasote $\frac{1}{2}$ oz.; Light Carbonate of Magnesia 90 grs.; water to 3 oz.; mix. *Throat.*

A teaspoonful in a pint of water at 140° F. for each inhalation.

Stimulant; serviceable for chronic congestion of the larynx.

Vapor Cubebæ.

Oil of Cubebs 2 drms.; Light Carbonate of Magnesia 60 grs.; water to 3 oz. *Throat.*

A teaspoonful in a pint of water at 140° F. for each inhalation.

Valuable stimulant, especially in laryngorrhœa.

Vapor Cubebæ c. Limone.

Oil of Cubebs $1\frac{1}{2}$ drm.; Oil of Lemons $\frac{1}{2}$ drm.; Light Carbonate of Magnesia 1 drm.; water to 3 oz.; mix. *Throat.*

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

Vapor Ferri Perchloridi.

Perchloride of Iron 3 grs.; water 1 oz.: for atomized inhalation. *Throat.*

Vapor Ferri Sulphatis.

Sulphate of Iron 2 to 4 grs.; water 1 oz.: for atomized inhalation. *Throat.*

Vapor Ferro Aluminis.

Iron Alum 3 grs.; water 1 oz.: for atomized inhalation. *Throat.*

Vapor Iodi.

Tincture of Iodine 40 mins.; hot water 10 oz. *London.*

Tincture of Iodine 10 drops for each dry inhalation; may be repeated once or twice during inhalation. *Throat.*

Stimulant, and useful where pus is formed in large quantities.

Vapor Juniperi Anglici.

English Oil of Juniper 1 drn.; Light Carbonate of Magnesia 30 grs.; water to 3 oz.: mix. *Throat.*

A teaspoonful to 20 oz. of water at 140° F. for each inhalation.

Stimulant, and very useful in weakness of voice.

Vapor Lupuli.

Hops 1½ oz.; hot water 20 oz. *Consumption.*

Oil of Hop 6 mins.; Light Carbonate of Magnesia 10 grs.; water to 1 oz.: mix. *Throat.*

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

Sedative; useful in relieving distressing cough in laryngeal phthisis.

Vapor Myrti.

Oil of Myrtle 6 mins.; Light Carbonate of Magnesia 6 grs.; water to 1 oz.: mix. *Throat.*
 A teaspoonful in 20 oz. of water at 140° F.
 Stimulant; very useful in acute tonsillitis.

Vapor Opii.

Extract of Opium 3 grs.: inhale the vapour by means of heat. *Consumption.*

Vapor Origani.

Oil of Common Thyme 5 mins.; Light Carbonate of Magnesia 2½ grs.; water to 1 oz.: mix. *Throat.*
 A teaspoonful in 20 oz. of water at 140° F. for each inhalation.
 Mild stimulant; useful in subacute inflammations.

Vapor Pini Pumilionis.

Oil of Mountain Pine 1½ drms.; Light Carbonate of Magnesia 45 grs.; water to 3 oz.: mix. *Throat.*
 A teaspoonful in 20 oz. of water at 140° F. for each inhalation.
 Stimulant; more powerful than Firwood Oil.

Vapor Pini Sylvestris.

Oil of Scotch Pine (Firwood Oil) 2 drms.; Light Carbonate of Magnesia 1 drms.; water to 3 oz.: mix. *Throat.*
 A teaspoonful in 20 oz. of water at 140° F. for one inhalation.
 Mild stimulant; useful in chronic laryngitis.

Vapor Potassæ Nitratis (Nitrated Papers).

No. 1.

Nitrate of Potash 30 grs.; water 1 oz.: dissolve.

No. 2.

Nitrate of Potash 45 grs. ; water 1 oz. : dissolve.

No. 3.

Nitrate of Potash 60 grs. ; water 1 oz. : dissolve.

Throat.

Saturate white blotting-paper in either of these solutions, and dry it.

Cut the paper into pieces 3 inches long, $\frac{1}{2}$ inch broad, which enables the medical attendant to order a definite quantity. Light a paper, drop it into the fuming inhaler, or any cylindrical vessel, and inhale the smoke. From 1 to 6 papers may be used in succession for each inhalation.

Antispasmodic.

NITRATED PAPERS.

With Comp. Tinct. Benzoin.

„ Sp. Camphor.

„ Oil Cassia.

„ „ Cinnamon.

„ „ of Sandal.

„ Tinct. of Sumbul.

Vapor Potassæ Permanganatis.

Permanganate of Potash 5 grs. ; Distilled Water 1 oz. : for atomized inhalation. *Throat.*

Antiseptic.

Vapor Rosmarini.

English Oil of Rosemary 30 mins. ; Light Carbonate of Magnesia 15 grs. ; water to 3 oz. : mix. *Throat.*

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

Stimulant.

Vapor *Salviæ*.

Oil of Sage 30 mins. ; Light Carbonate of Magnesia 15 grs. ; water to 3 oz. : mix. *Throat*.

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

Stimulant.

Vapor *Santali*.

Oil of Sandal-wood 20 mins. ; Rectified Spirit to 3 oz. : mix. *Throat*.

10 or 15 drops to be used with the dry inhaler, and the vapour inhaled : a fresh quantity may be added during the inhalation to make the amount of 1 teaspoonful. It may also be used with Magnesia for steam inhalation.

Sedative ; valuable in subacute inflammation with increased mucous secretion.

Vapor *Sodii Chloridi*.

Chloride of Sodium 5 grs. ; water 1 oz. : for atomized inhalation. *Throat*.

Vapor *Terebinthinæ*.

Spirit of Turpentine 1 drm. ; Tincture of Larch 3 drms. ; hot water to 10 oz. *Consumption*.

Vapor *Thymolis*.

Thymol 20 grs. ; Rectified Spirit 3 drms. ; Light Carbonate of Magnesia 10 grs. ; water to 3 ozs. : mix. *Throat*.

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

A strong stimulant and disinfectant ; used in pharyngitis and laryngitis when associated with exanthemata.

Vapor Zinci Chloridi.

Chloride of Zine 2 to 5 grs. ; water 1 oz. : for atomized inhalation. *Throat.*

Astringent.

Vapor Zinci Sulphatis.

Sulphate of Zine 5 grs. ; water 1 oz. : for atomized inhalation. *Throat.*

Astringent.

VINA.

Vinum Ferri.

Tartarated Iron 20 grs. ; Sugar $\frac{1}{2}$ drm. ; Rectified Spirit $1\frac{1}{2}$ drm. ; hot water to 2 oz. *City Chest.*

Iron Filings 60 grs. ; Acid Tartrate of Potash $\frac{3}{4}$ oz. ; water 32 oz. or *q. s.* ; Proof Spirit 20 oz. Rub the Iron and the Acid Tartrate together, and expose to the air in an open glass vessel for 6 weeks, with 1 oz. of water, stirring daily with a spatula, water being added now and then that they may be always moist. Then dry with a gentle heat, rub into powder, and mix with 30 oz. of water. To the strained liquor add the Spirit. *St. George's.*

Iron Wire *q. s.* ; Acid Tartrate of Potash 2 oz. ; Tartaric Acid $1\frac{1}{2}$ oz. ; Dil. Sulphuric Acid 1 oz. ; Glycerine 8 oz. ; Caramel 1 oz. ; Rectified Spirit 80 oz. ; water to make 2 gallons. Mix the ingredients with the water and Spirit, and macerate for 28 days, shaking occasionally, then filter. *University.*

Tartarated Iron 160 grs. ; Marsala Wine 10 oz. *London.*

Tartarated Iron $\frac{1}{4}$ oz. ; Rectified Spirit 1 oz. ; water to 10 oz. *Gt. Northern.*

Vinum Ipecac.

Ipecacuanha 480 grs.; Marsala Wine 20 ozs. *London.*
Ipecacuanha 1 oz.; Sherry Wine 4 ozs.; Rectified
Spirit 4 ozs.; water 12 ozs. Macerate 7 days,
press, and filter. *St. Bartholomew's.*

Vinum Opii.

Extract of Opium 480 grs.; Marsala Wine 20 oz.
London.

PHARMACOPŒIA
OF THE
HOSPITAL FOR SICK CHILDREN,*

*Interspersed with other Formulæ for Children, taken from
the General Hospitals, to which the names of
each Hospital are attached.*

ALL THOSE WITHOUT NAMES BELONG TO THE CHILDREN'S
HOSPITAL.

BALNEA.

Balneum Alkalinum.

Carbonate of Soda 1 oz. ; hot water 5 gallons.

Balneum Sulphuratum.

Sulphurated Potash 1 oz. ; hot water 7 gallons.

DUSTING POWDER.

Oxide of Zine 1 ; Starch Powder 3 : mix. *Children's
and St. Mary's.*

See Pulv. Zinci et Amyli.

* The doses of remedies used internally are calculated of a strength suitable to children of one year old for the *Children's Hospital* and *St. Mary's* ; one to two years for the *Samaritan*. For the other Hospitals the dose is for two to ten years.

ENEMA.

Enema Calcis cum Ferro.

Tincture of Perchloride of Iron 20 mins.; Lime
Water 1 oz.: mix.

LINCTUS.

Linctus Pectoralis.

Oxymel of Squill 5 mins.; Compound Tincture of
Camphor $2\frac{1}{2}$ mins.; Spirit of Nitrous Ether
 $2\frac{1}{2}$ mins.; water to 1 drm.: mix.

LINIMENTA.

Linimentum Picis Compositum.

Tar, Soft Soap, Methylated Spirit, equal parts:
mix.

Linimentum Saponis.

Soft Soap 16 oz.; boiling water 1 gallon: dissolve.

LOTIONES.

Lotio Acidi Carbolici.

Carbolic Acid 5 grs.; water 1 oz.

Lotio Acidi Nitrici.

Dil. Nitric Acid 6 mins.; Glycerino 24 mins.;
water to 1 oz.

Lotio Aluminis.

Alum 4 grs.; water 1 oz.: dissolve.

Lotio Ammonii Chloridi.

Chloride of Ammonium 15 grs.; Methylated Spirit
1 drm.; water to 1 oz.: dissolve.

Lotio Belladonnæ.

Extract of Belladonna 3 grs.; water 1 oz.

Lotio Boracis Composita.

Borax 8 grs.; Sulphate of Zinc 8 grs.; Tincture of
Opium 8 mins.; water to 1 oz.: dissolve.

Lotio Calaminæ.

Oxide of Zinc 30 grs.; Sifted Calamine 30 grs.;
Glycerine 24 mins.; Lime Water 24 mins.;
water to 1 oz.

Lotio Calcis Sulphuratæ.

Slaked Lime 12 grs.; Sulphur 45 grs.; water 1 oz.
Boil together for half an hour, then filter.

Lotio Creasoti.

Creasote 1 min.; Glycerine 30 mins.; water to 1 oz.:
mix.

Lotio Flava.

Perechloride of Mercury $1\frac{1}{2}$ gr.; Lime Water 1 oz.:
mix.

Lotio Potassæ Chloratis cum Borace.

Chlorate of Potash 5 grs.; Borax 6 grs.; water 1
oz.: dissolve.

Lotio Sodæ Hyposulphitis.

Hyposulphite of Soda 25 grs.; water 1 oz.: dis-
solve.

Lotio Zinci Chloridi.

Chlorido of Zinc 1 gr.; water 1 oz. : dissolve.

Lotio Zinci Oxidi.

Oxide of Zinc 20 grs. ; Glycerine 20 mins. ; water 1 oz. : mix.

Lotio Zinci Sulphatis.

Sulphate of Zinc 2 grs. ; water 1 oz. : dissolve.

MISTURÆ.

Mistura Acidi Hydrochlorici.

Diluted Hydrochloric Acid $1\frac{1}{2}$ min. ; Spirit of Ether $2\frac{1}{2}$ mins. ; Syrup 5 mins. ; Camphor Water to 1 drm. : mix.

Diluted Hydrochloric Acid $\frac{1}{2}$ drm. ; Spirit of Chloroform $\frac{1}{3}$ drm. ; Syrup $\frac{1}{2}$ drm. ; Camphor Water to $1\frac{1}{2}$ oz. Dose 1 to 2 drms. *Middlesex.*

Mistura Acidi Nitro-hydrochlorici.

Diluted Nitro-hydrochloric Acid $1\frac{1}{2}$ min. ; Spirit of Chloroform $1\frac{1}{2}$ min. ; Tincture of Orange $2\frac{1}{2}$ mins. ; water to 1 drm. : mix.

Diluted Nitro-hydrochloric Acid $1\frac{1}{2}$ min. ; Spirit of Chloroform $1\frac{1}{2}$ min. ; Syrup of Orange 5 mins. ; water 1 drm. *St. Mary's.*

Mistura Ætheris c. Ammonia.

Carbonate of Ammonia 3 grs. ; Syrup of Squill $1\frac{1}{2}$ drm. ; Compound Ether Draught to $1\frac{1}{2}$ oz. Dose 1 to 2 drms. *Middlesex.*

Mistura Aluminis.

Alum $2\frac{1}{2}$ grs ; Syrup 10 mins. ; water 1 drm. *Children's and St. Mary's.*

Alum 40 grs. ; Syrup of Red Poppies 1 drm. ; water to $1\frac{1}{2}$ oz. Dose 1 drm. *Middlesex.*

Mistura Ammoniaë Acetatis.

Solution of Acetate of Ammonia 6 drms.; Citrate of Potash 1 drm.; Glyeerine 1 drm.; Camphor Water to $1\frac{1}{2}$ oz. Dose 1 to 2 drms. *Middlesex.*

Mistura Ammoniaë Citratis.

Carbonate of Ammonia $1\frac{1}{2}$ gr.; Citric Acid $1\frac{1}{2}$ gr.; water 1 drm.

Mistura Ammoniaë Citratis c. Ammoniâ.

Solution of Citrate of Ammonia 10 mins.; Aromatic Spirit of Ammonia 3 mins.; Syrup 10 mins.; water to 1 drm. *Charing Cross.*

Mistura Aromatica.

Aromatic Chalk Powder 5 grs.; Mucilage 30 mins.; water 30 mins. *Children's.* (For *Middlesex* see the following.)

Mistura Aromat. c. Rheo.

Light Carbonate of Magnesia 1 gr.; Aromatic Chalk Powder 5 grs.; Tinct. Rhubarb 5 mins.; Peppermint Water to 1 drm. *Children's.* Syn. Mist. Aromat. *Middlesex.*

Mistura Belladonnæ.

Extract of Belladonna $\frac{1}{8}$ gr.; Spirit of Chloroform 2 mins.; water to 1 drm.

Mistura Cannabis Indicaë.

Tincture of Indian Hemp $2\frac{1}{2}$ mins.; Spirit of Chloroform 1 min.; Mucilage of Acacia 15 mins.; water to 1 drm.: mix.

Mistura Carminativa.

Bicarbonate of Soda $1\frac{1}{2}$ gr.; Aromatic Spirit of Ammonia $1\frac{1}{2}$ min.; Glyeerine 5 mins.; Peppermint Water to 1 drm.

Bicarbonate of Soda 2 grs.; Aromatic Spirit of Ammonia 2 mins.; Glycerine 5 mins.; Peppermint Water to 1 drn. *Middlesex.*

Carbonate of Magnesia 20 grs.; Comp. Tincture of Cardamoms 1 drn.; Tincture of Rhubarb 1 drn.; Spirit of Chloroform 6 mins.; Syrup of Ginger 2 drms.; Caraway Water to 1½ oz. Dose 1 drn. *Samaritan.*

Aromatic Powder of Chalk 2 grs.; Bicarbonate of Soda 1½ grs.; Syrup 10 mins.; Aromatic Spirit of Ammonia 2 mins.; water to 1 drn. *St. Mary's.*

Mistura Catechu Aromatica.

Aromatic Chalk Powder 20 grs.; Infusion of Catechu 1½ oz. Dose 1 to 2 drms. *King's.*

Mistura Chloral.

Hydrate of Chloral 30 grs.; Bromide of Potassium 30 grs.; Syrup of Tolu 1½ drn.; Cassia Water to 1½ oz. Dose 1 to 2 drms. *Middlesex.*

Mistura Chloral. c. Ipecac.

Hydrate of Chloral 1 gr.; Ipecacuanha Wine 5 mins.; Syrup of Tolu 10 mins.; water to 1 drn. *Samaritan.*

Mistura Chlori.

Chlorate of Potash 20 grs.; Hydrochloric Acid 60 mins.; Syrup 2 oz.; water 18 oz.

Put the Chlorate of Potash and Acid into a bottle, and lightly cork; add water by degrees, shaking the bottle as the water is added. Dose 1 drn.

Mistura Cinchonæ.

Compound Tincture of Cinchona 10 mins.; water to 1 drn.: mix.

Dil. Nitric Acid 30 mins.; Compound Tincture of Bark 2 drms.; Glycerine 1 drm.; water to $1\frac{1}{2}$ oz. Dose 1 to 2 drms. *Middlesex.*

Mistura Cinchonæ Comp.

Dil. Nitric Acid 2 mins.; Comp. Tincture of Cinchona 5 mins.; Syrup 10 mins.; water to 1 drm. *Samaritan.*

Mistura Cinchonix Hydrochloratis.

Hydrochlorate of Cinchonia $\frac{1}{4}$ gr.; Dil. Hydrochloric Acid 1 min.; water 1 drm.

Mistura Cretæ cum Catechu.

Tincture of Catechu 10 mins.; Chalk Mixture to 1 drm.: mix.

Powder of Chalk and Opium 2 grs.; Tincture of Catechu 5 mins.; Syrup 10 mins.; water to 1 drm. *Samaritan.*

Mistura Cretæ cum Hæmatoxylo.

Chalk Mixture $\frac{1}{2}$ drm.; Tincture of Catechu $3\frac{3}{4}$ mins.; Decoction of Logwood to 1 drm. *King's.*

Mistura Ferri.

Solution of Perchloride of Iron 4 mins.; Glycerine 10 mins.; Cinnamon Water to 1 drm. *Samaritan.*

Mistura Ferri Aperiens.

Sulphate of Magnesia $2\frac{1}{2}$ grs.; Sulphate of Iron $\frac{1}{2}$ gr.; Dil. Sulphuric Acid 1 min.; Syrup of Ginger 5 mins.; Dill Water $\frac{1}{2}$ drm.; water to 1 drm. *Charing Cross.*

Mistura Ferri Laxans.

Sulphate of Magnesia $2\frac{1}{2}$ grs.; Dil. Sulphuric Acid 1 min.; Sulphate of Iron $\frac{1}{4}$ gr.; Syrup of Ginger 2 mins.; Peppermint Water to 1 drm.

Mistura Ferri Perchloridi.

Tincture of Perchloride of Iron $2\frac{1}{2}$ mins.; Syrup 10 mins.; water to 1 drm.: mix.

Mistura Ferri et Potass. Bromid.

Syrup of Phosphate of Iron $\frac{1}{2}$ drm.; Bromide of Potassium 5 grs.; Distilled Water to 2 drms. *Samaritan.*

Mistura Ferri et Potassæ Chloratis.

Solution of Perchloride of Iron 2 mins.; Chlorate of Potash 2 grs.; water to 1 drm. *Charing Cross.*

Mistura Gummi Rubri.

Liquid Extract of Bacl 20 mins.; Syrup of Red Gum 10 mins.; Tincture of Opium $\frac{1}{2}$ min.; Decoction of Logwood to 1 drm.

Mistura Hæmatoxyli.

Extract of Logwood 5 grs.; Tincture of Catechu 10 mins.; Caraway Water 25 mins.; hot water 25 mins. Dose 1 to 2 drms. *Middlesex.*

Diluted Nitric Acid 1 min.; Compound Tincture of Camphor $2\frac{1}{2}$ mins.; Decoction of Logwood to 1 drm.: mix.

Diluted Nitric Acid 2 mins.; Compound Tincture of Camphor 5 mins.; Syrup of Ginger 10 mins.; Decoction of Logwood to 1 drm. *Samaritan.*

Diluted Nitric Acid 1 min.; Tincture of Catechu 5 mins.; Syrup 8 mins.; Decoction of Logwood to 1 drm. *St. Mary's.*

Mistura Hæmatoxyli Composita.

Extract of Logwood 4 grs.; Ipecacuanha Wine 3 mins.; Wine of Opium $\frac{1}{2}$ min.; Chalk Mixture to 2 drms.

Mistura Ipecacuanhæ.

Ipecacuanha Wine $2\frac{1}{2}$ mins.; Glycerine 10 mins.;
water to 1 drm.: mix.

Ipecacuanha Wine 5 mins.; Tincture of Squill $2\frac{1}{2}$
mins.; Glycerine 5 mins.; water to 1 drm.
Middlesex.

Ipecacuanha Wine 5 mins.; Mucilage 15 mins.;
Syrup 8 mins.; water 1 drm. *St. Mary's.*

Mistura Ipecacuanhæ Ammoniata.

Ipecacuanha Wine 5 mins.; Tincture of Squill $2\frac{1}{2}$
mins.; Aromatic Spirit of Ammonia 2 mins.;
Glycerine 5 mins.; water to 1 drm. Dose 1 to
2 drms. *Middlesex.*

Mistura Ipecacuanhæ Co.

Ipecacuanha Wine 3 mins.; Comp. Tincture of
Camphor 5 mins.; Syrup of Tolu 10 mins.;
Spirit of Nitrous Ether 3 mins.; water to 2
drms. *Samaritan.*

Mistura Ipecacuanhæ Opiata.

Ipecacuanha Wine $2\frac{1}{2}$ mins.; Bicarbonate of Soda
2 grs.; Spirit of Nitrous Ether $2\frac{1}{2}$ mins.;
Compound Tincture of Camphor $2\frac{1}{2}$ mins.;
water to 1 drm.: mix.

Bicarbonate of Soda 20 grs.; Sweet Spirit of Nitre
30 mins.; Tincture of Opium 3 mins.; Ipe-
cacuanha Mixture to 1 drm. *Middlesex.*

Mistura Ipecacuanhæ cum Sodâ.

Ipecacuanha Wine 3 mins.; Bicarbonate of Soda 3
grs.; Dill Water $\frac{1}{2}$ drm.; water to 1 drm.
Charing Cross.

Mistura Liq. Potassæ cum Ipecacuanhâ.

Solution of Potash 30 mins.; Ipecacuanha Wine 30 mins.; Syrup of Red Poppies 2 drms.; Mucilage $\frac{1}{2}$ oz.; water to 2 oz. Dose 1 to 2 drms. *King's.*

Mistura Magnesiac Sulphatis.

Sulphate of Magnesia $2\frac{1}{2}$ grs.; Diluted Sulphuric Acid 1 min.; water to 1 drm.

Sulphate of Magnesia 5 grs.; Tincture of Rhubarb 10 mins.; Syrup of Ginger 5 mins.; Caraway Water 1 drm. *Samaritan.*

Mistura Magnes. Sulph. c. Pot. Nit.

Sulphate of Magnesia 20 grs.; Nitrate of Potash 10 grs.; Solution of Acetate of Ammonia 2 drms.; Syrup of Lemons $\frac{1}{2}$ oz.; water to 4 oz. Dose 2 teaspoonfuls. *Samaritan.*

Mistura Magnes. Sulph. c. Rheo.

See Mist. Rhei c. Magnes. Sulph. *King's.*

Mistura Olei Morrhuæ.

Cod Liver Oil 30 mins.; Tincture of Calumba 5 mins.; Lime Water 30 mins. : mix.

Mistura Olei Morrhuæ cum Ferro.

Cod Liver Oil $\frac{1}{2}$ drm.; Carbonate of Potash $\frac{1}{8}$ gr.; Steel Wine $\frac{1}{2}$ drm. : mix.

Cod Liver Oil 20 mins.; Glycerino 20 mins.; Steel Wine 20 mins. *St. Mary's.*

Cod Liver Oil $\frac{1}{2}$ oz.; Iron Wine 1 oz.; Oil of Cassia 2 mins.; Mucilage 2 drms. Dose 1 drm. *Middlesex.*

Mistura Olei Morrhuæ c. Ferro et Glycerino.

Cod Liver Oil 20 mins.; Steel Wine 20 mins.;
Glycerine 20 mins.

Mistura Olei Morrhuæ c. Glycerino.

Cod Liver Oil 20 mins.; Lime Water 20 mins.;
Glycerine 20 mins.

Mistura Olei Ricini.

Castor Oil $7\frac{1}{2}$ mins.; Tincture of Opium $\frac{1}{2}$ min.;
Powder of Acacia $3\frac{3}{4}$ grs.; Sugar $3\frac{3}{4}$ grs.;
water to 1 drm. *King's.*

Castor Oil 5 mins.; Mucilage 15 mins.; Syrup 20
mins.; water to 1 drm. *Charing Cross.*

Castor Oil 5 mins.; Mucilage of Acacia 15 mins.;
Syrup 30 mins.; water to 1 drm.: mix. *Children's and St. Mary's.*

Castor Oil $7\frac{1}{2}$ mins.; Powdered Gum Acacia $2\frac{1}{2}$
grs.; Sugar $2\frac{1}{2}$ grs.; Caraway Water to 1 drm.
Middlesex.

Mistura Pertussi.

Tincture of Belladonna 2 mins.; Ethereal Tincture
of Lobelia 1 min.; Almond Mixture to 1 drm.
Charing Cross.

Mistura pro Pertussi.

Diluted Hydrocyanic Acid $\frac{1}{2}$ min.; Ipecacuanha
Wine 4 mins.; Syrup 12 mins.; Dill Water 1
drm. Dose 1 drm. *St. Mary's.*

Mistura Potassæ Chloratis.

Chlorate of Potash 2 grs.; water 1 drm. *Children's.*
Chlorate of Potash 1 gr.; Dil. Hydrochloric Acid
1 min.; Glycerine 15 mins.; water to 1 drm.
Samaritan.

Mistura Potassæ Citratis.

Citrate of Potash $2\frac{1}{2}$ grs. ; water to 1 drm. *Children's and Charing Cross.*

Bicarbonate of Potash 20 grs. ; Citric Acid 18 grs. ; Syrup 3 drms. ; water to $1\frac{1}{2}$ oz. Dose 1 to 2 drms. *King's.*

Mistura Potassæ Liquoris cum Ipecacuanhâ.

Solution of Potash 2 mins. ; Ipecacuanha Wine 2 mins. ; Syrup of Red Poppies 8 mins. ; Mucilage 16 mins. ; water to 1 drm. *King's.*

Mistura Potassii Bromidi.

Bromide of Potassium 3 grs. ; Glycerine 30 mins. ; water 30 mins.

Mistura Quiniæ.

Sulphate of Quinia $\frac{1}{4}$ gr. ; Diluted Sulphuric Acid 1 min. ; water 1 drm. Mix. *Children's.*

Sulphate of Quinia $\frac{1}{2}$ gr. ; Diluted Sulphuric Acid 1 min. ; Syrup 20 mins. ; water to 1 drm. *Samaritan.*

Mistura Rhei Alkalina.

Aromatic Spirit of Ammonia 3 mins. ; Aromatic Powder of Chalk 5 grs. ; Tincture of Rhubarb 5 mins. ; Peppermint Water to 1 drm. *Charing Cross.*

Mistura Rhei cum Magnesiae Sulphate.

Sulphate of Magnesia 5 grs. ; Tincture of Rhubarb 10 mins. ; Syrup of Ginger 5 mins. ; Caraway Water to 1 drm. : mix. *Children's. King's. Middlesex.*

Mistura Rhei c. Sodâ.

Powder of Rhubarb with Soda $1\frac{1}{2}$ gr. ; Syrup of Ginger 5 mins. ; Peppermint Water to 1 drm.

Mistura Salina cum Ipecac.

Solution of Citrate of Ammonia $1\frac{1}{2}$ oz.; Ipecacuanha Wine 40 mins.; Antimonial Wine 30 mins.
Dose 1 drm. *King's.*

Mistura Scillæ Composita.

Oxymel of Squill 5 mins.; Comp. Tincture of Camphor $2\frac{1}{2}$ mins.; Spirit of Nitrous Ether $2\frac{1}{2}$ mins.; water to 1 drm. *Charing Cross.*

Mistura Sedativa.

Chloral Hydrate 1 gr.; Tincture of Belladonna 1 min.; Glycerine 20 mins.; water to 1 drm.
Charing Cross.

Chloral Hydrate 1 gr.; Tincture of Belladonna 1 min.; Glycerine 30 mins.; water 30 mins.

Bicarbonate of Soda 2 grs.; Tincture of Opium $\frac{1}{2}$ min.; Syrup 10 mins.; Dill Water 1 drm.
Samaritan.

Mistura Senegæ.

Carbonate of Ammonia 1 gr.; Spirit of Chloroform 2 mins.; Syrup of Tolu 10 mins.; Infusion of Senega 1 drm. *Samaritan.*

Mistura Senegæ cum Ammoniâ.

Carbonate of Ammonia $\frac{1}{2}$ gr.; Spirit of Chloroform $1\frac{1}{2}$ min.; Infusion of Senega 30 mins.; water 30 mins.

Mistura Sennæ c. Scillâ.

Syrup of Senna 20 mins.; Syrup of Poppies 20 mins.; Oxymel of Squill 20 mins. *Samaritan.*

PIGMENTUM.

Pigmentum Iodi c. Pice.

Iodine 120 grs. ; Rectified Oil of Tar 1 oz.

PULVERES.

Pulvis Aloes cum Saccharo.

Socotrine Aloes in powder 1 gr. ; White Sugar 5 grs. *Charing Cross.*

Pulvis Alterativus.

Grey Powder 1 gr. ; Compound Cinnamon Powder 1 gr. ; Rhubarb 2 grs. ; Carbonate of Magnesia 2 grs. Dose 6 to 12 grs. *Royal Free.*

Mercury with Chalk 1 gr. ; Rhubarb 1 gr. ; Bicarbonate of Soda 3 grs. *Gt. Northern.*

Pulvis Bismuthi.

Carbonate of Magnesia $1\frac{1}{2}$ gr. ; Nitrate of Bismuth $1\frac{1}{2}$ gr. ; Aromatic Powder of Chalk $1\frac{1}{2}$ gr.

Pulvis Catharticus.

Jalap 5 grs. ; Rhubarb 5 grs. ; Comp. Powder of Scammony 5 grs. ; Ginger 2 grs. ; Grey Powder 3 grs. Dose 5 to 15 grs. *Royal Free.*

Pulvis Cinchonæ et Sodæ.

Powder of Bark 5 grs. ; Bicarbonate of Soda 5 grs. *King's. Middlesex.*

Pulvis Hydrargyri c. Cretâ Aromaticus.

Grey Powder $1\frac{1}{2}$ gr. ; Dover's Powder $\frac{1}{2}$ gr. ; Aromatic Powder of Chalk 1 gr.

Pulvis Hydrargyri cum Cretâ Compositus.

Grey Powder $\frac{1}{2}$ gr. ; Dover's Powder $\frac{1}{2}$ gr. : mix.

Pulv. Hydr. c. Cretâ c. Saccharo.

Grey Powder 2 grs. ; Sugar 8 grs. *King's.*

Grey Powder $1\frac{1}{2}$ gr. ; Sugar $13\frac{1}{2}$ grs. *University.*
2 to 10 years.

Pulvis Hydrargyri et Doveri.

Grey Powder and Comp. Powder of Ipecacuanha
equal parts. Dose 2 to 8 grs. *Royal Free.*

Pulvis Hydrargyri cum Magnesiâ.

Grey Powder 1 gr. ; Rhubarb 1 gr. ; Cinnamon 1
gr. ; Light Carbonate of Magnesia 2 grs.
Middlesex.

Pulvis Hydrargyri Opiatus.

Mercury with Chalk $1\frac{1}{2}$ gr. ; Dover's Powder $\frac{1}{2}$ gr.
St. Mary's.

Pulvis Hydrargyri et Rhei.

Mercury with Chalk 1 gr. ; Rhubarb 2 grs. *St.*
Mary's.

Mercury with Chalk 1 gr. ; Bicarbonate of Soda
5 grs. ; Rhubarb 5 grs. ; Ipecacuanha $\frac{1}{6}$ gr.
Charing Cross.

Pulvis Hydrargyri c. Sodâ.

Mercury with Chalk $2\frac{1}{2}$ grs. ; Bicarbonate of Soda $2\frac{1}{2}$
grs. *St. Mary's.*

Pulvis Ipecacuanhæ Comp. c. Rheo.

Dover's Powder 2 grs. ; Rhubarb 3 grs. *King's.*

Pulvis Jalapæ cum Hydrargyri Subchlorido.

Calomel $\frac{1}{3}$ gr. ; Compound Powder of Jalap 3 grs. :
mix.

Pulvis Jalapæ c. Hydrarg. c. Cretâ.

Grey Powder 1 gr. ; Compound Powder of Jalap 2 grs.

Pulvis Quiniæ c. Rheo.

Sulphate of Quinia $\frac{1}{2}$ gr. ; Rhubarb 4 grs. *University.*

Pulvis Rhei c. Calomelane.

Rhubarb 4 grs. ; Calomel 1 gr. ; Aromatic Powder of Chalk 1 gr. *Middlesex.*

Pulvis Rhei Co. c. Hydrargyro.

Compound Rhubarb Powder 8 grs. ; Grey Powder 2 grs. *King's.*

Pulvis Rhei c. Hydrargyro.

Rhubarb 4 grs. ; Grey Powder 2 grs. ; Aromatic Powder of Chalk 1 gr. *Royal Chest.*

Rhubarb 6 grs. ; Grey Powder 3 grs. *University.*
2 to 10 years.

Rhubarb 3 grs. ; Grey Powder 2 grs. *Middlesex.*

Pulvis Rhei cum Hydrargyro cum Cretâ.

Grey Powder 1 gr. ; Cinnamon Powder $\frac{1}{2}$ gr. ;
Rhubarb 3 grs. : mix.

Mereury with Chalk 1 gr. ; Rhubarb 2 grs. *St. Mary's.*

Mereury with Chalk 3 grs. ; Rhubarb 6 grs. *University.*
2 to 10 years.

Pulvis Rhei c. Jalapâ.

Rhubarb 1 gr. ; Compound Jalap Powder 2 grs.
Middlesex.

Pulv. Rhei et Potass.

Rhubarb 4 grs. ; Sulphate of Potash 6 grs. *Samaritan.*

Pulvis Rhei cum Sodâ.

Rhubarb 40 grs.; Bicarbonate of Soda 20 grs.

Dose 6 to 10 grs. *Royal Free.*

Rhubarb 6 grs.; dried Carbonate of Soda 3 grs.:
mix. *University.* 2 to 10 years.

Rhubarb 6 grs.; Bicarbonate of Soda 3 grs.; Ginger
1 gr. *Middlesex.*

Rhubarb 6 grs.; Bicarbonate of Soda 2 grs.; Ginger
1 gr. Dose 5 to 10 grs. *St. Mary's.*

Rhubarb 3 grs.; Carbonate of Soda $1\frac{1}{2}$ gr.; Ginger
 $\frac{1}{2}$ gr.: mix. *Children's.*

Pulvis Santonini. *See Pulvis Vermifugus.*

Pulvis Santonini c. Hydrarg. Subchlor.

Santonine 3 grs.; Compound Powder of Scammony
3 grs.; Calomel $\frac{1}{2}$ gr. *St. Mary's.*

Pulvis Scammonii cum Calomelane.

Scammony 4 grs.; Calomel 2 grs.; Sugar 2 grs.
Middlesex.

Pulvis Scammonii et Calomelanos cum Jalapâ.

Calomel 1 gr.; Scammony 2 grs.; Jalap 4 grs.
Middlesex.

Pulvis Scammoniaë c. Hydrargyri Subchlorido.

Compound Powder of Scammony 2 grs.; Calomel $\frac{1}{3}$
gr.: mix.

Pulvis Sodæ cum Hydrargyro.

Grey Powder $\frac{1}{2}$ gr.; Bicarbonate of Soda 1 gr.;
Aromatic Powder of Chalk 2 grs.: mix.

Pulvis Vermifugus.

Santonino 3 grs.; Powder of Scammony with Sub-
chloride of Mercury 4 grs. *Children's.*

Santonine 3 grs. ; Comp. Powder of Scammony 10 grs. *Charing Cross.*

Santonine 2 grs. ; Sugar 3 grs. *Gt. Northern.*

Santonine 3 grs. ; Sugar 12 grs. *University.* 2 to 10 years.

Santonine 3 grs. ; Sugar 2 grs. For children from 1 to 2 years. *Samaritan.*

Pulvis Zinci et Amyli.

Oxide of Zinc 1 part ; Starch 2 parts. *University.*

Pulv. Zinci Comp.

Oxide of Zinc $\frac{1}{2}$ oz. ; Starch $1\frac{1}{2}$ oz. *Samaritan.*

Pulvis Zinci Oxidi (Dusting Powder).

Oxide of Zinc $\frac{1}{2}$ oz. ; Starch $1\frac{1}{2}$ oz. *St. Mary's.*

UNGUENTA.

Unguentum Rubrum Mitius.

Red Oxide of Mercury 5 grs. ; Sulphide of Mercury 5 grs. ; Creasote $1\frac{1}{2}$ min. ; Lard 1 oz. : mix.

Unguentum Simplex.

Yellow Wax $\frac{1}{4}$ oz. ; Olive Oil $\frac{1}{2}$ oz. ; Lard $\frac{3}{4}$ oz.

Unguentum Staphisagriæ.

Oil of Stavesacro 1 drm. ; Lard 1 oz. : mix.

Unguentum Styracis.

Prepared Storax $\frac{1}{4}$ oz. ; Simple Ointment 1 oz.

Unguentum Sulphuris Compositum.

Sulphur $\frac{3}{8}$ oz. ; Ammoniated Mercury 12 grs. ; Sulphide of Mercury 12 grs. ; Olive Oil 90 grs. ; Creasote 1 min. ; Lard $\frac{3}{4}$ oz. : mix.

Unguentum Sulphuris cum Zinco.

Sulphur Ointment, Zine Ointment, equal parts :
mix.

Unguentum Viride.

Ointment of Green Elder Leaves 2 oz. ; Copaiba 3
oz. ; Ointment of Elemi 16 oz.

VINUM.

Vinum Ferri.

Ammonio-Citrate of Iron 5 oz. ; Reetified Spirit
40 ozs. ; water to 2 gallons. 1 drm. for a dose.
Tartarated Iron 6 grs. ; water 1 drm. For 2 to 10
years old. *University.*

OUT-PATIENTS' DEPARTMENT.

HOW TO BRING UP BABIES.

1. Keep them warm. Let the elothing be warm, but not tight. Give them plenty of fresh air. Send them out whenever the weather is fine. Open the windows at least twice every day. Wash the child all over, with warm water, daily.

Food—under seven months.

2. If the mother has plenty of milk, let her give the ehild nothing else until it is seven months old. Three out of four ehildren brought up by hand die. If the mother has only a little milk, let the ehild have it, as well as food of the sort stated in Rule 3. Begin to wean the baby when it is seven months old.

3. If the ehild must be brought up by hand, it should be fed with warm milk-and-water out of a bottle. It should have, at first, equal parts of milk and water. When it is about a month old, two parts of milk should

be put to one of water. If the milk should disagree, it may be boiled before it is put into the bottle. Each bottleful should have a little sugar put into it—a small lump, or half a small teaspoonful. Give the baby no other kind of food whatever. While the baby is under a month old, do not give more than a sixth of a pint of milk-and-water for one meal. The bottle should draw easily. It should be rinsed out with water every time it is used. It is a good plan to keep the tube and cork in clean water. If the bottle is not quite clean the milk will turn sour, and the child will be made ill.

4. Whether you suckle the child or bring it up by hand, feed it at regular times, every two, three, or four hours, according to its age.

Food—over seven months.

5. When it has reached the age of seven months, the child should have one or two meals a day of milk, thickened with Robb's biscuit, Hard's farinaceous food, Liebig's food, baked flour, or good well-baked bread. This should be given out of a bottle, and should be thin enough to pass through a sieve or strainer. The child should have, besides this, plenty of warm milk, slightly sweetened. When the child is eight or nine months old it should be completely weaned. At ten months it should have a little thin broth or beef tea every day. At a year and a half give it a little meat every day, cut up very fine, or pounded.

MEDICAL COMMITTEE.

December, 1866.

DIET TABLES.

CHARING CROSS HOSPITAL.

No. 1 DIET.*

Milk 4 pints; Beef Tea 1 pint.

No. 2 DIET.*

Breakfast.—Milk 1 pint; Bread 3 oz.; Butter $\frac{1}{2}$ oz.

Dinner.—Broth 1 pint, or Beef Tea 1 pint; Bread 3 oz.; Milk Pudding.

Supper.—Milk 1 pint; Bread 3 oz.; Butter $\frac{1}{2}$ oz.

No. 3 DIET.*

Breakfast.—Milk $\frac{1}{2}$ pint; Bread 4 oz.; Butter $\frac{1}{2}$ oz.

Dinner.—Meat (cooked) 4 oz.; Bread 4 oz.; Potatoes $\frac{1}{2}$ lb.; Milk Pudding.

Supper.—Milk $\frac{1}{2}$ pint; Bread 4 oz.; Butter $\frac{1}{2}$ oz.

No. 4 DIET.*

Breakfast.—Milk $\frac{1}{2}$ pint; Bread 4 oz.; Butter $\frac{1}{2}$ oz.

Dinner.—Meat (cooked) 6 oz.; Bread 4 oz.; Potatoes $\frac{1}{2}$ lb.; Milk Pudding.

Supper.—Milk $\frac{1}{2}$ pint; Bread 4 oz.; Butter $\frac{1}{2}$ oz.

* Wines, Spirits, Ale, Porter, Fish, Eggs, Pudding, and other extras may be ordered for Patients on any Diet, at the discretion of the Medical Officer.

CITY OF LONDON HOSPITAL FOR DISEASES OF THE CHEST, VICTORIA PARK.

MIXED DIET.	MILK DIET.
12 oz. of Bread. $\frac{3}{4}$ oz. of Butter. Cocoa or Coffee with Milk and Sugar for Breakfast.	12 oz. of Bread. $\frac{3}{4}$ oz. of Butter.
6 oz. of Rice, Sago, Tapioca, or Bread Pudding, 6 oz. of Boiled or Roast Meat, 6 oz. of Potatoes, for Dinner.	Cocoa or Coffee with Milk and Sugar, or $\frac{1}{2}$ pint of Milk, for Breakfast.
If Fish, Chop, or Poultry be ordered, Meat to be omitted.	$\frac{1}{2}$ pint of Milk with 12 oz. of Rice, Sago, Tapioca, or Bread Pudding, for Dinner.
Tea with Milk and Sugar for Tea.	Tea with Milk and Sugar or Milk for Tea.
Milk or Beef Tea for Supper.	

Children under 10 years of age to be allowed two-thirds the quantity of each Diet prescribed for adults.

The quantity of Meat sent up to each Patient to be 4 oz., but an extra allowance, equivalent to the quantity in the list, will be sent up into the Ward, to be distributed to such Patients as require it.

The quantity of Tea, Coffee, Cocoa, or Milk to be three-quarters of a pint for Men and half a pint for Women.

Wine, Spirits, Porter, Chops, Poultry, Fish, or Eggs, &c., to be served when specially ordered.

The quantity of Porter or Ale issued to each Male Patient to be three-quarters of a pint, and to each female half a pint, unless otherwise directed.

ROYAL HOSPITAL FOR DISEASES OF THE CHEST.

ALLOWANCE FOR THE WEEK FOR EACH PATIENT.

Tea 2 oz. ; Butter 6 oz. ; Sugar 8 oz.

DAILY ALLOWANCE.

ORDINARY DIET (in addition to the above).	MILK DIET (in addition to the above).
<i>Breakfast</i> , 8 A.M. :— Bread 12 oz. (for the day). Milk or Coeca $\frac{1}{2}$ pint.	
<i>Dinner</i> , 12 Noon :— Meat (cooked) 4 oz.* Potatoes 8 oz. Rice, Tapioca, Sago, or Bread Pudding, 6 oz. (made with Milk and Eggs).	The Day's Allowance :— Bread 8 oz. Milk $1\frac{3}{4}$ pint. Cocoa $\frac{1}{2}$ pint. Bread Pudding 8 oz. or Rice Pudding 8 oz.
<i>Tea</i> , 4 P.M. :— Milk $\frac{1}{4}$ pint.	
<i>Supper</i> , 8 P.M. :— Milk $\frac{1}{2}$ pint.	

EXTRAS (not to be placed on the Diet List without the authority of the Physician, except in urgent cases, when the House Physician may order them), Mutton Chops, Fish, Poultry, Eggs, Beef Tea ($\frac{3}{4}$ lb. to the pint), Porter, Ale, Wines (Port, Sherry, or Claret), Spirits (Brandy, Whiskey, Gin, Rum), Lemonade, Soda Water, &c.

The Joints to be :—Sunday, Roast Beef ; Monday, Roast Mutton ; Tuesday, Boiled Mutton ; Wednesday, Roast Beef ; Thursday, Roast Mutton ; Friday, Boiled Mutton ; Saturday, Roast Mutton.

* If desired by the Patient an extra allowance of Meat up to 6 oz. will be sent up. Every Patient on being admitted into the Hospital to be placed on Milk Diet until further orders.

HOSPITAL FOR CONSUMPTION AND DISEASES OF THE CHEST, BROMPTON.

GENERAL DAILY DIET TABLE.

	BREAKFAST 8.30 A.M.	DINNER, 12.30 or 1 P.M.	TEA, 5 P.M.	SUPPER, 8 P.M.
Sunday	Bread and Butter. Egg or Bacon. Coffee or Cocoa.	Fresh Beef, Roast or Boiled. Potatoes and Parsnips or Carrots. Rice Pudding.	Bread. Butter or Treacle. Tea or Cocoa.	Milk, or Gruel, or Soup, with Vegetables.
Monday	Do.	Roast Leg of Mutton. Potatoes. Macaroni Pudding.	Do.	Do. or Barley Soup.
Tuesday	Do.	Roast Leg of Mutton. Potatoes and Greens. Sago Pudding.	Do.	Do. or Rice Soup.
Wednesday	Do.	Boiled Leg of Mutton. Potatoes and Turnips. Tapioca Pudding.	Do.	Do. or Macaroni Soup.
Thursday ...	Do.	Roast Leg of Mutton. Potatoes and Greens. Macaroni Pudding.	Do.	Do. or Sago Soup.
Friday	Do.	Roast Leg of Mutton. Potatoes and Lentils. Rice Pudding.	Do.	Do. or Soup with Vegetables.
Saturday ...	Do.	Roast Leg of Mutton. Potatoes. Sago Pudding.	Do.	Do. or Rico Soup.

HOSPITAL FOR CONSUMPTION AND DISEASES OF THE CHEST,
BROMPTON—*continued.*

GENERAL DIET.

CONSTITUENTS.	QUANTITY.		DAYS.
	MEN.	WOMEN.	
Meat { Silver side of Round of Beef, } or Leg of Mutton }	6 oz.	4 oz. (cooked)	} Daily.
Bread	13 oz.		"
Butter	1 oz.		"
Potatoes	5½ oz.		"
Greens, when in season..			Twice a week.
Carrots, do. ..			Once a week.
Turnips, do. ..			"
Parsnips, do. ..			"
Lentils, do. ..			"
Egg or Bacon			Daily.
Coffee or Cocoa	½ pint		" A.M.
Tea or Cocoa	do.		" P.M.
Pudding	8 oz.		"
Milk or Gruel or Soup ..	½ pint		"
Treacle			"

EXTRAS.

(Not to be placed on the Diet List without the authority of the Physician, except in urgent cases, when the Resident Medical Officer may order them.)

Chop—Tuesday, Saturday, and Sunday.

Fish—½ lb. Sole, Whiting, &c. (Fried or Steamed),
Monday, Wednesday, and Friday.

Oysters, Eels Stewed. Minced and Sieved Meat,
Rabbit, Fowl. Strong Beef Tea, Mutton Broth, Veal
Tea. Milk, Suet, Arrowroot. Porter, Ale. Wines—
Sherry, Port, Claret. Spirits—Brandy, Gin, Whiskey,
Rum. Lemonade, Soda Water, Ginger Beer.

LONDON FEVER HOSPITAL.

MEN.

Low Diet.

Bread 4 oz.; Milk $\frac{1}{2}$ pint; Gruel 1 pint; Sugar $\frac{1}{4}$ oz.

BEEF TEA DIET.

Beef Tea 1 pint; Milk 1 pint; Bread 4 oz.

MIDDLE DIET.

Bread 10 oz.; Broth 1 pint; Milk 1 pint; Rice or Bread (for pudding) 2 oz.; Egg (for pudding) 1; Sugar (for pudding) $\frac{1}{2}$ oz.

FISH DIET.

Bread 12 oz.; Fish (sole, haddock, cod, or brill, uncooked) 8 oz.; Potatoes 8 oz.; Cocoa 1 oz.; Sugar $\frac{1}{2}$ oz.; Milk $\frac{1}{6}$ pint.

FULL DIET.

Bread 16 oz.; Meat (uncooked and without bone) 12 oz.; Potatoes 12 oz.; Cocoa 1 oz.; Sugar $\frac{1}{2}$ oz.; Milk $\frac{1}{4}$ pint; Beer 1 pint.

EXTRAS.

Beef Tea, Strong Beef Tea, and Eggs, as ordered; Arrowroot $\frac{1}{2}$ oz.; Custard Pudding—1 egg, $\frac{1}{2}$ pint Milk, $\frac{1}{2}$ oz. Sugar; Tea $\frac{1}{4}$ oz. per day; Sugar 1 oz. per day; Butter 1 oz. per day.

LONDON FEVER HOSPITAL—*continued.*

WOMEN.

LOW DIET.

Bread 4 oz. ; Milk $\frac{1}{2}$ pint ; Gruel 1 pint ; Sugar $\frac{1}{4}$ oz.

BEEF TEA DIET.

Beef Tea 1 pint ; Milk 1 pint ; Bread 4 oz.

MIDDLE DIET.

Bread 8 oz. ; Broth 1 pint ; Milk 1 pint ; Rice or Bread (for pudding) 2 oz. ; Egg (for pudding) 1 ; Sugar (for pudding) $\frac{1}{2}$ oz.

FISH DIET.

Bread 10 oz. ; Fish (sole, haddock, eel, or brill, uncooked) 8 oz. ; Potatoes 8 oz. ; Cocoa 1 oz. ; Sugar $\frac{1}{2}$ oz. ; Milk $\frac{1}{6}$ pint.

FULL DIET.

Bread 12 oz. ; Meat (uncooked and without bone) 10 oz. ; Potatoes 12 oz. ; Cocoa 1 oz. ; Sugar $\frac{1}{2}$ oz. ; Milk $\frac{1}{4}$ pint ; Beer $\frac{1}{2}$ pint.

EXTRAS.

Beef Tea, Strong Beef Tea, and Eggs, as ordered, Arrowroot $\frac{1}{2}$ oz. ; Custard Pudding—1 Egg, $\frac{1}{2}$ pint Milk, $\frac{1}{2}$ oz. Sugar ; Tea $\frac{1}{4}$ oz. per day ; Sugar 1 oz. per day ; Butter 1 oz. per day.

ROYAL FREE HOSPITAL.

No. 1.

Coffee $\frac{3}{4}$ pint; Milk 2 oz. morning and evening.
 Beef Tea $\frac{1}{2}$ pint; Gruel 1 pint; Bread 8 oz.;

No. 2.

8 o'clock, $\frac{3}{4}$ pint Coffee, with 2 oz. of Milk.
 12 „ 1 pint of Soup, with 3 oz. of Boiled Rice.
 5 „ $\frac{3}{4}$ pint of Coffee, with 2 oz. of Milk.
 8 „ 1 pint of Gruel.

No. 3.

8 o'clock, $\frac{3}{4}$ pint of Coffee, with 2 oz. of Milk.
 12 „ $\frac{1}{2}$ lb. Meat, uncooked } Males.
 $\frac{1}{2}$ lb. Potatoes }
 6 oz. Meat, uncooked } Females.
 $\frac{1}{2}$ lb. Potatoes }
 5 „ $\frac{3}{4}$ pint of Coffee, with 2 oz. of Milk.
 8 „ 1 pint of Gruel.
 Bread 12 oz. to each Patient on Diet No. 2 or 3.

EXTRAS that may be ordered with all Diets:—Wine, Brandy, Gin, Porter, Ale, Lemonade, Soda Water, Tea instead of Coffee if the Patients cannot find it for themselves.

EXTRAS that may be ordered with No. 1 and No. 2 Diets only:—Chops, Fish, Slices off Joint, Eggs, Fresh Greens, Beef Tea, Soup, Rice and Batter Pudding, Arrowroot, Milk.

DAILY MEAT BILL OF FARE.

Monday—Mutton Roast.	Thursday—Mutton Boiled
Tuesday—Mutton Boiled.	Friday—Mutton Roast.
Wednesday—Beef Roast.	Saturday—Mutton Boiled.
Sunday—Beef Roast.	

ROYAL FREE HOSPITAL—*continued.*

The Soup to be made with Mutton and the liquor from the Boiled Joints, with Onions, Turnips, and Rice.

All new Patients to be put on No. 1 or No. 2 Diet till seen by their Medical Officer. No order for Extras to run for more than one day unless renewed.

GREAT NORTHERN HOSPITAL.

LOW DIET.

Breakfast.—Tea or Coffee $\frac{1}{2}$ pint; Milk $\frac{1}{4}$ pint; Bread 12 oz.; Milk 1 pint, with Arrowroot, Sago, or Rice.

Tea.—Tea or Coffee $\frac{1}{2}$ pint; Milk $\frac{1}{4}$ pint; Barley Water *ad libitum*.

MILK DIET.

Milk $\frac{3}{4}$ pint; Bread 12 oz.; Rice Pudding 1 lb.; Milk 1 pint; Barley Water *ad libitum*.

MIDDLE DIET.

Breakfast.—Tea or Coffee $\frac{3}{4}$ pint; Milk $\frac{1}{4}$ pint; Bread 12 oz.; Butter $\frac{1}{2}$ oz.

Dinner.—Meat 4 oz.; Broth 1 pint; Potatoes, 8 oz.; Beer 1 pint.

Tea.—Tea or Coffee $\frac{3}{4}$ pint; Milk $\frac{1}{4}$ pint.

Supper.—Broth $\frac{1}{2}$ pint.

FULL DIET.

Breakfast.—Tea or Coffee $\frac{3}{4}$ pint; Milk $\frac{1}{4}$ pint; Bread 12 oz.; Butter $\frac{1}{2}$ oz.

Dinner.—Meat 6 oz. M., 4 oz. F.; Broth 1 pint; Potatoes 8 oz.; Beer $1\frac{1}{2}$ pint M., 1 pint F.

Tea.—Tea or Coffee $\frac{3}{4}$ pint; Milk $\frac{1}{4}$ pint.

Supper.—Broth 1 pint.

Beef two days in the week, Mutton the other days.

EXTRAS.

Mutton Chops, Beef Tea, Fish, Eggs, Green Vegetables, Extra Bread, Extra Milk, Porter, Wine, Brandy, Gin.

Broth.—1 lb. of Meat to a gallon of Pot Liquor, thickened with Rice, Pearl Barley, or Oatmeal, and 1 oz. Onions.

Beef Tea.—Meat 1 lb. to Water 1 pint.

Gruel.—Grits $\frac{1}{2}$ oz., Water $\frac{1}{2}$ pint, Milk $\frac{1}{3}$ pint, Sugar $\frac{1}{2}$ oz.

Rice Pudding.—Carolina Rice $\frac{1}{2}$ oz., Sugar $\frac{1}{4}$ oz., Milk $\frac{1}{2}$ pint.

GUY'S HOSPITAL.

FULL OR EXTRA DIET.	MIDDLE OR ORDINARY DIET.
<p>Fourteen Ounces of Bread. One Pint of Porter for Males. Half-pint of Porter for Females. Six Ounces of Dressed Meat, roasted and boiled, alternately, with Potatoes. $\frac{1}{2}$ lb. Rice Pudding three times a week. Half a pint of Mutton Broth, in addition, on days when Boiled Meat is given. (Or occasionally) One Pint of strong Vegetable Soup, with Meat and Rice Pudding, twice a week. One Ounce Butter each day. Porridge, Gruel, and Barley Water, as required.</p>	<p>Twelve Ounces of Bread. Half-pint of Porter. Four Ounces of Dressed Meat, roasted and boiled alternately, with Potatoes. $\frac{1}{2}$ lb. Rice Pudding three times a week. Half a pint of Mutton Broth, in addition, on days when boiled meat is given. (Or occasionally) One Pint of strong Vegetable Soup, with Meat and Rice Pudding, twice a week; with the full diet allowance of Bread. One Ounce Butter each day. Porridge, Gruel, and Barley Water, as required.</p>

Tea and Sugar morning and evening with all Diets.

GUY'S HOSPITAL.

MILK OR PUDDING DIET.	LOW DIET.
Twelve Ounces of Bread.	Ten Ounces of Bread.
Two Pints of Milk; or One Pint of Milk, with Rice, Sago, or Arrow- root, boiled, or made into Light Pudding.	Half a pint of Beef Tea, Mutton Broth, Rice, Arrowroot, or Sago, when specially ordered.
Half a pint of Beef Tea, when ordered.	Three Quarters of an Ounce of Butter.
One Ounce of Butter.	
Gruel and Barley Water as required.	Gruel and Barley Water as required.

Fish, Chops, Steaks, Chicken, and Chicken Soup, Eggs, and other extras, are to be specially ordered by the Medical Attendant, and will be given with the Low Diet. Wines and Spirits, if continued, must be mentioned each time the Physician or Surgeon attends.

KING'S COLLEGE HOSPITAL.

MEN.

DAILY ALLOWANCE.

FULL DIET.

Breakfast.—Bread 6 oz. ; Milk $\frac{1}{4}$ pint.

Dinner.—Meat (cooked) 6 oz. ; Bread 6 oz. ; Potatoes $\frac{1}{2}$ lb. ; Porter 1 pint.

Supper.—Gruel 1 pint ; Milk $\frac{1}{4}$ pint.

MIDDLE DIET.

Breakfast.—Bread 6 oz. ; Milk $\frac{1}{4}$ pint.

Dinner.—Meat (cooked) 4 oz. ; Bread 6 oz. ; Potatoes $\frac{1}{2}$ lb. ; Porter $\frac{1}{2}$ pint.

Supper.—Gruel 1 pint ; Milk $\frac{1}{4}$ pint.

MILK DIET.

Breakfast.—Bread 4 oz. ; Milk $\frac{1}{4}$ pint.

Dinner.—Bread 4 oz. ; Rice Milk $\frac{1}{2}$ pint (four days) ; Rice or Bread Pudding $\frac{1}{2}$ lb. (three days).

Supper.—Milk $\frac{1}{2}$ pint.

CHILDREN'S DIETS (under ten years of age)—two-thirds of any Diet ordered.

Roast Mutton—Monday and Thursday.

Boiled Mutton—Tuesday and Friday.

Stewed Mutton—Wednesday and Saturday.

On Sundays—Roast Beef.

KING'S COLLEGE HOSPITAL—*continued.*

WOMEN.

DAILY ALLOWANCE.

FULL DIET.

Breakfast.—Bread 6 oz. ; Milk $\frac{1}{4}$ pint.

Dinner.—Meat (cooked) 4 oz. ; Bread 6 oz. ; Potatoes $\frac{1}{2}$ lb. ; Porter $\frac{1}{2}$ pint.

Supper.—Gruel 1 pint ; Milk $\frac{1}{4}$ pint.

MIDDLE DIET.

Breakfast.—Bread 6 oz. ; Milk $\frac{1}{4}$ pint.

Dinner.—Meat (cooked) 3 oz. ; Bread 6 oz. ; Potatoes $\frac{1}{2}$ lb. ; Porter $\frac{1}{2}$ pint.

Supper.—Gruel 1 pint ; Milk $\frac{1}{4}$ pint.

MILK DIET.

Breakfast.—Bread 4 oz. ; Milk $\frac{1}{4}$ pint.

Dinner.—Bread 4 oz. ; Rice Milk $\frac{1}{2}$ pint (four days) ; Rice or Bread Pudding $\frac{1}{2}$ lb. (three days).

Supper.—Milk $\frac{1}{2}$ pint.

No extras (except Wine and Spirits) to be supplied by the Steward, unless authorised by the signature of the Visiting Physician or Surgeon.

No extras allowed on Full Diet.

In any Diet Rice or Bread Pudding may be substituted for Meat if desired.

No Patient on being admitted into the Hospital to be placed on Full Diet until ordered by the Visiting Physician or Surgeon.

LONDON HOSPITAL.

MEN.

FULL DIET.

Per Day.—12 oz. Bread; 8 oz. Potatoes; 1 pint Porter.

Breakfast.—Gruel.

Dinner for Fourteen Days.—Sunday, 6 oz. Boiled Mutton; Monday, 6 oz. Roast Beef; Tuesday, 6 oz. Boiled Mutton; Wednesday, 6 oz. Roast Mutton; Thursday, 6 oz. Boiled Mutton; Friday, 6 oz. Roast Beef; Saturday, 6 oz. Boiled Mutton; Sunday, 6 oz. Roast Beef; Monday, 6 oz. Boiled Mutton; Tuesday, 6 oz. Roast Mutton; Wednesday, 6 oz. Boiled Mutton; Thursday, 6 oz. Roast Beef; Friday, 6 oz. Boiled Mutton; Saturday, 6 oz. Roast Mutton.

Supper.—1 pint Broth.

MIDDLE DIET.

The same as Full Diet, except 4 oz. of Meat instead of 6 oz., and $\frac{1}{2}$ pint Porter instead of 1 pint.

MILK DIET (Daily).

Per Day.—12 oz. Bread.

Breakfast.—Gruel.

Dinner.—1 pint Milk.

Supper.—1 pint Milk.

LOW DIET (Daily).

Per Day.—8 oz. Bread.

Breakfast.—Gruel.

Dinner.—Broth.

Supper.—Gruel or Broth.

LONDON HOSPITAL—*continued.*

FANCY DIET*—MEN.

Per Day.—12 oz. Bread ; 8 oz. Potatoes ; 1 pint Porter.

Breakfast.—*Alternate Days.*—Gruel and 1 Egg ; Gruel and Slice of Meat.

Dinner.—Sunday, Roast Mutton and Rice Pudding ; Monday, Fish and Batter Pudding ; Tuesday, Rabbit and Light Pudding ; Wednesday, Roast Mutton and Rice Pudding ; Thursday, Fish and Batter Pudding ; Friday, Rabbit and Light Pudding ; Saturday, Roast Mutton and Rice Pudding ; Sunday, Fish and Batter Pudding ; Monday, Rabbit and Light Pudding ; Tuesday, Roast Mutton and Rice Pudding ; Wednesday, Fish and Batter Pudding ; Thursday, Roast Mutton and Rice Pudding ; Friday, Fish and Batter Pudding ; Saturday, Rabbit and Light Pudding.

Supper.—1 pint Broth.

WOMEN.

ORDINARY DIET.

The same as Middle Diet for Men.

FULL DIET.

The same as Full Diet for Men.

MILK DIET.

The same as for Men.

LOW DIET.

The same as for Men.

FANCY DIET.

The same as for Men.

HALF FANCY DIET.

The same as for Men.

* For Full Fancy Diet, Full Diet quantities. For Half Fancy Diet, Half Diet quantities ; this reduction refers o *Dinner* only.

LONDON HOSPITAL—*continued.*

CHILDREN (under seven years of age).

12 oz. Bread, $\frac{1}{2}$ pint Milk, daily; 2 oz. Meat and 8 oz. Potatoes five times a week, and Riee Pudding twice a week.

EXTRAS.

Mutton Chops; Beef Steaks; Fish; Beef Tea; Strong Broth; Riee Pudding—1 oz. Rice, $\frac{1}{2}$ oz. of Sugar, $\frac{1}{2}$ pint of Milk, $\frac{1}{4}$ oz. of Butter; Light Pudding— $\frac{1}{2}$ pint of Milk, $\frac{1}{2}$ oz. of Sugar, 2 Eggs; Batter Pudding— $\frac{1}{2}$ pint of Milk, 2 oz. of Flour, $\frac{1}{2}$ oz. of Sugar, $\frac{1}{2}$ oz. of Suet, 1 Egg; Eggs; Bread; Green Vegetables; Watercresses; Wine, Spirit, Porter.

Extras discontinued unless order renewed by the Physician or Surgeon at each visit.

THE MIDDLESEX HOSPITAL.

CONVALESCENT DIET.

Daily.—12 oz. of Bread.

Breakfast.— $\frac{1}{2}$ pint of Milk.

Dinner.—MALE.—12 oz. of undressed Meat (Leg and Shoulder of Mutton only, except on Sundays, when the same quantity of Roast Sirloin and best Round of Beef is issued), roast and boiled alternately : $\frac{1}{2}$ lb. of Potatoes.

FEMALE.—8 oz. of undressed Meat (Leg and Shoulder of Mutton only, except on Sundays, when the same quantity of Roast Sirloin and best Round of Beef is issued), roast and boiled alternately ; $\frac{1}{2}$ lb. of Potatoes.

Supper.—1 pint of Gruel or 1 pint of Broth.

HALF CONVALESCENT DIET.

Daily.—12 oz. of Bread.

Breakfast.— $\frac{1}{2}$ pint of Milk.

Dinner.—4 oz. of undressed Meat (Leg and Shoulder of Mutton only, except on Sundays, when the same quantity of Roast Sirloin and best Round of Beef is issued), roast and boiled alternately ; $\frac{1}{2}$ lb. of Potatoes.

Supper.—1 pint of Gruel or 1 pint of Broth.

PUDDING AND ORDINARY DIET.

Daily.—12 oz. of Bread.

Breakfast.— $\frac{1}{2}$ pint of Milk.

Dinner.—6 oz. of undressed Meat (Leg and Shoulder of Mutton only, except on Sundays, when the same quantity of Roast Sirloin and best Round of Beef is issued), roast and boiled alternately ; $\frac{1}{2}$ lb. of potatoes ; 1 oz. Beef Suet, 2 oz. Flour, for Pudding.

Supper.—1 pint of Gruel or 1 pint of Broth.

MIDDLESEX HOSPITAL—*continued.*

ORDINARY DIET.

Daily.—12 oz. of Bread.

Breakfast.— $\frac{1}{2}$ pint of Milk.

Dinner.—6 oz. of undressed Meat (Leg and Shoulder of Mutton only), weighed with the bone before it is dressed, roast and boiled alternately; $\frac{1}{2}$ lb. of Potatoes.

Supper.—1 pint of Gruel or 1 pint of Broth.

HALF ORDINARY DIET.

Daily.—12 oz. of Bread.

Breakfast.— $\frac{1}{2}$ pint of Milk.

Dinner.—3 oz. of undressed Meat (Leg and Shoulder of Mutton only), weighed with the bone before it is dressed, roast and boiled alternately; $\frac{1}{2}$ lb. of Potatoes.

Supper.—1 pint of Gruel or 1 pint of Broth.

MUTTON BROTH DIET.

Daily.—12 oz. of Bread.

Breakfast.— $\frac{1}{2}$ pint of Milk.

Dinner.—8 oz. of undressed Meat (Neck of Mutton only), weighed with the bone before it is dressed, served in 1 pint of Broth with Barley.

Supper.—1 pint of Gruel.

FISH DIET.

Daily.—12 oz. of Bread.

Breakfast.— $\frac{1}{2}$ pint of Milk.

Dinner.—8 oz. of Fish (whiting, sole, haddock, cod, plaice, or brill); $\frac{1}{2}$ lb. of Potatoes.

Supper.—1 pint of Gruel.

MILK DIET.

Daily.—12 oz. of Bread.

Breakfast.— $\frac{1}{2}$ pint of Milk.

Dinner.—*Alternate Days.*—Rice Pudding—2 oz. Rice, $\frac{1}{2}$ Egg, $\frac{1}{2}$ oz. Sugar; Sago Pudding— $1\frac{1}{2}$ oz. Sago, $\frac{1}{2}$ Egg, $\frac{1}{2}$ oz. Sugar; Bread Pudding— $1\frac{1}{2}$ Egg, $\frac{3}{4}$ oz. Sugar.

Extra.—Custard, $\frac{1}{2}$ oz.

Supper.— $\frac{1}{2}$ pint of Milk.

MIDDLESEX HOSPITAL—*continued.*

SIMPLE DIET.

Daily.—12 oz. of Bread.

Breakfast.— $\frac{1}{2}$ pint of Milk.

Dinner.—1 pint of Gruel.

Supper.— $\frac{1}{2}$ pint of Milk.

EXTRAS.

For Supper, Meat when cooked, 3 oz.; Chops $\frac{1}{2}$ lb. each when trimmed; ordinary Beef Tea, $\frac{1}{2}$ lb. of Clod and Sticking of Beef, without bone, to a pint; Strong Beef Tea, 1 lb. of Clod and Sticking of Beef, without bone, to a pint; Broth, without Meat, $\frac{1}{4}$ lb. of Neck of Mutton with bone, to a pint—this Broth is made with that for the Patients on Mutton Broth Diet; Steaks—Rump Steaks, $\frac{1}{2}$ lb., without bone; Tripe; Chicken; Oysters; Greens; Eggs; Arrowroot; Sago; Jellies; Porter; Wine; Spirits.

Every Patient admitted into the Hospital is placed upon Simple Diet until a Diet is otherwise ordered.

No Extras are to be placed on the Diet Table, nor provided by the House Steward, other than those specified above.

Diets ordered by the Physicians and Surgeons are to be continued until changed by subsequent orders.

Extras are allowed for one day only, unless the Physician or Surgeon write the word DAILY.

On Sundays, those Patients on Meat Diet have Roast Beef.

Breakfast is served at 7, Dinner at 12, Tea at 4, and Supper at 7 o'clock.

ST. BARTHOLOMEW'S HOSPITAL.

MEALS.	FULL DIET (MEAT).	HALF DIET (MEAT).
Breakfast.	1 Pint of Tea. Bread and Butter.	1 pint of Tea. Bread and Butter.
Dinner.	Half-pound Meat when dressed. Half-pound Potatoes. Bread and Beer.	Quarter-pound Meat when dressed. Half-pound Potatoes. Bread and Beer.
Tea.	1 pint of Tea. Bread and Butter.	1 pint of Tea. Bread and Butter.
Supper.	Bread and Butter. Beer.	Bread and Butter. Beer.
Daily Allowances to each Patient.	2 pints of Tea. 14 oz. of Bread. Half-pound Meat when dressed. Half-pound Potatoes. 2 pints Beer (<i>Men</i>) 1 pint Beer (<i>Women</i>) 1 oz. Butter.	2 pints of Tea. 12 oz. Bread. Quarter-pound Meat when dressed. Half-pound Potatoes. 1 pint Beer. $\frac{3}{4}$ oz. Butter.

Extras to be specially ordered.—Mutton Chops, Beef Steaks, Beef for Beef Tea, Fish, Eggs, Pudding, Jelly, Porter, Ale, Wine, or Spirits.

ST. BARTHOLOMEW'S HOSPITAL.

BROTH DIET.	MILK DIET.	LOW DIET.	Children under Nine Years to receive half Allowances.
1 pint of Tea.	1 pint of Tea.	Bread.	
1 pint and a half Broth. 6 oz. Potatoes (mashed). Bread.	1 pint and a half Milk, or 1 pint Milk with Arrow- root, Rice, or Sago. Bread.	— Broth, Gruel, or	
1 pint of Tea. Bread and Butter.	1 pint of Tea. Bread and Butter.	Barley Water, as	
Bread and Butter. Gruel.	Bread and Butter. Gruel.	may be ordered.	
2 pints of Tea. 12 oz. Bread. 1 pint and a half Broth. 6 oz. Potatoes (mashed). $\frac{3}{4}$ oz. Butter. Gruel.	2 pints of Tea. 12 oz. Bread. 1 pint and a half Milk, or 1 pint Milk with Arrow- root, Rice, or Sago. $\frac{3}{4}$ oz. Butter. Gruel.	Bread. — Broth, Gruel, or Barley Water.	

Each Patient on Admission to be placed on Milk Diet until a Diet is ordered by the Physician or Surgeon.

ST. GEORGE'S HOSPITAL.

Each Patient is allowed 2 oz. of Tea weekly, 8 oz. of Sugar weekly, 12 oz. of Bread daily, 1 oz. of Butter daily, $\frac{1}{4}$ pint of Milk morning and evening.

ORDINARY DIET.

Dinner.—3 oz. of cooked Meat and $\frac{1}{2}$ lb. of Potatoes.
 $\frac{1}{2}$ pint of Porter daily to men above sixteen years of age.
Supper.—1 pint of Gruel.

EXTRA DIET.

Dinner.—6 oz. of cooked Meat and $\frac{1}{2}$ lb. of Potatoes.
1 pint of Porter to men above sixteen years of age.
Supper.—1 pint of Gruel.

FISH DIET.

Dinner.—4 oz. of plain boiled white Fish (as whiting, plaice, flounders, or haddock).
Supper.—1 pint of Gruel.

BROTH DIET.

Dinner.—1 pint of Broth and 6 oz. of light Pudding.
Supper.—1 pint of Gruel.

ST. GEORGE'S HOSPITAL—*continued*.

MILK DIET.

Dinner.—Four days, $1\frac{1}{2}$ pint of Rice Milk. Three days $\frac{1}{2}$ lb. of Bread or Rice Pudding.

Supper.— $\frac{1}{4}$ pint of Milk.

Beef Tea, Arrowroot, &c., must be specially directed.

ST. MARY'S HOSPITAL.

MEALS.	FULL DIET.	ORDINARY DIET.
Breakfast.	Tea with Sugar. Bread and Butter. $\frac{1}{4}$ pint of Milk.	Tea with Sugar. Bread and Butter. $\frac{1}{4}$ pint of Milk.
Dinner.	6 oz. of Meat (eoked). $\frac{1}{2}$ lb. Potatoes.	4 oz. of Meat (eoked). $\frac{1}{2}$ lb of Potatoes.
Tea.	Tea with Sugar. Bread and Butter. $\frac{1}{4}$ pint of Milk.	Tea with Sugar. Bread and Butter. $\frac{1}{4}$ pint of Milk.
Supper.	Gruel.	Gruel.
Daily Allowance to each Patient.	2 pints of Tea with Sugar, and $\frac{1}{2}$ pint of Milk. 15 oz. of Bread. 6 oz. of Meat when dressed. $\frac{1}{2}$ lb. of Potatoes. $\frac{3}{4}$ oz. of Butter.	2 pints of Tea with Sugar, and $\frac{1}{2}$ pint of Milk. 12 oz. of Bread. 4 oz. of Meat when dressed. $\frac{1}{2}$ lb. Potatoes. $\frac{3}{4}$ oz. of Butter.

* * No Extras, exept Porter, allowed on Full Diet.

* * No Extras to be ordered by the Resident Medical Officers in the absenee of the Physician or Surgeon, unless in eases of great urgeney, a special report of which must be made to the Physician or Surgeon at his next visit.

ST. MARY'S HOSPITAL.

HALF DIET.	BROTH DIET.	SIMPLE DIET.
Tea with Sugar. Bread and Butter. $\frac{1}{2}$ pint of Milk.	Tea with Sugar. Bread and Butter. $\frac{1}{4}$ pint of Milk.	
2 oz. of Meat (cooked). $\frac{1}{2}$ lb. Potatoes.	$\frac{1}{2}$ lb. of Meat before dressed. 1 pint of Broth.	
Tea with Milk. Bread and Butter. $\frac{1}{2}$ pint of Milk.	Tea with Sugar. Bread and Butter. $\frac{1}{4}$ pint of Milk.	
Gruel.	Gruel.	Gruel.
2 pints of Tea with Sugar, and 1 pint of Milk. 12 oz. of Bread. 2 oz. of Meat when dressed. $\frac{1}{2}$ lb. of Potatoes. $\frac{3}{4}$ oz. of Butter.	2 pints of Tea with Sugar, and $\frac{1}{2}$ pint of Milk. 12 oz. of Bread. About 4 oz. of Meat when dressed. 1 pint of Broth. $\frac{3}{4}$ oz. of Butter.	2 pints of Tea with Sugar, and 1 pint of Milk. 12 oz. of Bread. $\frac{3}{4}$ oz. of Butter.

N.B.—Patients bringing into the Hospital, or receiving from their friends, provisions, fruit, or liquor of any kind, are liable to be expelled, and they are strictly forbidden to give any portion of their Diet to others.

ST. THOMAS'S HOSPITAL.

Daily Allowance to each Patient on either of the following Diets :—

FULL DIET.	MIXED DIET.	MILK DIET.
12 oz. of Bread.	12 oz. of Bread.	12 oz. of Bread.
$\frac{3}{4}$ oz. of Butter.	$\frac{3}{4}$ oz. of Butter.	$\frac{3}{4}$ oz. of Butter.
$\frac{3}{4}$ Pint of Tea with Milk and Sugar for Breakfast.	$\frac{3}{4}$ Pint of Tea with Milk and Sugar for Breakfast.	$\frac{3}{4}$ Pint of Tea with Milk and Sugar for Breakfast.
The same for Tea.	The same for Tea.	The same for Tea.
4 oz. of Beef or Mutton when dressed, Roast or Boiled, alternately.	4 oz. for Men, and 3 oz. for Women, of Mutton when dressed, Roast or Boiled, alternately.	
$\frac{1}{2}$ lb. of Potatoes or Fresh Vegetables.	$\frac{1}{4}$ lb. of Potatoes or Fresh Vegetables.	
	8 oz. of Rice or Bread Pudding alternately.	8 oz. of Rice or Bread Pudding alternately.
$\frac{1}{2}$ Pint of Milk in the Forenoon.	$\frac{1}{2}$ pint of Milk.	$1\frac{1}{2}$ pint of Milk.
Porter, &c., if ordered.	When Fish is ordered Meat to be omitted.	

Wine, Brandy, Gin, Porter, Mutton Chops, Fish, Eggs, Beef Tea, Soda Water, Lemonade, and other extras, to be served when specially ordered, such order being renewed at each regular visit of the Physician or Surgeon.

ST. THOMAS'S HOSPITAL.

Daily Allowance to each Patient on either of the following Diets:—

FEVER DIET.	CHILDREN'S DIET.	
	MIXED.	MILK.
4 oz. of Bread.	12 oz. of Bread.	8 oz. of Bread.
—	$\frac{3}{4}$ oz. of Butter.	$\frac{1}{2}$ oz. of Butter.
2 Pints of Barley Water or Gruel.	$\frac{1}{2}$ pint of Milk for Breakfast.	$\frac{1}{2}$ Pint of Milk for Breakfast.
2 Pints of Milk.	The same for Tea.	The same for Tea.
	2 oz. of Mutton when dressed, Roast or Boiled, alternately.	
	$\frac{1}{4}$ lb. of Potatoes or Fresh Vegetables.	
	6 oz. of Rice or Bread Pudding.	6 oz. of Rice or Bread Pudding.
	$\frac{1}{2}$ pint of Milk.	$\frac{1}{2}$ Pint of Milk.

The Children's Diets are intended for all Children under ten years of age.

N.B.—Each Patient on admission into the Hospital to be placed on Milk or Fever Diet until the proper Diet is ordered by the Physician or Surgeon.

THROAT HOSPITAL.

	FULL.	MILK.	FISH.
		MILK, 2 PINTS.	
Breakfast. 8 A.M.	Bread 4 oz.* Butter $\frac{1}{2}$ oz. Tea half a pint. Sugar $1\frac{1}{4}$ oz. Milk 2 oz.	Bread 4 oz. Butter $\frac{1}{2}$ oz. Tea half a pint. Sugar $1\frac{1}{4}$ oz.	Is the same as Full Diet, but $\frac{1}{2}$ lb. of Fish in place of Meat for Dinner.
Dinner. 12.30 P.M.	Bread 4 oz. 6 oz. cooked Meat.† 6 oz. Potatoes.‡ Pudding. Porter half a pt.‡	Bread 4 oz. Beef Tea half a pint (made from $\frac{3}{2}$ lb. of beef). 2 Eggs.	
Tea. 4.30 P.M.	Bread 4 oz. Butter $\frac{1}{2}$ oz. Tea half a pint. Sugar $1\frac{1}{4}$ oz. Milk 2 oz.	Bread 4 oz. Butter $\frac{1}{2}$ oz. Tea half a pint. Sugar $1\frac{1}{4}$ oz.	
Supper. 8 P.M.	Arrowroot or Corn Flour, with half a pint Milk, or 1 pint Gruel, or Suet and half a pint Milk. or 4 oz. Bread and half a pint of Porter.	Arrowroot, Corn Flour, Gruel, or Rice, or 1 Egg.	

* The entire quantity of Bread, Butter, and Sugar allowed for the day is allotted each morning, and may be used at different meals, according to the inclination of the Patient. † 8 oz. *uncooked* Meat—Sunday and Wednesday, Roast Beef; Monday, Thursday, Saturday,

THROAT HOSPITAL.

HALF-FULL.	HALF-MILK.	EXTRAS TO BE ORDERED ONLY BY THE MEDICAL OFFICERS.
Is the same as Full, but only 3 oz. of cooked Meat is given, and 8 oz. of Bread allowed.	Is the same as Milk Diet, but only 1 pint of Milk and 1 Egg are allowed.	2 oz. of cooked Meat. Chop. Light Pudding. Beef Tea (1 lb. of gravy beef to each pint). Eggs. Oysters. Green Vegetables. Bottled Ale or Stout.

Roast Mutton; Tuesday, Boiled Mutton: Friday. Pork and Boiled Beef alternately. ‡ 6 oz. *uncooked* Potatoes.

§ When Porter is not given Barley Water is allowed.

|| Where the Patient can take no solid food, 1 pint of Beef Tea and 1 extra Egg are allowed in place of the Bread.

UNIVERSITY COLLEGE HOSPITAL.

FULL DIET.

- 12 oz. Bread.
- 8 oz. Potatoes.
- 6 oz. Meat dressed (Roast or Boiled Leg or Neck of Mutton, or Roast Beef).
- $\frac{3}{4}$ pint of Broth or Pea-soup four times a week on alternate days.
- 4 oz. Boiled Rice or Rice Pudding made with Milk.
- 1 pint of Milk.
- 1 pint of Beer.*

MIDDLE DIET.

- 12 oz. Bread.
- 8 oz. Potatoes.
- 4 oz. Meat or 8 oz. of Fish (White).
- 1 pint of Milk.
- Soup with Barley $1\frac{1}{2}$ oz., or Beef Tea 1 pint.
- Rice Pudding made with Milk, instead of Soup.
- $\frac{1}{2}$ pint Beer.*

SPOON DIET.

- 2 pints of Milk.
- 1 pint Beef Tea.
- 12 oz. Bread.
- 2 oz. Arrowroot and 1 oz. Sugar made into Jelly.

The following extras are supplied only on special orders:—Malt Liquors, Wines, Spirits, Eggs, strong Beef Tea, Milk, Fish, Chops, Steaks, Custard Puddings, Vegetables, and Bread.

* To Medical Cases only when ordered.

WESTMINSTER HOSPITAL.

MEALS.	FULL.	MIDDLE.	SPECIAL.
Daily	14 oz. of Bread.	10 oz. of Bread.	Any of the following casual articles of Diet may be ordered at their discretion by the Physicians and Surgeons :—
Breakfast	Tea, with Milk and Sugar.*	Tea, with Milk and Sugar.*	
Dinner ...	5 oz. of cooked Meat, Roasted or Boiled, with $\frac{1}{2}$ lb. of Potatoes.	3 oz. of cooked Meat, Roasted or Boiled, with $\frac{1}{2}$ lb. of Potatoes.	Tea, Coffee, Cocoa,† extra Bread, Milk, Eggs, $\frac{1}{2}$ lb. of Bread or Rice Pudding, Broth, Beef Tea, Fish, Cnap, Slice of Roasted Meat, Irish Stew, Milk Gruel, Barley Water, Arrowroot, Sago, Vermicelli, Potatoes, Sugar, Ice.
Tea	Tea, with Milk and Sugar.	Tea, with Milk and Sugar.	
Supper ...	1 pint of Milk Gruel.	1 pint of Milk Gruel.	
Extras ...	Porter, Wine, Spirits. No other Extras are allowed with Full or Middle Diet, except Milk, in quantities not exceeding 1 pint; but only in cases where no Porter, Wine, or Spirits are ordered.		EXTRAS. Porter, Wine, Spirits, Soda Water, Ginger Beer, Green Vegetables, Lemons.

* A quarter of an ounce of Tea, 1 oz. of Sugar, and $\frac{1}{2}$ a pint of Milk are issued daily with Full and Middle Diet.

† When Tea, Coffee, or Cocoa is ordered, $\frac{1}{2}$ pint of Milk, 1 oz. of Sugar, and 8 oz. of Bread are included.‡

WESTMINSTER HOSPITAL—*continued.*

Every Patient admitted into the Hospital is to be placed by the Resident Medical Officer on Special Diet until a Diet is ordered by the Physician or Surgeon.

No Extras or Casual Articles of Diet, other than those specified above, are to be placed on the Diet Roll by the Steward, except on the special requisition of the Physicians or Surgeons.

All Extras and Special Diets are to be authorised by the signature of the Physicians and Surgeons, to be renewed twice in each week at least.

A return of all Extras ordered is to be made weekly by the Steward.

QUANTITIES AND COMPOSITION OF THE CASUAL ARTICLES
OF DIET AS ABOVE.

Meat for Chop (uncooked) 4 oz.	Coffee, 1 oz. Cocoa, $\frac{1}{2}$ oz. Tea, $\frac{1}{4}$ oz. Sugar, 1 oz.
Ditto for Irish Stew, 4 oz. (with $\frac{1}{2}$ lb. of Potatoes, &c.).	—
Roast Slice (cooked), 3 oz.	Bread Pudding— Bread, $\frac{1}{4}$ lb. Milk, $\frac{1}{4}$ pint. Sugar, $\frac{1}{4}$ oz. Flour, $\frac{1}{4}$ oz. 1 Egg for every 2 lbs.
Meat for pint of Beef Tea, 8 oz.	—
Potatoes, $\frac{1}{2}$ lb.	
Fish, 8 oz.	Rice Pudding— Rice, $1\frac{1}{2}$ oz. Milk, $\frac{1}{2}$ pint. Sugar, $\frac{1}{2}$ oz.
Milk Gruel, to contain $\frac{1}{4}$ pint of Milk to the pint.	

HOSPITAL FOR WOMEN.

FULL DIET.

Daily 10 oz. Bread.
 „ $\frac{1}{2}$ pint of Milk.
 „ $\frac{1}{2}$ oz. Butter.
 „ 5 oz. Meat (cooked).
 4 *Days* 4 oz. Potatoes.
 3 *Days* other Vegetables.

FISH DIET.

Daily 10 oz. Bread.
 „ $\frac{1}{2}$ pint of Milk.
 „ $\frac{1}{2}$ oz. Butter.
 „ 6 oz. Fish.
 4 *Days* 4 oz. Potatoes.

MILK DIET.

Daily 6 oz. Bread.
 „ 1 pint of Milk.
 „ $\frac{1}{2}$ oz. Butter.
 „ 1 pint of Beef Tea.
 „ $\frac{1}{2}$ pint of Light Pudding.

EXTRAS.

Beer, Wine, Spirits, Mutton Chops, Beef Tea, Eggs, Chicken, Lemonade, Soda Water, Ice, &c.

No extras allowed unless ordered, *in writing*, by one of the Medical Officers.

N.B.—Patients are not allowed to receive from their friends any food, with the exception of tea, coffee, cocoa, and sugar.

PHARMACOPŒIA
OF THE
GERMAN HOSPITAL,
DALSTON, near LONDON.

COLLYRIA.

Collyr. Aluminis.

Aluminis Pur. 6 grs.; Tinct. Myrrh. 12 mins.;
Aq. Destill. 1 oz.

Collyr. Argent. Nitr.

Argent. Nitr. 2 grs.; Aq. Destill. 1 oz.

Collyr. Zinci.

Zinc. Sulph. 2 grs.; Aq. Destill. 1 oz.

DECOCTUM.

Decoct. Cinchon.

Decoct. Cinchon. Flav. P. B. 1 oz.; Acid. Sulph.
Dilut. 6 mins.

ELECTUARIA.

Electuar. Sulphuris.

Pulv. Sulphur. Co. $\frac{1}{2}$ oz.; Syrup *q. s.* (1 oz.).

Electuar. Vermifug.

Pulv. Jalap. 16 grs.; Pulv. Valerian. 8 grs.; Pulv.
Sem. Santonic. $\frac{1}{2}$ drm.; Syrup *q. s.* ($1\frac{1}{2}$ drm.).

EMULSIO.**Emulsio Camphor. c. Benz.**

Acid. Benzoic. 10 grs.; Camphoræ 2 grs.; Gum.
Acaciæ $\frac{1}{2}$ drm.; Aquæ ad 1 oz.

GARGARISMATA.**Gargarism. Aluminis.**

Aluminis 10 grs.; Aquæ 1 oz.

Gargarism. Potass. Chlor.

Potass. Chlorat. 20 grs.; Aquæ 1 oz.

INJECTIONES.**Inject. Zinci.**

Zinc. Sulph. 3 grs.; Aq. Destill. 1 oz.

Inject. Zinc. c. Tannin.

Zinc. Sulph. 3 grs.; Acid. Tannic. 3 grs.; Aq. Destill.
1 oz.

LINIMENTA.**Liniment. Camphor. Co.**

Camphoræ 1 drm.; Sapon. Mollis 1 drm.; Liq. Am-
mon. Fort. 40 mins.; Spir. Vini ad 1 oz.

Liniment. Sulphuris.

Sulphur. Præcip. 1 oz.; Spir. Vini Rect. 1 oz.;
Glycerin. 1 oz.

LOTIONES.**Lotio Hispanic.**

Zinc. Sulph. 1 gr.; Plumb. Acetat. 1 gr.; Aq.
Destill. 1 oz. -

Lotio Sod. Chlorinat.

Liq. Sod. Chlorinat. 6 mins.; Aq. Destill. 1 oz.

MISTURÆ.**Mist. Acaciæ.**

Mucilago Acaciæ 1½ drm.; Aquæ ad 1 oz.

Mist. Ammon. Acet.

Liq. Ammon. Acet. 1 drm.; Aquæ ad 1 oz.

Mist. Ammon. Mur.

Ammon. Mur. 30 grs.; Mucil. Acaciæ 1 drm.;
Extr. Glycyrrh. Liquid. 30 mins.; Aq. Anisi ad
1 oz.

Mist. Antiblennorrh.

Bals. Copaibæ 30 mins.; Gum. Acaciæ 20 grs.;
Aquæ ad 1 oz.

Mist. Anticatarrh.

Ammon. Mur. 12 grs.; Mag. Sulph. 30 grs.; Extr.
Glycyrrh. Liquid. 30 grs.; Aquæ ad 1 oz.

Mist. Antidiarrhoic.

Tinct. Opii 8 mins.; Tinct. Catechu 30 mins.;
Mist. Cretæ P. B. ad 1 oz.

Mist. Antiphlogist.

Mag. Sulph. 80 grs.; Tinct. Card. Co. 24 mins.;
Aquæ ad 1 oz.

Mist. Colchici.

Vin. Colchici 24 mins.; Sol. Sodæ Bicarb. 1 oz.

Mist. Diuretic.

Potass. Acetat. 24 grs.; Tinct. Scillæ 20 mins.;
Spir. Æther. Nitr. 1 drm.; Infus. Digital.
P. B. ad 1 oz.

Mist. Ferri Perchlor.

Tinct. Ferr. Perchlor. 20 mins.; Infus. Quassiae
1 oz.

Mist. Ferri Pomat.

Tinct. Ferri Pomat. 30 mins.; Infus. Quassiae 1 oz.

Mist. Fowleri.

Liq. Potass. Arsen. 10 mins.; Infus. Quassiae 1 oz.

Mist. Morphiae.

Liq. Ammon. Acet. 2 drms.; Spir. Ætheris 30
̄mins.; Liq. Morph. P. B. 20 mins.; Aquæ ad
1 oz.

Mist. Oleos. Gummos.

Ol. Amygdal. Dule. 30 mins.; Gum. Acaciae 15
grs.; Aquæ ad 1 oz.

Mist. Stomachic.

Tinct. Zingiber. 6 mins.; Tinct. Cinchon. Co. 12
mins.; Tinct. Card. Co. 6 mins.; Infus. Quassiae
ad 1 oz.

Mist. Quin. c. Ferr.

M. Quin. Co. 1 oz.; M. Ferr. Perchlor. 1 oz.

PILULÆ.

Pil. Aloes c. Ferro.

Aloes Socotrin. $1\frac{1}{2}$ gr.; Ferr. Sulph. Exsicc. 1 gr.;
Extr. Gentian. 1 gr.: in each pill.

Pil. Doveri.

Pulv. Ipecac. Co. 3 grs.; Conf. Rosæ 1 gr.; Pulv.
Glycyrrh. 1 gr.: in each pill.

Pil. Hydrarg. Bichl. c. Opio vel Antisyphilitic.

Hydrarg. Bichlor. Corros. $\frac{1}{16}$ gr.; Opii Pur. $\frac{1}{8}$ gr.;
Conf. Rosæ 1 gr.; Pulv. Glycyrrh. 1 gr.: in
each pill.

Pil. Hydrarg. Iodid. c. Opio.

Hydrarg. Iodid. Virid. 1 gr.; Opii Pur. $\frac{1}{4}$ gr.;
Conf. Rosæ 1 gr.; Pulv. Glycyrrh. 1 gr.: in
each pill.

PULVERES.

Pulv. Adstringent.

Pulv. Cretæ Co. 4 grs.; Pulv. Ipecac. Co. $\frac{1}{2}$ gr.;
Pulv. Cinnam. Co. 2 grs.: in each powder.

Pulv. Alterans.

Pulv. Rhei 6 grs.; Mag. Carb. 4 grs.; Hydrarg. c.
Cretâ 2 grs.; Pulv. Cinnam. Co. 2 grs.: in each
powder.

Pulv. Calcis Phosphat. Co.

Calcis Phosphat., Calcis Carbonat., Sacch. Lactis,
an. pt. acqu., of each equal parts.

Pulv. Infant. Hufland.

Pulv. Rad. Iridis 90 grs. ; Pulv. Rad. Rhei 120 grs. ; Sacch. Alb. $\frac{1}{2}$ oz. ; Mag. Carbon. 1 oz. ;
Ol. Fœnicul. 12 mins.

Pulv. Sulphur. Co.

Sulph. Sublim. $\frac{1}{2}$ oz. ; Pulv. Fol. Sennæ 2 drms. ;
Mag. Carbon. 20 grs. ; Potass. Bitart. 1 oz. ;
Pulv. Zingiber. 30 grs.

SOLUTIONES.

Sol. Ferri et Ammon. Citr.

Ferr. et Ammon. Citr. 10 grs. ; Aquæ ad 1 oz.

Sol. Lugold.

Pot. Iodid. 40 grs. ; Iod. Pur. 20 grs. ; Aquæ 1 oz.

Sol. Mag. Sulph.

Mag. Sulph. 80 grs. ; Aquæ ad 1 oz.

Sol. Mag. Sulph. Alcalin.

Sod. Bicarb. 12 grs. ; Mag. Sulph. 80 grs. ; Aquæ
ad 1 oz.

Sol. Plencki.

Hydrarg. Bichlor. Corros. 1 drm. ; Camphor. 30
grs. ; Spir. Vini Rect. 1 oz.

Sol. vel Garg. Pot. Chlorat.

Potass. Chlorat. 20 grs. ; Aquæ 1 oz.

Sol. Potass. Iodid.

Potass. Iodid. 10 grs. ; Aquæ Destill. 1 oz.

Sol. Quiniæ Co.

Quiniæ Sulph. 2 grs.; Acid. Mur. Dilut. 4 mins.;
Tinct. Aurant. 12 mins.; Aquæ ad 1 oz.

Sol. Sodæ Bicarb.

Sod. Bicarb. 24 grs.; Infus. Quassiæ 1 oz.

Sol. Sod. pro Infant.

Sod. Bicarb. 6 grs.; Syrup. 60 mins.; Aq. Destill.
ad 1 oz.

Sol. Sodæ Sedativ.

Aq. Lauro Ceras. 30 mins.; Sol. Sodæ Bicarb. ad 1 oz.

Sol. Sod. Sulph.

Sod. Sulph. Cryst. 80 grs.; Aquæ ad 1 oz.

TINCTURÆ.

Tinct. Ferri c. Morph.

Tinct. Ferr. Perchlor. 2 drms.; Liq. Morph. P. B.
1 drm.

Tinct. Ferri Pomat.

Extr. Ferr. Pomat. 60 grs.; Aq. Cinnam. Vinos
ad 1 oz.

UNGUENTA.

Ung. Arlti.

Extr. Belladonn. 8 grs.; Hydrarg. Ammon. 6 grs.;
Axungiae 1 oz.

Ung. Calomel. Co.

Calomel. 60 grs.; Zinc. Sulph. 60 grs.; Axungiae ad
1 oz.

Ung. Calomel. cum Zinco.

Calomel. 160 grs. ; Zinc. Oxyd. 24 grs. ; Axungiaë
1 oz.

Ung. Hebræ.

Empl. Plumbi 1 oz. ; Ol. Lini 2 oz. ; Axungiaë $\frac{1}{2}$ oz.

Ung. Sulphur. Co.

Sulph. Sublim. 2 drms. ; Sapon. Mollis 1 oz.

VINUM.

Vin. Aromatic.

Fol. Menth. Pip. 2 drms. ; Flor. Anthem. 2 drms. ;
Caryophyll. 15 grs. ; Cocc. Cacti. 10 grs. ;
Sherry Wine 10 oz. : macerate seven days,
strain, and add Acid. Tannic. 30 grs. ; filter.

EDINBURGH.

The Chief Hospitals use the British Pharmacopœia.

PHARMACOPŒIA
OF THE
MEATH HOSPITAL AND COUNTY
DUBLIN INFIRMARY.

COLLYRIUM.

Collyrium Zinci.

Acetate of Zinc 1 gr. ; water to 1 oz.

HAUSTUS.

Hautus Olei Ricini.

Castor Oil $\frac{1}{2}$ oz. ; Solution of Potash 25 mins. ;
Tincture of Rhubarb 2 drms. ; Cinnamon Water
to $1\frac{1}{2}$ oz. Half the dose for a child.

Hautus Rhei.

Powdered Rhubarb 20 grs. ; Sulphate of Magnesia
60 grs. ; Peppermint Water $1\frac{1}{2}$ oz.

LOTIONES.

Lotio Calcis Chlorat.

Solution of Chlorinated Lime 15 mins. ; water to
1 oz.

Lotio Stimulans.

Comp. Tincture of Benzoin 15 mins. ; Solution of
Chlorinated Lime 15 mins. ; water to 1 oz.

MISTURÆ.**Mistura Amara Acida.**

Dil. Nitro-hydrochloric Acid 15 mins.; Infusion of Quassia to 1 oz.

Mistura Amara Alkalina.

Bicarbonate of Soda 11 grs.; Infusion of Quassia 1 oz.

Mistura Anti-Dyspeptica.

Cherry-Laurel Water 11 mins.; Solution of Lime 3 drms.; Essence of Peppermint $7\frac{1}{2}$ mins.; Syrup of Ginger $22\frac{1}{2}$ mins.; Comp. Tincture of Lavender 15 mins.; Infusion of Quassia to 1 oz.

Mistura Astringens Composita.

Tincture of Opium 11 mins.; Tincture of Catechu 15 mins.; Tincture of Kino 15 mins.; Chalk Mixture to 1 oz. Dose $\frac{1}{2}$ oz.

Mistura Cardiaca.

Spirit of Ether 15 mins.; Aromatic Spirit of Ammonia 15 mins.; Comp. Tincture of Lavender 15 mins.; Camphor Water to 1 oz. Dose $\frac{1}{2}$ oz.

Mistura Copaiba.

Copaiba $22\frac{1}{2}$ mins.; Solution of Potash $7\frac{1}{2}$ mins.; Tincture of Henbane 30 mins.; Spirit of Nitrous Ether 15 mins.; Cinnamon Water to 1 oz. Dose $\frac{1}{2}$ oz.

Mistura Diaphoretica.

Solution of Acetate of Ammonia 2 drms.; Nitrate of Potash 5 grs.; Spirit of Nitrous Ether 15 mins.; water to 1 oz.

Mistura Diuretica.

Spirit of Juniper 30 mins. ; Spirit of Nitrous Ether
15 mins. ; Decoction of Broom to 1 oz.

Mistura Expecto-rans.

Wine of Ipccacuanha 11 mins. ; Syrup of Squill 15
mins. ; water to 1 oz. Dose 2 drms.

Mistura Pect. Sedativa.

Cherry-Laurel Water 11 mins. ; Solution of Morphia
 $7\frac{1}{2}$ mins. ; Comp. Tincture of Camphor 15
mins. ; water to 1 oz. Dose $\frac{1}{2}$ oz.

Mistura Potassii Iodidi.

Iodide of Potassium 5 grs. ; Comp. Tincture of La-
vender 11 mins. ; water to 1 oz.

Mistura Purgans.

Sulphate of Magnesia 109 grs. ; Tincture of Ginger
15 mins. ; Infusion of Senna to 1 oz.

Mistura Terebinthinæ.

Oil of Turpentine $7\frac{1}{2}$ mins. ; Mucilage 1 drm. ; Spirit
of Nitrous Ether 15 mins. ; water to 1 oz.

Mistura Tonica et Aperiens.

Sulphate of Magnesia 54½ grs. ; Tincture of Ginger
15 mins. ; Infusion of Quassia to 1 oz.

PILULA.**Pil. Purgantes.**

Colocynth and Hyosecyamus Pill 5 grs. in each.

UNGUENTUM.**Parr's Ointment.**

Nitrate of Mercury Ointment, Sulphur Ointment,
Tar Ointment, of each equal parts.

PHARMACOPŒIA
OF THE
ADELAIDE HOSPITAL, DUBLIN.

LINIMENTUM.

Linimentum Stimulans.

White Soap 2 oz. ; hot water 35 oz. ; dissolve, and when cold add Strong Solution of Ammonia 5 oz. ; Oil of Turpentine 10 oz.

LOTIONES.

Lotio Acidi Carbolici.

Carbolic Acid 1 oz. ; water 30 oz.

Lotio Calcis Chloratæ.

Solution of Chlorinated Lime (B.P.) 2 drms. ; water to 8 oz.

Lotio Nigra.

Calomel 100 grs. ; Lime Water 20 oz.

Lotio Plumbi.

Solution of Subacetate of Lead (B.P.) 1 drm. ; water 8 oz.

MISTURÆ.

Mistura Amara.

Infusion of Quassia (B.P.) Dose $\frac{1}{2}$ oz. to 1 oz.

Mistura Amara Apericens.

Infusion of Quassia 1 oz.; Sulphate of Magnesia 32 grs.; Diluted Sulphuric Acid 15 mins. Dose $\frac{1}{2}$ oz. to 1 oz.

Mistura Amara c. Ferro.

Infusion of Quassia 1 oz.; Sulphate of Iron 2 grs. Dose $\frac{1}{2}$ oz. to 1 oz.

Mistura Arsenicalis c. Ferro.

Hydrochloric Solution of Arsenic (B.P.) 10 mins.; Diluted Solution of Perchloride of Iron 10 mins.; water to 1 oz. Dose $\frac{1}{2}$ oz. to 1 oz.

Mistura Cardiaca.

Carbonate of Ammonia $4\frac{1}{2}$ grs.; Camphor Water 1 oz. Dose $\frac{1}{2}$ oz. to 1 oz.

Mistura Carminativa.

Tincture of Rhubarb 48 mins.; Carbonate of Magnesia 9 grs.; Aromatic Spirit of Ammonia 9 mins.; water to 1 oz. Dose $\frac{1}{2}$ oz. to 1 oz.

Mistura Copaibæ.

Copaiba 15 mins.; Solution of Potash 9 mins.; Nitrate of Potash 9 grs.; water to 1 oz. Dose $\frac{1}{2}$ oz. to 1 oz.

Mistura Cretæ Composita.

Tincture of Catechu 12 mins.; Tincture of Rhatany 12 mins.; Chalk Mixture (B.P.) to 1 oz. Dose $\frac{1}{2}$ oz. to 1 oz.

Mistura Diaphoretica.

Solution of Acetate of Ammonia 1 drm.; Nitrate of Potash 20 grs.; water to 1 oz. Dose $\frac{1}{2}$ oz. to 1 oz.

Mistura Diuretica.

Acetate of Potash 20 grs.; Sweet Spirit of Nitre
30 mins.; Decoction of Broom 1 oz. Dose $\frac{1}{2}$
oz. to 1 oz.

Mistura Hydrargyri.

Corrosive Sublimate $\frac{1}{8}$ gr.; Sal Ammoniac $\frac{1}{4}$ gr.;
Tincture of Cardamoms 30 mins.; water to 1 oz.
Dose $\frac{1}{2}$ oz.

Mistura Pectoralis.

Carbonate of Ammonia 3 grs.; Tincture of Squill
20 mins.; Syrup $\frac{1}{2}$ drm.; water to $\frac{1}{2}$ oz. Dose
 $\frac{1}{2}$ oz. to 1 oz.

Mistura Pectoralis Infantilis.

Sweet Spirit of Nitre 15 mins.; Ipecacuanha Wine
7 mins.; Syrup $\frac{1}{2}$ drm.; water to $\frac{1}{2}$ oz. Dose
1 drm. to $\frac{1}{2}$ oz.

Mistura Potassii Bromidi.

Bromide of Potassium 10 grs.; water 1 oz. Dose $\frac{1}{2}$
oz. to 1 oz.

Mistura Potassii Iodidi.

Iodide of Potassium 10 grs.; water 1 oz. Dose $\frac{1}{2}$ oz.
to 1 oz.

Mistura Purgans.

Sulphate of Magnesia 2 drms.; Tincture of Senna 1
drm.; Ginger 7 grs.; water to 1 oz. Dose $\frac{1}{2}$ oz.
to 1 oz.

Mistura Sedativa.

Muriate of Morphia $\frac{1}{10}$ gr.; Diluted Hydrocyanic
Acid 4 mins.; Syrup 1 drm.; water to 1 oz.
Dose $\frac{1}{2}$ oz.

Mistura Stomachica.

Bicarbonate of Soda 10 grs.; Ginger 5 grs.; Infu-
sion of Quassia 1 oz. Dose $\frac{1}{2}$ oz. to 1 oz.

Mistura Strychniæ.

Solution of Strychnia (B.P.) 5 mins.; Solution of
Perechloride of Iron 5 mins.; water to 1 oz.
Dose $\frac{1}{2}$ oz. to 1 oz.

Mistura Terebinthina.

Confection of Turpentine 40 grs.; Peppermint Water
to 1 oz. Dose $\frac{1}{2}$ oz. to 1 oz.

PILULA.**Pilula Purgans.**

Compound Gamboge Pill 3 grs.; Blue Pill 2 grs.
Dose 5 to 10 grs.

PULVERES.**Pulvis Alterativus.**

Grey Powder 1 gr.; Rhubarb 2 grs.; Bicarbonate
of Soda 2 grs. Dose 5 grs.

Pulvis Ferri.

Saccharated Carbonate of Iron 6 grs.; Reduced
Iron 1 gr. Dose 7 grs.

Pulvis Santonini.

Santonine 2 grs.; Compound Jalap Powder 5 grs.
Dose 7 grs.

SKIN DISPENSARY.**Sapo Acidi Carbolici.****Tinctura Saponis Composita.**

Soft Soap, Oil of Cade, Methylated Spirit, of each 6 oz.

Unguentum Acidi Carbolici.

Carbolic Acid 1 drm.; Lard 1 oz.

